

# 1140 ⑤ 전기 방송음향기기(15)

거래가격 2021년10월호  
 조사기간 9월 1일~10일

<b>거래조건</b> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	<b>조사단계</b> 메이커 — ① — 수요자	<b>주 기</b> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	------------------------------	--

## 방 송 음 향 시 스템 (15)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
■ 테크데이터피에스			■ 테크데이터피에스		
● JBL			● JBL		
2516	Bracket	90	AM5212/26-WRC	Protected Outdoor Areas	9,450
8124	4" 8Ω, 20W, 93dB	150	AM5212/26-WRX	Extreme Environment	11,340
8128	8" 8Ω, 25W, 97dB	180	AM5212/64(AM5212/64-WH)	12" 2way, 300W, 40W (60°×40°)	6,000
8138	8" 8Ω, 25W, 97dB	210	AM5212/64-WRC	Protected Outdoor Areas	9,450
8320	150W Compact Surround Speaker	840	AM5212/64-WRX	Extreme Environment	11,340
AC15(AC15WH)	16Ω, 150W, 86dB	1,485	AM5212/66(AM5212/66-WH)	12" 2way, 300W, 40W (60°×60°)	6,000
AC16(AC16WH)	16Ω, 150W, 90dB	2,940	AM5212/66-WRC	Protected Outdoor Areas	9,450
AC16WRC	16Ω, 150W, 90dB, Protected Outdoor Areas	6,300	AM5212/66-WRX	Extreme Environment	11,340
AC16WRX	16Ω, 150W, 90dB, Extreme Environment	5,880	AM5212/95(AM5212/95-WH)	12" 2way, 300W, 40W, (90°×50°)	6,000
AC18/26(AC18/26WH)	8Ω, 250W, 92dB	3,600	AM5212/95-WRC	Protected Outdoor Areas	9,450
AC18/26WRC	8Ω, 250W, 92dB, Protected Outdoor Areas	6,300	AM5212/95-WRX	Extreme Environment	11,340
AC18/26WRX	8Ω, 250W, 92dB, Extreme Environment	7,080	AM5215/26(AM5215/26-WH)	15" 2way, 350W, 40W, (120°×60°)	6,600
AC18/95(AC18/95WH)	8Ω, 250W, 93dB	3,600	AM5215/26-WRC	Protected Outdoor Areas	10,710
AC18/95WRC	8Ω, 250W, 93dB, Protected Outdoor Areas	6,300	AM5215/26-WRX	Extreme Environment	12,600
AC18/95WRX	8Ω, 250W, 93dB, Extreme Environment	7,080	AM5215/64(AM5215/64-WH)	15" 2way, 350W, 40W, (60°×40°)	6,600
AC2212/00(AC2212/00-WH)	Compact 12" 2way 250W, 50W (100°×100°)	3,900	AM5215/64-WRC	Protected Outdoor Areas	10,710
AC2212/00-WRC	Protected Outdoor Areas	7,350	AM5215/64-WRX	Extreme Environment	12,600
AC2212/00-WRX	Extreme Environment	8,550	AM5215/66(AM5215/66-WH)	15" 2way, 350W, 40W, (60°×60°)	6,600
AC2212/64(AC2212/64-WH)	Compact 12" 2way 250W, 50W (60°×40°)	3,900	AM5215/66-WRC	Protected Outdoor Areas	10,710
AC2212/64-WRC	Protected Outdoor Areas	7,350	AM5215/66-WRX	Extreme Environment	12,600
AC2212/64-WRX	Extreme Environment	8,550	AM5215/95(AM5215/95-WH)	15" 2way, 350W, 40W, (90°×50°)	6,600
AC2212/95(AC2212/95-WH)	Compact 12" 2way 250W, 50W (90°×50°)	3,900	AM5215/95-WRC	Protected Outdoor Areas	10,710
AC2212/95-WRC	Protected Outdoor Areas	7,350	AM5215/95-WRX	Extreme Environment	12,600
AC2212/95-WRX	Extreme Environment	8,550	AM7200/64(AM7200/64-WH)	High Power Mid-High 350W, 100W, (60°×40°)	10,080
AC2215/00(AC2215/00-WH)	Compact 15" 2way 250W, 30W (100°×100°)	4,410	AM7200/64-WRC	Protected Outdoor Areas	14,160
AC2215/00-WRC	Protected Outdoor Areas	7,860	AM7200/64-WRX	Extreme Environment	15,750
AC2215/00-WRX	Extreme Environment	9,150	AM7200/95(AM7200/95-WH)	High Power Mid-High 350W, 100W, (90°×50°)	10,080
AC2215/64(AC2215/64-WH)	Compact 15" 2way 250W, 30W (60°×40°)	4,410	AM7200/95-WRC	Protected Outdoor Areas	14,160
AC2215/64-WRC	Protected Outdoor Areas	7,860	AM7200/95-WRX	Extreme Environment	15,750
AC2215/64-WRX	Extreme Environment	9,150	AM7212/00(AM7212/00-WH)	12" 2way, 700W, 100W, (100°×100°)	9,150
AC2215/95(AC2215/95-WH)	Compact 15" 2way 250W, 30W (90°×50°)	4,410	AM7212/00-WRC	Protected Outdoor Areas	12,600
AC2215/95-WRC	Protected Outdoor Areas	7,860	AM7212/00-WRX	Extreme Environment	14,160
AC2215/95-WRX	Extreme Environment	9,150	AM7212/26(AM7212/26-WH)	12" 2way, 700W, 100W, (120°×60°)	9,150
AC25(AC25WH)	16Ω, 225W, 91dB	2,670	AM7212/26-WRC	Protected Outdoor Areas	12,600
AC26(AC26WH)	8Ω, 180W, 92dB	4,350	AM7212/26-WRX	Extreme Environment	14,160
AC26WRC	8Ω, 180W, 92dB, Protected Outdoor Areas	6,600	AM7212/64(AM7212/64-WH)	12" 2way, 700W, 100W, (60°×40°)	9,150
AC26WRX	8Ω, 180W, 92dB, Extreme Environment	7,050	AM7212/64-WRC	Protected Outdoor Areas	12,600
AC28/26(AC28/26WH)	8Ω, 375W, 94dB	5,100	AM7212/64-WRX	Extreme Environment	14,160
AC28/26WRC	8Ω, 375W, 94dB, Protected Outdoor Areas	7,500	AM7212/66(AM7212/66-WH)	12" 2way, 700W, 100W, (60°×60°)	9,150
AC28/26WRX	8Ω, 375W, 94dB, Extreme Environment	8,250	AM7212/66-WRC	Protected Outdoor Areas	12,600
AC28/95(AC28/95WH)	8Ω, 375W, 94dB	5,100	AM7212/66-WRX	Extreme Environment	14,160
AC28/95WRC	8Ω, 375W, 94dB, Protected Outdoor Areas	7,500	AM7212/95(AM7212/95-WH)	12" 2way, 700W, 100W, (90°×50°)	9,150
AC28/95WRX	8Ω, 375W, 94dB, Extreme Environment	8,250	AM7212/95-WRC	Protected Outdoor Areas	12,600
AC895	8" 2-way full-range system	2,280	AM7212/95-WRX	Extreme Environment	14,160
AC195	10" 2-way full-range system	2,880	AM7215/26(AM7215/26-WH)	15" 2way, 750W, 100W, (120°×60°)	9,750
AC299	12" 2-way full-range system	3,300	AM7215/26-WRC	Protected Outdoor Areas	13,860
AC599	15" 2-way full-range system	3,750	AM7215/26-WRX	Extreme Environment	15,450
AC266	12" 2-way full-range system	3,300	AM7215/64(AM7215/64-WH)	15" 2way, 750W, 100W, (60°×40°)	9,750
AC566	15" 2-way full-range system	3,750	AM7215/64-WRC	Protected Outdoor Areas	13,860
AC115S	15" Subwoofer	3,300	AM7215/64-WRX	Extreme Environment	15,450
AC118S	18" Subwoofer	3,750	AM7215/66(AM7215/66-WH)	15" 2way, 750W, 100W, (60°×60°)	9,750
AL7115(AL7115-WH)	15" Lowfrequency, 600W	5,700	AM7215/66-WRC	Protected Outdoor Areas	13,860
AL7115-WRC	Protected Outdoor Areas	9,150	AM7215/66-WRX	Extreme Environment	15,450
AL7115-WRX	Extreme Environment	11,340	AM7215/95(AM7215/95-WH)	15" 2way, 750W, 100W, (90°×50°)	9,750
AM5212/00(AM5212/00-WH)	12" 2way, 300W, 40W (100°×100°)	6,000	AM7215/95-WRC	Protected Outdoor Areas	13,860
AM5212/00-WRC	Protected Outdoor Areas	9,450	AM7215/95-WRX	Extreme Environment	15,450
AM5212/00-WRX	Extreme Environment	11,340	AM7315/64(AM7315/64-WH)	High Power 3way 750W, 350W, 100W, (60°×40°)	13,500
AM5212/26(AM5212/26-WH)	12" 2way, 300W, 40W (120°×60°)	6,000	AM7315/64-WRC	Protected Outdoor Areas	17,010



### 세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.











공식수입사 **TechData** Professional Services      대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

거래가격 2021년10월호  
조사기간 9월 1일~10일

⑤ 전기 방송음향기기 (16) 1141

<p>거래조건</p> <ul style="list-style-type: none"> <li>· 수도방법 : 공장상차도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현 금</li> <li>· 부 가 세 : 별 도</li> </ul>	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
---	----------------------------------	--

방 송 음 향 시 스템 (16)

(가격단위 : 천원/대)

(생산자공표가격)

品 名	規 格	價 格 ①	品 名	規 格	價 格 ①
<p>■ 테크데이터피에스</p> <p>● JBL</p>			<p>■ 테크데이터피에스</p> <p>● JBL</p>		
AM7315/64-WRX	Extreme Environment	18,900	C67P/T(C67P/T-WH)	8Ω, 150W, 90dB	1,290
AM7315/95(AM7315/95-WH)	High Power 3way 750W, 350W, 100W, (90°x50°)	13,500	CBT50LA-LS-WH(CBT50LA-LS)	EN54-24 Certification 1 per carton	2,100
AM7315/95-WRC	Protected Outdoor Areas	17,010	CBT100LA-1(CBT100LA-1-WH)	8Ω, 200W, 93dB	3,480
AM7315/95-WRX	Extreme Environment	18,900	CBT200LA-1(CBT200LA-1-WH)	650W, 119dB	8,190
ASB4128(ASB4128-WH)	Dual 18" Subwoofer 600W	9,150	CBT50LA-1(CBT50LA-1-WH)	8Ω, 100W, 93dB	1,890
ASB4128-WRC	Protected Outdoor Areas	12,600	CBT70J-1(CBT70J-1-WH)	8Ω, 350W, 120dB	5,040
ASB4128-WRX	Extreme Environment	14,790	CBT70JE-1(CBT70JE-1-WH)	8Ω, 350W, 90dB	2,850
ASB6112(ASB6112-WH)	Compact Single 12" Subwoofer 700W	5,100	CONTROL126W	8Ω, 100W, 88dB, In-WallSpeaker	750
ASB6112-WRC	Protected Outdoor Areas	8,820	CONTROL126WT	8Ω, 100W, 88dB, In-WallSpeaker, Transformer	840
ASB6112-WRX	Extreme Environment	10,710	CONTROL128W	8Ω, 100W, 90dB, In-WallSpeaker	960
ASB6115(ASB6115-WH)	Single 15" Subwoofer 675W	6,000	CONTROL128WT	8Ω, 100W, 90dB, In-WallSpeaker, Transformer	1,050
ASB6115-WRC	Protected Outdoor Areas	9,450	CONTROL12C(T/CONTROL12C/T-BK)	3"FULL-RANGE Ceiling SPKR	330
ASB6115-WRX	Extreme Environment	11,970	CONTROL14C(T/CONTROL14C/T-BK)	4" CO-AX Ceiling SPKR	450
ASB6118(ASB6118-WH)	Single 18" Subwoofer 800W	7,560	CONTROL16C(T/CONTROL16C/T-BK)	6-1/2" CO-AX Ceiling SPKR	570
ASB6118-WRC	Protected Outdoor Areas	10,410	CONTROL19CS	8Ω, 200W, 95dB(CeilingSubwoofer)	1,020
ASB6118-WRX	Extreme Environment	12,600	CONTROL19CST	8Ω, 200W, 96dB	1,140
ASB6125(ASB6125-WH)	Dual 15" Subwoofer 1350W	9,450	CONTROL226C/T	8Ω, 100W, 90dB, Transformer	1,500
ASB6125-WRC	Protected Outdoor Areas	14,160	CONTROL227C	8Ω, 150W, 90dB, Transformer	1,200
ASB6125-WRX	Extreme Environment	17,310	CONTROL227C/T	8Ω, 150W, 90dB	1,350
ASB6128(ASB6128-WH)	Dual 18" Subwoofer 1600W	11,970	CONTROL23-1(CONTROL23-1-WH)	8Ω, 50W, 86dB	420
ASB6128V(ASB6128V-WH)	Extended Response Dual 18" Subwoofer 1600W	13,200	CONTROL24CMICRO	8Ω, 30W, 86dB	273
ASB6128-WRC	Protected Outdoor Areas	16,680	CONTROL24CTMICRO	8Ω, 30W, 86dB	294
ASB6128-WRX	Extreme Environment	17,310	CONTROL24C	16Ω, 80W, 86dB	420
ASB7118(ASB7118-WH)	Single 18" Subwoofer 1200W	11,340	CONTROL24CT	16Ω, 80W, 86dB	450
ASB7118-WRC	Protected Outdoor Areas	15,900	CONTROL25-1(CONTROL25-1-WH)	8Ω, 100W, 90dB	630
ASB7118-WRX	Extreme Environment	18,900	CONTROL25AV(CONTROL25AV-WH)	8Ω, 200W, 113dB	660
ASB7128(ASB7128-WH)	Dual 18" Subwoofer 2400W	19,800	CONTROL26C	16Ω, 150W, 89dB	540
ASB7128-WRC	Protected Outdoor Areas	28,500	CONTROL26CT	16Ω, 150W, 89dB	600
ASB7128-WRX	Extreme Environment	31,500	CONTROL26CT-LS	16Ω, 150W, 89dB	630
ASH6118(ASH6118-WH)	Single 18" Subwoofer 800W	12,600	CONTROL26-DT	Ceiling SPKR-Xfrmr no Backcan	390
AW266(AW266-BK)	Compact 12" 2way 500W	12,900	CONTROL28-1(CONTROL28-1-WH)	8Ω, 175W, 92dB	1,020
AW266-LS(AW266-BK)	Compact 12" 2way 500W	12,900	CONTROL30(CONTROL30-WH)	4Ω, 500W, 93dB	3,450
AW295(AW295-BK)	Compact 12" 2way 500W	12,900	CONTROL312CS	8Ω, 400W, 93dB, Subwoofer	2,190
AW295-LS(AW295-LS-BK)	Compact 12" 2way 500W	12,900	CONTROL321C	8Ω, 200W, 94dB	1,740
AW526(AW526-BK)	Compact 15" 2way 600W	13,800	CONTROL321CT	8Ω, 200W, 94dB, Transformer	1,890
AW526-LS(AW526-LS-BK)	Compact 15" 2way 600W	13,800	CONTROL322C	8Ω, 250W, 95dB	2,520
AW566(AW566-BK)	Compact 15" 2way 600W	13,800	CONTROL322CT	8Ω, 250W, 95dB, Transformer	2,670
AW566-LS(AW566-LS-BK)	Compact 15" 2way 600W	13,800	CONTROL328C	8Ω, 250W, 93dB, 8"	1,410
AW595(AW595-BK)	Compact 15" 2way 600W	13,800	CONTROL328CT	8Ω, 250W, 93dB, 8", Transformer	1,590
AW595-LS(AW595-LS-BK)	Compact 15" 2way 600W	13,800	CONTROL40CS/T	PREMIUM IN-Ceiling Subwoofer	1,590
AWC129(AWC129-BK)	All-Weather Co-ax, 12" 2-way	3,600	CONTROL42C	PREMIUM IN-Ceiling Satellite	315
AWC159(AWC159-BK)	15" All Weather Compact Coax	5,400	CONTROL45C/T	PREMIUM IN-Ceiling COAX w/5.25"	960
AWC15LF(AWC15LF-BK)	All Weather Compact Subwoofer	4,200	CONTROL47C/T	PREMIUM IN-Ceiling COAX w/6.5"	1,110
AWC82(AWC82-BK)	All-Weather Compact 2way 200W, Transformer	1,950	CONTROL47HC	PREMIUM HIGH-Ceiling COAX w/6.5"	1,260
C1PRO(브래킷포함/C1PRO-WH)	4Ω, 150W, 87dB SPL	270	CONTROL47LP	PREMIUM LOW-PROFILE Ceiling	960
C24CTMICROPLUS	8Ω, 30W, 85dB	510	Control5(브래킷포함/CONTROL5-WH)	4Ω, 175W, 89dB SPL	660
C24CT	Control 24CT With Transformer	450	CONTROL50S(T/CONTROL50S/T-WH)	8Ω, 300W, 115dB, Subwoofer	1,500
C25AV-LS(C25AV-LS-WH)	UL Life Safety Version of C25AV	960	CONTROL52(CONTROL52-WH)	16Ω, 50W, 85dB, Satellite Speaker	270
C26CT-LS	UL Version 6.5" Ceiling W/X-FRMER	840	CONTROL85M	Two-Way 5.25" Coaxial Landscape Speaker	960
C29AV-1(C29AV-WH-1)	8Ω, 300W, 90dB	1,590	CONTROL88M	Two-Way 8" Coaxial Landscape Speaker	1,410
C2PM	Powered, 35W, 111dB	720	CONTROLCRV(CONTROLCRV-WH)	4Ω, 150W, 89dB	990
C2PS	Powered, 35W, 115dB	930	CONTROLSB-2	8Ω, 340W, Subwoofer	1,440
C40CS/T	8Ω, 200W, 95dB, Subwoofer	1,750	CONTROLSB2210(CONTROLSB2210-WH)	8Ω, 500W, 95dB, Subwoofer	2,940
C50PACK(C50PACK-WH)	4Ω, 200W, 87dB	2,460	CSS1-S/T	8Ω, 60W, 86dB, Transformer Taps	510
C60PS / T(C60PS / T-WH)	Subwoofer	1,620	CSS8004(CSS-TR4/8X2pcs필요함)	Ceiling Speaker 15W	75
C62P(C62P-WH)	16Ω, 30W, 87dB	411	CSS8008(CSS-TR4/8X2pcs필요함)	Ceiling Speaker 15W	96
C65P/T(C65P/T-WH)	8Ω, 150W, 86dB	915	CSS8018(CSS-TR4/8X2pcs필요함)	Ceiling Speaker 20W	135
C67HC/T(C67HC/T-WH)	8Ω, 150W, 93dB	1,590	CSS-BB4x6pcs	CSS Backcan, 4"	195


**세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.**

---











공식수입사 **TechData**      대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

# 1142 ⑤ 전기 방송음향기기(17)

거래가격 2021년10월호  
 조사기간 9월 1일~10일

<b>거래조건</b> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	<b>조사단계</b> 메이커 — ① — 수요자	<b>주 기</b> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	------------------------------	--

## 방 송 음 향 시 스템 (17)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
■ 테크데이터피에스			■ 테크데이터피에스		
● JBL			● JBL		
CSS-BB8x6pcs	CSS Backcan, 8"	375	MTC-8124C	8100 Series option	54
CSS-H15	15Watt Paging Horn (6 in masterpack)	360	MTC-8128C	8100 Series option	60
CSS-H30	30Watt Paging Horn (4 in masterpack)	480	MTC81BB8	8100 Series option	135
CSS-TR4/8x12pcs	Tile Rails	105	MTC81TB8	8100 Series option	75
CWT128(CWT128-WH)	Dual 8" 850W, 94dB	6,900	MTC-CBT-SMB1	CBT Bracket	210
CWT128-WRC	Protected Outdoor Areas	8,700	MTC-RAIL	Tile Rail For 8124&8128	45
CWT128-WRX	Extreme Environment	10,500	MTC-RG6/8	Grille For C328, C227	102
DC115	Intellivox 320W	15,600	MTC-SG6/8	Square Grille For C328, C227	180
DS115	Intellivox 320W	17,400	MTC-TB6/8	Tile-Bridge For MTC-200BB6&MTC-300BB8	90
DC180	Intellivox 320W	22,500	MTU-1(MTU-1-WH)	"U" Bracket For AM7215/xx and AM5215/xx	630
DS180/DSX180	Intellivox 320W	25,500	MTU-15(MTU-15-WH)	"U" Bracket For AC15	249
DC280	Intellivox 320W	33,000	MTU-16(MTU-16-WH)	"U" Bracket For AC16	327
DS280/DSX280	Intellivox 320W	36,000	MTU-18(MTU-18-WH)	"U" Bracket For AC18	384
DC430	Intellivox 640W	48,000	MTU-2(MTU-2-WH)	U-Bracket For MODELAC2215/xx	630
DS430/DSX430	Intellivox 640W	54,000	MTU-25(MTU-25-WH)	"U" Bracket For AC25	306
DC500	Intellivox 640W	63,000	MTU-26(MTU-26-WH)	"U" Bracket For AC26	360
DS500/DSX500	Intellivox 640W	69,000	MTU-28(MTU-28-WH)	"U" Bracket For AC28	474
HP-DS170	Intellivox 1200W	45,000	MTU-3(MTU-3-WH)	AE Series 28-1/2"U-Bracket(white)	660
HP-DS370	Intellivox 1600W	81,000	MTU-4(MTU-4-WH)	AE Series 22-1/4"U-Bracket(white)	660
EON208P	JBL Packaged PA System (300W/8인치)	2,310	MTU7212	U-Bracket 12"	1,590
EON610	10" 2-way Powered Portable Speaker	1,728	MTU7215	U-Bracket 15"	1,950
EON612	12" 2-way Powered Portable Speaker	1,944	MTU-895	8" 2-way full-range system	300
EON615	15" 2-way Powered Portable Speaker	2,340	PA7212-18H	2way Plannar Array Kit	5,400
EON618S	18" Powered Subwoofer	2,970	PA7212-18V	2way Plannar Array Kit	4,950
EONONE	All-in-One Linear-Array PA System	3,300	PA7212-2/PA7215-2/PA7315-2	2way Plannar Array Kit	3,900
EONONEPRO	All-in-One Linear-Array PA System	4,800	PAF-1K(PAF-1K-WH)	AE Planar Array Frame 1	5,040
EONONECOMPACT	All-in-One Linear-Array PA System	2,700	PAF-2K(PAF-2K-WH)	AE Planar Array Frame 2	6,300
JBLPOLE-GA	JBL gas assist speaker pole	384	PAF-3K(PAF-3K-WH)	AE Planar Array Frame 3	6,600
JBLPOLE-MA	JBL manual adjust speakerpole	240	PD525S	Dual 15" Subwoofer	8,400
JBLTRIPOD-GA	JBL lift assist speaker tripod	594	PD525-WRC	Dual 15" Subwoofer	12,000
JBLTRIPOD-MA	JBL manual adjust speaker tripod	240	PD525-WRX	Dual 15" Subwoofer	15,600
JRX212	8Ω, 250W, 98dB	945	PD544	15" 2-way full-range, 40x40	12,000
JRX215	8Ω, 250W, 99dB	1,038	PD544-WRC	15" 2-way full-range, 40x40 IP55	12,600
JRX218S	4Ω, 350W, 96dB, Subwoofer	1,638	PD544-WRX	15" 2-way full-range, 40x40 IP56	15,900
JRX225	4Ω, 500W, 100dB	1,575	PD564	15" 2-way full-range, 60x40	12,000
305PMKII	5" Powered studio monitor 108dB	630	PD564-WRC	15" 2-way full-range, 60x40 IP55	12,600
308PMKII	8" Powered studio monitor 112dB	1,080	PD564-WRX	15" 2-way full-range, 60x40 IP56	15,900
LSR310S	10" Powered studio subwoofer 113dB	1,470	PD566	15" 2-way full-range, 60x60	12,000
LSR6312SP	Powered Studio Subwoofer, 260W, 96dB	7,200	PD566-WRC	15" 2-way full-range, 60x60 IP5	12,600
LSR6325P/5.1	LSR6325P/5.1CH	16,500	PD566-WRX	15" 2-way full-range, 60x60 IP56	15,900
LSR6325P-1	Self Powered studio monitor, 100W, 96dB	1,920	PD595	15" 2-way full-range, 90x50	12,000
LSR705i	5-Inch 2-way Master Reference Monitor	2,100	PD595-WRC	15" 2-way full-range, 90x50 IP55	12,600
LSR708i	8-Inch 2-way Master Reference Monitor	4,500	PD595-WRX	15" 2-way full-range, 90x50 IP56	15,900
LSR705P	5" Bi-Amplified Master Reference Monitor	4,200	PD6200/43(PD6200/43-WH)	Two-way mid-high horn-loaded loudspeaker	17,100
LSR708P	8" Bi-Amplified Master Reference Monitor	8,400	PD6200/43-WRC	Two-way mid-high horn-loaded loudspeaker	19,800
M2	Master Reference Monitor, 1200W	22,500	PD6200/43-WRX	Two-way mid-high horn-loaded loudspeaker	23,100
MTC-126RIF	Control100 Series option	96	PD6200/64(PD6200/64-WH)	Two-way mid-high horn-loaded loudspeaker	12,000
MTC-128RIF	Control100 Series option	96	PD6200/64-WRC	Two-way mid-high horn-loaded loudspeaker	13,500
MTC-200BB6	Control200 Series option	240	PD6200/64-WRX	Two-way mid-high horn-loaded loudspeaker	18,000
MTC-2P	C2PS Mounting Bracket	90	PD6200/66(PD6200/66-WH)	Two-way mid-high horn-loaded loudspeaker	12,000
MTC-300BB12	Control300 Series option	900	PD6200/66-WRC	Two-way mid-high horn-loaded loudspeaker	13,500
MTC-300BB8	Control300 Series option	300	PD6200/66-WRX	Two-way mid-high horn-loaded loudspeaker	18,000
MTC-300SG12	Control300 Series option	135	PD6200/95(PD6200/95-WH)	Two-way mid-high horn-loaded loudspeaker	12,000
MTC-300T150	Control300 Series option	285	PD6200/95-WRC	Two-way mid-high horn-loaded loudspeaker	13,500
MTC-42MR	Control40 Series option	480	PD6200/95-WRX	Two-way mid-high horn-loaded loudspeaker	18,000
MTC-42NC	Control40 Series option	375	PD6212/43(PD6212/43-WH)	12" two-way horn-loaded loudspeaker	18,600
MTC-47MR	Control40 Series option	780	PD6212/43-WRC	12" two-way horn-loaded loudspeaker	20,400
MTC-47NC	Control40 Series option	600	PD6212/43-WRX	12" two-way horn-loaded loudspeaker	23,400



### 세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.











공식수입사 **TechData**      대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

거래가격 2021년10월호  
 조사기간 9월 1일~10일

⑤ **전기** 방송음향기기 (18) **1143**

<p>거래조건</p> <ul style="list-style-type: none"> <li>· 수도방법 : 공장상차도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현 금</li> <li>· 부가세 : 별 도</li> </ul>	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> <li>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</li> </ul>
---	----------------------------------	---

방 송 음 향 시 스템 (18)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
■ 테크데이터피에스			■ 테크데이터피에스		
● JBL			● JBL		
PD6212/64(PD6212/64-WH)	12" two-way horn-loaded loudspeaker	13,500	VLA301-WRX	Extreme Environment	51,000
PD6212/64-WRC	12" two-way horn-loaded loudspeaker	16,200	VLA301H	3Way Line Array, 1200W, 1400W, 450W	51,000
PD6212/64-WRX	12" two-way horn-loaded loudspeaker	20,700	VLA301H-WRC	Protected Outdoor Areas	54,000
PD6212/66(PD6212/66-WH)	12" two-way horn-loaded loudspeaker	13,500	VLA301H-WRX	Extreme Environment	60,000
PD6212/66-WRC	12" two-way horn-loaded loudspeaker	16,200	VLA601	3Way LineArray, 1200W, 700W, 225W	39,000
PD6212/66-WRX	12" two-way horn-loaded loudspeaker	20,700	VLA601-WRC	Protected Outdoor Areas	42,000
PD6212/95(PD6212/95-WH)	12" two-way horn-loaded loudspeaker	13,500	VLA601-WRX	Extreme Environment	45,000
PD6212/95-WRC	12" two-way horn-loaded loudspeaker	16,200	VLA601H	3Way LineArray, 1200W, 1400W, 450W	45,000
PD6212/95-WRX	12" two-way horn-loaded loudspeaker	20,700	VLA601H-WRC	Protected Outdoor Areas	48,000
PD6322/43(PD6322/43-WH)	Dual 12" three-way full-range loudspeaker	21,600	VLA601H-WRX	Extreme Environment	54,000
PD6322/43-WRC	Dual 12" three-way full-range loudspeaker	23,400	VLA901	3Way LineArray, 1200W, 700W, 225W	39,000
PD6322/43-WRX	Dual 12" three-way full-range loudspeaker	26,700	VLA901-WRC	Protected Outdoor Areas	42,000
PD6322/64(PD6322/64-WH)	Dual 12" three-way full-range loudspeaker	15,900	VLA901-WRX	Extreme Environment	45,000
PD6322/64-WRC	Dual 12" three-way full-range loudspeaker	18,600	VLA901H	3Way LineArray, 1200W, 1400W, 450W	45,000
PD6322/64-WRX	Dual 12" three-way full-range loudspeaker	22,800	VLA901H-WRC	Protected Outdoor Areas	48,000
PD6322/66(PD6322/66-WH)	Dual 12" three-way full-range loudspeaker	15,900	VLA901H-WRX	Extreme Environment	54,000
PD6322/66-WRC	Dual 12" three-way full-range loudspeaker	18,600	VRX915M	8Ω, 800W, 98dB, 15" Stage Monitor	7,560
PD6322/66-WRX	Dual 12" three-way full-range loudspeaker	22,800	VRX915S(VRX915S-WH)	4Ω, 800W, 91dB, 15" Flying Subwoofer	5,670
PD6322/95(PD6322/95-WH)	Dual 12" three-way full-range loudspeaker	15,900	VRX918S(VRX918S-WH)	8Ω, 800W, 95dB, 18" Flying Subwoofer	6,300
PD6322/95-WRC	Dual 12" three-way full-range loudspeaker	18,600	VRX918SP	18" Powered Subwoofer, 1500W, 126dB	9,450
PD6322/95-WRX	Dual 12" three-way full-range loudspeaker	22,800	VRX928LA(VRX928LA-WH)	8Ω, 400W, 90dB, 8" Line Array	6,930
PD743	HIGH OUTPUT COAX 40x30 (Mid-High)	37,500	VRX932LA-1(VRX932LA-1-WH)	8Ω, 800W, 95dB, 12" Line Array	10,380
PD743-WRC	HIGH OUTPUT COAX 40x30 (Mid-High)	41,250	VRX932LAP	12" Powered, 875W, 136dB	13,860
PD743-WRX	HIGH OUTPUT COAX 40x30 (Mid-High)	43,125	VRX-AF	VRX Array Frame	3,780
PD764	HIGH OUTPUT COAX 60x40 (Mid-High)	33,750	VRX-SMAF	VRX small Array Frame	2,250
PD764-WRC	HIGH OUTPUT COAX 60x40 (Mid-High)	36,000	VT4883	SUBCOMPACT 2x12" Array Able Subwoofer	13,500
PD764-WRX	HIGH OUTPUT COAX 60x40 (Mid-High)	45,500	VT4886	Full Range Line Array Element	13,500
PM42	42" Pole	600	VT4886-AF	SUBCOMPACT System Array Frame	7,200
PMB-BK(PMB-WH)	Pole Mount Bracket For CCRV	180	VT4886-DF88	SUBCOMPACT System Down Fill Frame	6,900
PRX412M(PR412M-WH)	8Ω, 300W, 95dB	1,950	VT4886-DF89	SUBCOMPACT System Down Fill Frame	7,200
PRX415M(PR415M-WH)	8Ω, 300W, 98dB	2,100	VT4886-HB	Vertec SUBCOMPACT Bracket	4,200
PRX418S	8Ω, 800W, 95dB, Subwoofer	2,850	VT4886-SF	SUBCOMPACT System Short Frame	5,700
PRX425	4Ω, 600W, 100dB	2,850	VT4886-UB	Vertec SUBCOMPACT Bracket	1,800
PRX812W	12" Self-powered, 1500W, 135dB	3,300	VT4886-UB1	Vertec SUBCOMPACT Bracket	1,200
PRX815W	15" Self-powered, 1500W, 137dB	3,600	VTX-M20	S/M, 10" Dual	11,700
PRX815XLFW	15" Self-powered, 1500W, 131dB	3,750	VTX-M22	S/M, 12" Dual	13,800
PRX818XLFW	18" Self-powered, 1500W, 134dB	4,350	VTX-F12	S/M, VTX-F12	10,500
PRX825	Dual 15" Self-powered, 1500W, 138dB	4,800	VTX-F15	2-way 15" multipurpose fill/floor mtr	12,600
PRX835	3way 15" Self-powered, 1500W, 138dB	4,800	VTX-F18S	S/M, VTX-F18S	12,600
SM7200	Pole Mount Bracket	1,020	VTX-G28	Dual 18" Subwoofer, Ground-Stack	25,500
SRX812	12" Bass-Reflex Stage Monitor	3,900	VTX-G28-ACC	S/M, VTX-G28-ACC	5,400
SRX812P	12" Bass-Reflex Stage Monitor	6,048	VTX-S25	S/M, VTX-S25	22,500
SRX815	15" Two-Way Bass Reflex Loudspeaker	4,200	VTX-S25-VT	VTX S25 Vertical Transporter	3,600
SRX815P	15" Two-Way Bass Reflex Loudspeaker	6,480	VTX-S25-VT-CVR	VTX S25 Vertical Transporter Protective Cover	3,300
SRX818S	18" Single Subwoofer	4,800	VTX-S28	Dual 18" Subwoofer, Suspend Able	27,000
SRX818SP	18" Single Subwoofer	7,344	VTX-S28-ACC	S/M, VTX-S28-ACC	5,100
SRX828S	18" Double Subwoofer	6,300	VTX-S28-VT	VTX S28 Vertical Transporter	10,800
SRX828SP	18" Double Subwoofer	9,072	VTX-S28-VT-CVR	Vertical Transporter Soft Cover	3,600
SRX835	3-way 15" Bass Reflex Loudspeaker	5,100	VTX-V20	S/M, VTX-V20	31,500
SRX835P	3-way 15" Bass Reflex Loudspeaker	7,344	VTX-V20-AF	Array Frame, VTX-V20	14,100
SS2-BK	TRIPOD MOUNT SR/MR, EON, TR105/125, CNTRL5	630	VTX-V20-AF-EB	VTX V20 Array Frame Extension Bar	4,080
SS3-BK	SPEAKER POLE MOUNT	180	VTX-V20-DF	V25밀예, V20 Down Fill	12,600
SS3-BK24	SMSS3-BK24	150	VTX-V20-VT	VTX V20 Vertical Transporter	4,500
SS4-BK	SPEAKER POLE MOUNT	390	VTX-V20-VT-CVR	VTX V20 Vertical Transporter	3,300
SS4-BK24	SMSS4-BK24	174	VTX-V25	Fullsize 3-Way Line Array Element	53,400
SS5-BK	TRIPOD MOUNT SR/MR, EON, TR105/125, CNTRL5	870	VTX-V25H	Fullsize 3-Way Line Array Element	54,900
VLA301	3Way Line Array, 1200W, 700W, 225W	45,000	VTX-V25HCS	-	54,900
VLA301-WRC	Protected Outdoor Areas	48,000	VTX-V25-ACC	S/M, VTX-V25-ACC	4,050



**세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.**











공식수입사 **TechData** Professional Services    대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

# 1144 ⑤ 전기 방송음향기기(19)

거래가격 2021년10월호  
조사기간 9월 1일~10일

<b>거래조건</b> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	<b>조사단계</b> 메이커 — ① — 수요자	<b>주 기</b> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	------------------------------	--

## 방 송 음 향 시 스템 (19)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
■ 테크데이터피에스			■ 테크데이터피에스		
● JBL			● Crown		
VTX-V25-AF	Array Frame, VTX-V25	17,700	IT5000HD	Dual, per CH-4Ω 2500W/8Ω 1250W	17,400
VTX-V25-AF-EB	Extension Bar, VTX-V25-AF	5,490	IT9000HD	Dual, per CH-4Ω 3500W/8Ω 1500W	21,000
VTX-V25-AF-I	VTX V25 Array Install Version	21,600	IT12000HD	Dual, per CH-4Ω 4500W/8Ω 2100W	25,800
VTX-V25-ASP	V25 Acoustical Spare Parts kit	13,500	IT4X3500HDB	4ch, per CH-4Ω 2400W/8Ω 1900W	27,000
VTX-V25-MSP	V25 Mechanical Spare Parts kit	9,450	IT4X3500HDS	4ch, per CH-4Ω 2400W/8Ω 1900W	27,000
VTX-V25-VT	VTX V25 Vertical Transporter	12,600	MA5000i	Dual, per CH-4Ω 2500W/8Ω 1250W	13,500
VTX-V25-VT-CVR	Vertical Transporter Soft Cover	3,600	MA9000i	Dual, per CH-4Ω 3500W/8Ω 1500W	16,500
VTX-VT-FL	VTX Vertical Transporter Fork Lift Adapter	5,880	MA12000i	Dual, per CH-4Ω 4500W/8Ω 2100W	22,500
VTXA8	8" 3-Way Line Array Element	27,000	PIP-BLUModule	PIP™ input module	2,400
VTXA8AF	Array Frame, VTXA8	12,000	RM1	Single Unit Rack Mount Kit for 135MA/160MA	90
VTXA8VT	VTX A8 Vertical Transporter	5,000	RM2	Double Unit Rack Mount Kit for 135MA/160MA	60
VTXA8VTCVR	VTX A8 Vertical Transporter Cover	3,300	SCOVER	10pack of Security Knobs	75
VTXA8BP	VTX A8 Base Plate	2,500	T170V	Constant-Voltage Transformer	300
VTXB18	VTX 18" Subwoofer	20,000	TP170V	Constant-Voltage Transformer Panel	1,350
VTXB18VT	Vertical Transporter	5,000	VRACK	Complete Amplification System	30,000
VTXB18VTCVR	Subwoofer Vertical Transporter Cover	4,200	XFMR4	4ch, Constant	1,050
VTXA12	12" 3-Way Line Array Element	51,000	XFMR8	8ch, Constant	1,890
VTXA12AF	Array Frame, VTX A12	19,500	XLi800	Dual, per CH-4Ω 300W/8Ω 200W	900
VTXA12VT	VTX A12 Vertical Transporter	7,800	XLi1500	Dual, per CH-4Ω 450W/8Ω 330W	1,080
VTXA12VTCVR	VTX A12 Vertical Transporter Cover	3,600	XLi2500	Dual, per CH-4Ω 750W/8Ω 500W	1,650
● Crown			XLi3500	Dual, per CH-4Ω 1350W/8Ω 1000W	2,970
135MA	3-input, 8Ω 35W (70V/100V)	750	XLS1002	Dual, per CH-4Ω 350W/8Ω 215W	1,260
160MA	4-input, 8Ω 60W (70V/100V)	1,200	XLS1502	Dual, per CH-4Ω 525W/8Ω 300W	1,590
CDi1000	Dual, per CH-4Ω 500W/8Ω 275W	3,300	XLS2002	Dual, per CH-4Ω 650W/8Ω 375W	2,040
CDi2000	Dual, per CH-4Ω 800W/8Ω 475W	4,200	XLS2502	Dual, per CH-4Ω 775W/8Ω 450W	2,340
CDi4000	Dual, per CH-4Ω 1200W/8Ω 650W	5,700	XTi1002	Dual, per CH-4Ω 500W/8Ω 275W	2,160
CDi6000	Dual, per CH-4Ω 2100W/8Ω 1200W	9,600	XTi2002	Dual, per CH-4Ω 800W/8Ω 475W	2,970
CT4150	4ch, per CH-8Ω 125W	3,300	XTi4002	Dual, per CH-4Ω 1200W/8Ω 650W	4,140
CT475	4ch, per CH-8Ω 75W	2,850	XTi6002	Dual, per CH-4Ω 2100W/8Ω 1200W	7,500
CT8150	8ch, per CH-8Ω 125W	6,600	● Soundcraft		
CT875	8ch, per CH-8Ω 75W	4,500	fibrecast connectors, supplied on reel :	RZ2702, 150m optical	10,500
DCi21250	Dual, per CH-4Ω/8Ω 1250W	7,650	16in 16 out XLR AES Card :	5019847	2,550
DCi21250N	Dual, per CH-4Ω/8Ω 1250W, BLU Link	11,100	16x AES/EBU card :	RS2422	2,700
DCi21300	Dual, per CH-4Ω/8Ω 300W	3,450	fibrecast connectors, supplied on reel :	RZ2701, 200m optical	12,300
DCi21300N	Dual, per CH-4Ω/8Ω 300W, BLU Link	6,000	32ch BLU Link card :	-	1,620
DCi21600	Dual, per CH-4Ω/8Ω 600W	5,100	ADAT 16ch I/O Card :	RS2360	2,400
DCi21600N	Dual, per CH-4Ω/8Ω 600W, BLU Link	7,800	AES input Card :	RS2446	1,800
DCi41250	4ch, per CH-4Ω/8Ω 1250W	11,700	AES output Card :	RS2447	1,800
DCi41250N	4ch, per CH-4Ω/8Ω 1250W, BLU Link	16,800	AES/EBU 4+4 XLR card :	A520.002000SP	1,800
DCi41250ND	4ch, per CH-4Ω/8Ω 1250W, AVB	18,900	AES/EBU 8+8 D type card :	A520.003000SP, word clock	1,800
DCi41300	4ch, per CH-4Ω/8Ω 300W	5,550	A-Net Aviom Card :	A520.004000SP	4,200
DCi41300N	4ch, per CH-4Ω/8Ω 300W, BLU Link	9,300	Aviom 16ch Output Card :	RS2497	5,100
DCi41600	4ch, per CH-4Ω/8Ω 600W	8,400	Aviom 16ch Output Card :	RS2498	5,400
DCi41600N	4ch, per CH-4Ω/8Ω 600W, BLU Link	12,900	Cat5 Dual port MADI :	A520.005000SP	1,620
DCi81300	8ch, per CH-4Ω/8Ω 300W	11,100	CobraNet 32ch i/o Card :	RS2496	5,400
DCi81300N	8ch, per CH-4Ω/8Ω 300W, BLU Link	16,500	CobraNet 32ch i/o Card :	A520.006000SP	4,200
DCi81600	8ch, per CH-4Ω/8Ω 600W	16,800	CobraNet 32ch i/o Card :	RS2485	5,100
DCi81600N	8ch, per CH-4Ω/8Ω 600W, BLU Link	21,000	Compact Stage Box-32/16/Cat5 :	32in, 16 line out, Dual Cat5 MADI	17,400
DCi81600ND	8ch, per CH-4Ω/8Ω 600W, AVB	25,500	Compact Stage Box-32/8+8/Cat5 :	32in, 8 line out, 8 AES OUT, Dual Cat5 MADI	17,400
DSi1000	Dual, per CH-4Ω 475W/8Ω 275W	2,700	Compact Stage Box-32/8+8/Optical SC :	32in, 8 line out, 8 AES OUT, Dual MM Optical	17,400
DSi2000	Dual, per CH-4Ω 800W/8Ω 475W	3,900	CSB Cat5 MADI HD card :	A949.049232	2,850
DSi4000	Dual, per CH-4Ω 1200W/8Ω 650W	5,400	CSB Optical MADI HD card Multimode :	A949.049032	3,000
DSi6000	Dual, per CH-4Ω 2100W/8Ω 1200W	9,900	CSB Optical MADI HD card Singlemode :	A949.049132	3,600
EOLBox	EOL Box	1,500	Dual port Cat 5 Dante card :	5031819	4,200
IQ3PIPLITE	PIP-Lite IQ Network Input Module	1,800	EFX8	32 FX settings, 8+2/2/2	1,290
IQ3USP3CN	PIP-USP3 DSP PIP Module	6,000	EFX12	32 FX settings, 12+2/2/2	1,575
IQ3USP4CN	DSP-Based PIP Input Module	3,900	EPM6	Compact high-performance mixers, 6+2/2/2	819
IST	IST	165	EPM8	Compact high-performance mixers, 8+2/2/2	945



### 세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.











공식수입사 **TechData**      대표번호 : 02-3272-7600 | A/S문의 : 1661-9474

거래가격 2021년10월호  
 조사기간 9월 1일~10일

⑤ 전기 방송음향기기 (20) 1145

<p>거래조건</p> <ul style="list-style-type: none"> <li>· 수도방법 : 공장상차도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현 금</li> <li>· 부가세 : 별 도</li> </ul>	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
---	----------------------------------	--

방 송 음 향 시 스템 (20)

(가격단위 : 천원/대)

(생산자공표가격)

品名	規 格	價 格 ①	品名	規 格	價 格 ①
<p>■ 테크데이터피에스</p> <p>● Soundcraft</p> <p>EPM12 Compact high-performance mixers, 12+2/2/2</p> <p>Expression1 Dust Cover gooseneck 207</p> <p>Expression2+Performer 2 Dust Cover Gooseneck, Scribble pad and Pen 228</p> <p>Expression3+Performer 3 Dust Cover 2x Gooseneck, Scribblepad and Pen 330</p> <p>Flightcase for Expression 2 - 1,650</p> <p>Flightcase for Expression 3 - 1,800</p> <p>FX16ii 16direct output sand built-in effects, 16/4/2/2 2,670</p> <p>GB216CH Compact Live Sound Mixer, 16+2/6/2/2 4,890</p> <p>GB224CH Compact Live Sound Mixer, 24+2/6/2/2 6,600</p> <p>GB232CH Compact Live Sound Mixer, 32+2/6/2/2 7,890</p> <p>GB2R12CH 19" Compact installation mixer, 12+2/6/2/2 3,960</p> <p>GB2R16CH 19" Compact installation mixer, 16+2/6/2/2 3,960</p> <p>GB416CH Live Sound Mixer, 16+2/8/4/3 6,210</p> <p>GB424CH Live Sound Mixer, 24+2/8/4/3 7,890</p> <p>GB432CH Live Sound Mixer, 32+2/8/4/3 10,140</p> <p>GB440CH Live Sound Mixer, 40+2/8/4/3 12,000</p> <p>GB824CH Live Sound Console, 24+4/8/8/3 12,000</p> <p>GB832CH Live Sound Console, 32+4/8/8/3 13,890</p> <p>GB840CH Live Sound Console, 40+4/8/8/3 17,250</p> <p>GB848CH Live Sound Console, 48+4/8/8/3 21,600</p> <p>Gooseneck Lamp 18" Right Angle Soundcraft 18" 4pin desk lamp 150</p> <p>GPIO module RS2429 5,100</p> <p>Local Rack Cat5 144,000</p> <p>Local Rack Cat5 Link Card RS2409 2,700</p> <p>Local Rack Optical - 150,000</p> <p>LX-7II16 Multi purpose mixer, 16+2/6/4/3 3,570</p> <p>LX-7II24 Multi purpose mixer, 24+2/6/4/3 4,710</p> <p>LX-7II32 Multi purpose mixer, 32+2/6/4/3 5,820</p> <p>Madi card/Local Rack RS2426, Connectors-multimode 3,000</p> <p>Optical Link card-S RS2563, Connectors-singlemode 3,750</p> <p>MSB-16 16in, 8line out, single cat5 MADI(Si Expression Set 발주시적용) 2,700</p> <p>MSB-16C5 16in, 8line out, single cat5 MADI 3,150</p> <p>MSB-32C5 32in, 8line out, 4AE Sout, Dual Cat5 MADI 6,300</p> <p>MSB-32C5 Si Expression Set 발주시 적용 5,670</p> <p>Multi mode Optical MADI Card A520.001000SP 1,950</p> <p>Multi-Digital32+32USB/Firewire+8+8ADAT 5024024 12,000</p> <p>Realtime Rack Core 14 Plug-ins 16,500</p> <p>Realtime Rack Ultimate 74 Plug-ins 39,000</p> <p>Si Expression 1 16 mic pre's, 16faders, 16xlr outputs 7,200</p> <p>Si Expression 2 24 mic pre's, 24faders, 16xlr outputs 8,400</p> <p>Si Expression 3 32 mic pre's, 24faders, 16xlr outputs processors 10,200</p> <p>Si Performer 1 16 mic pre's, 16fader, 20 sub-group 15,000</p> <p>Si Performer 2 24 mic pre's, 24fader, 20 sub-group 18,000</p> <p>Si Performer 3 32 mic pre's, 32fader, 20 sub-group 21,000</p> <p>Signature 10 10 channel console, 4mono mic/line inputs 1,140</p> <p>Signature 12 12 channel console, 6mono mic/line inputs 1,320</p> <p>Signature 12MTK 12 channel console, 6mono mic/line inputs 1,470</p> <p>Signature 16 16 channel console, 10mono mic/line inputs 2,370</p> <p>Signature 22 22 channel console, 14mono mic/line inputs 2,760</p> <p>Signature 22MTK 22 channel console, 14mono mic/line inputs 2,550</p> <p>Si-Impact 24 mic pre's on XLR, 8Mic/Line on 9,900</p> <p>Single mode Optical MADI Card 5019983.v 1,950</p> <p>Stage-box Cat5 - 36,000</p> <p>Stage-box Cat5 HD Link Card A949.055632 2,700</p> <p>Stage-box Optical - 45,000</p> <p>Stage-box Optical HD Link card-S RS2562, Connectors-singlemode 3,600</p> <p>Stage-box Optical HD Link card-S RS2448, Connectors-multimode 3,300</p> <p>TDIF Card RS2564 2,400</p>	<p>■ 테크데이터피에스</p> <p>● Soundcraft</p> <p>Ui-12 12 input stomix, 4 mic/line, 4 mic in 1,320</p> <p>Ui-16 16 input stomix, 8 mic/line, 4 mic in 1,800</p> <p>Ui-24R 24 input stomix, 10 mic/line, 10 mic in 4,500</p> <p>Vi1 custom flight-case - 9,000</p> <p>Vi1-32 16 input fader, 8 master fader, 24 buses 72,000</p> <p>Vi1-48 48 local Mic/Line in putsand 16 outputs 72,000</p> <p>Vi1-48C5 Loal-16Mic/Line inputs, 8 line 90,000</p> <p>Vi1-48MO Multimodeoptical 93,000</p> <p>Vi1-64C5 Local-16Mic/Line inputs, 8 line 105,000</p> <p>Vi1-64MO Multimode optical 108,000</p> <p>Vi1000 16 local Mic/Line inputs and 16 outputs 69,000</p> <p>Vi2000 48 local Mic/Line inputs and 16 outputs 105,000</p> <p>Vi3000-48 96 input tomix 135,000</p> <p>Vi3000-72C5 96 input tomix 174,000</p> <p>Vi3000-72MO 96 input tomix 180,000</p> <p>Vi3000-FCS Vi3000 Standard flightcase 12,000</p> <p>Vi4 Cat5 System 96 input to mix 300,000</p> <p>Vi4 Control Surface custom flight-case - 9,000</p> <p>Vi4 Multi Optical System - 315,000</p> <p>Vi4 Surface - 120,000</p> <p>Vi4.2 Cat5 System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 336,000</p> <p>Vi4.2 Optical System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 360,000</p> <p>Vi4/Vi6 12U 19" custom flight-case for Local Rack/Stagebox - 5,400</p> <p>Vi4/Vi6 Script Tray A947.006000 1,875</p> <p>Vi5000 surface - 105,000</p> <p>Vi5000-FC Vi5000 flightcase inc 2x monitor mount+4U of rack space 13,500</p> <p>Vi6Cat5 System 96 input tomix 360,000</p> <p>Vi6 Control Surface custom flight-case - 9,600</p> <p>Vi6 Multi Optical System - 375,000</p> <p>Vi6 Surface Control surface 180,000</p> <p>Vi6.2 Cat5 System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 396,000</p> <p>Vi6.2 Multi Optical System Ships with 2x Vi Stage box-64 inputs, 32 Outputs 420,000</p> <p>Vi7000 surface - 165,000</p> <p>Vi7000-FC Vi7000 flightcase inc 2x monitor mount+4U of rack space 15,000</p> <p>Vi-Blulink 5033340 3,600</p> <p>Vi-Dante 5036916 5,100</p> <p>ViLR-48MO 384 io local rack at 48kHz, supports 128 in 180,000</p> <p>ViLR-96MO 384 io local rack at 48kHz&amp;96kHz, supports 128 in 210,000</p> <p>ViSB64:32MO 64 Mic/Line in, 32 Line out 60,000</p> <p>Notepad-5 12 inputs tomix, 1mic/2line in 420</p> <p>Notepad-8FX 8in puts tomix, 2mic/3line in 540</p> <p>Notepad-12FX 12in puts tomix, 4mic/4line in 630</p> <p>● AMX</p> <p>MCP-106P-BL Massio 6-Button Ethernet Control Pad 2,340</p> <p>MCP-106P-WH Massio 6-Button Ethernet Control Pad, Portrait 2,340</p> <p>MCP-106L-BL Massio 6-Button Ethernet Control Pad, Land scape Black 2,340</p> <p>MCP-106L-WH Massio 6-Button Ethernet Control Pad, Land scape White 2,340</p> <p>MCP-108-BL Massio 8-Button Ethernet Control Pad with Knob, Black 2,990</p> <p>MCP-108-WH Massio 8-Button Ethernet Control Pad with Knob, White 2,990</p> <p>NXA-PDU-1508-8 110V/220V-Allows remote reset of devices 4,712.5</p> <p>AVS-EPDGX144-ENC Epica DGX 144 Matrix Switcher Enclosure 451,750</p> <p>AVS-EPDGX144-VO-DVI 16 DVI Connection Epica DGX 144 Output Board 52,000</p> <p>AVS-EPDGX144-OI-SC 16 SC Fiber Connection Epica DGX 144 Input Board 52,325</p> <p>AVS-EPDGX144-OO-SC 16 SC Fiber Connection Epica DGX 144 Output Board 59,637.5</p> <p>AVS-EPDGX144-VI-DVI 16 DVI Connection Epica DGX 144 Input Board 46,475</p> <p>EPICADGX288-ENC Epica DGX 288 Matrix Switcher Enclosure 529,750</p> <p>EPICADGX288-VIO-SMF-S 16 Connection Single Mode Fiber Input/Output Board 92,625</p> <p>EPICADGX288-VIO-MMF-S 16 Connection Multi Mode Fiber Input/Output Board 66,300</p>				


**세계적인 음향 브랜드 하만, (주)테크데이터 피에스가 함께합니다.**

---











---

공식수입사 **TechData** Professional Solution      대표번호 : 02-3272-7600 | A/S문의 : 1661-9474