

1138 ⑤ 통신 방송음향기기(24)

거래가격 2017년 8월호
조사기간 7월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현금 · 부가세 : 별도	조사단계 [메이커] — ① — [수요자]	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
----------------------------------------------------------------------------	----------------------------------	------------------------------------------------------------------------------

방 송 음 향 시 스템 (24)

(가격단위 : 천원)

(생산자공표가격)

品 名	規 格	單 位	價 格 ①	品 名	規 格	單 位	價 格 ①
■ 테크데이터				■ 테크데이터			
● AKG				● AKG			
AB 4000(안테나부스터)	Antenna booster	대	750	CBL 99	Extremely small&inconspicuous lightweight boundary layer microphone	대	450
AB4000 EW/BNC	-	"	750	CC519	Clarinet clamp for C519, fits on A and B-flat clarinet	"	120
APS4	-	"	1,650	CGN 99C/L	Cardioid condenser microphone on 50cm Gooseneck	"	390
ASU 4000 without AC adapter	Antenna supply unit	"	630	CGN 99C/S	Cardioid condenser microphone on 30cm Gooseneck	"	390
B 23 L	-	"	270	CGN 99H/L	Hypercardioid condenser microphone on 50cm gooseneck	"	390
B 48 L(Phantom Power Supply)	48V battery driven phantom power unit	"	630	CGN 99H/S	Hypercardioid condenser microphone on 30cm gooseneck	"	390
C 1000 S	Multipurpose condenser microphone	"	540	CGN321STS	Professional tabletop microphone set	"	690
C 12 VR	Tube "Vintage Revival" microphone	"	20,400	CGN331E	-	"	840
C 111 LP	3pin mini XLR 무선타입	"	300	CGN341E	-	"	1,050
C 214	Large diaphragm studio microphone	"	1,500	CGN521STS	Professional tabletop microphone set	"	750
C 214 Stereoset	Large diaphragm studio microphone	"	3,600	CHM 99 black/white(Hanging Mic)	Hanging module with 10 m non twisting cable and inline phantom power adapter	"	390
C 3000	Large diaphragm microphone	"	690	CK 31	Screw-on cardioid microphone capsule module	"	195
C 314	Professional Multi-pattern Condenser microphone	"	2,250	CK 32	Screw-on omni directional microphone capsule module	"	195
C 314 Matched Pair	Professional Multi-pattern Condenser microphone	"	5,700	CK 33	Screw-on hypercardioid microphone capsule module	"	405
C 391 B(SE300B+CK91)	Powering/output module SE300 B and CK91 cardioid capsule	"	1,050	CK 41 (단일지향)	Cardioid Capsule with foam windscreen W40	"	420
C 4000	Large diaphragm multi-pattern studio microphone	"	1,350	CK 43 (초지향)	Supercardioid Capsule with foam windscreen W40	"	450
C 411 PP	For hardware applications, with standard XLR Connector 유선타입	"	540	CK 47	Screw-on hypercardioid shotgun capsule module	"	990
C 411 L	Ultra-light vibration pickup with mini XLR Connector	"	420	CK 49	Shotgun Capsule with foam windscreen W49	"	750
C 414 XL II	Large diaphragm studio microphone for solo vocals & solo instruments	"	3,750	CK 61 ULS	High quality cardioid capsule, only for C490 B-ULS	"	750
C 414 XL II Stereoset	Large diaphragm studio microphone, matched stereo pair	"	9,600	CK 62 ULS	High quality omni directional capsule, only for C490 B-ULS	"	750
C 414 XLS	Large diaphragm studio microphone for universal applications	"	3,600	CK 63 ULS	High quality hypercardioid capsule, only for C490 B-ULS	"	750
C 414 XLS Stereoset	Large diaphragm studio microphone, matched stereo pair	"	9,600	CK 69 ULS	Two shotgun capsules in one, only for C490 B-ULS	"	2,040
C 417 L	Extremely light, inconspicuous mic, mini XLR-version	"	330	CK 77 WR L	Moisture resistant miniature mic, mini XLR Connector, black	"	1,080
C 417 PP	Extremely light, inconspicuous mic with XLR Connector	"	450	CK 77 WR L/P	Moisture resistant miniature mic, mini XLR-Connector, flesh colour	"	1,260
C 430	Overhead mic	"	600	CK 80	Screw-on hypercardioid shotgun microphone capsule module	"	150
C 451B	Microphone for drums, percussion, acoustic guitars&overhead	"	1,350	CK 91	Versatile cardioid capsule, only for SE300 B	"	600
C 451 B Stereoset	Small diaphragm condenser microphone, matched stereo pair	"	3,450	CK 92	Omnidirectional capsule, only for SE300 B	"	600
C 480 B comb(CK61 ULS 포함)	C480B-ULS combined with CK 61-ULS	"	2,340	CK 93	Hypercardioid capsule, only for SE300 B	"	600
C 480 B-ULS(캡슐없음)	Ultra low noise linear preamplifier with high sensitivity	"	1,680	CK 94	Highly accurate figure-eight capsule, only for SE300 B	"	1,230
C 5	Professional condenser mic	"	540	CK 97 C/L	High end clip-on cardioid condenser microphone	"	480
C 5 WL 1	Microphone head with C5	"	660	CK 98	Short shotgun capsule, only for SE300 B	"	1,050
C 5 WL1/DMS800용	Microphone head with C5	"	690	CK 99 L	Inconspicuous cardioid clip-on microphone with mini XLR Connector	"	255
C 516 ML	Ultra-light hypercardioid instrumental miniature mic with mini XLR Connector	"	600	CM-311A	Light, rugged head-worn mic for presenters with XLR Connector	"	1,650
C 518 M	Miniature clip-on mic, with standard XLR Connector	"	750	CM-311AESH	Light, rugged head-worn mic for presenters with TA4F Connector	"	1,350
C 518 ML	Miniature clip-on mic, with standard Mini XLR Connector	"	600	CM-311L	Light, rugged head-worn mic for presenters, with Mini XLR Connector	"	1,350
C 519 M	Clip-on mic with miniature gooseneck Mic, with standard XLR Connector	"	750	CS 3 BU	Base Unit	"	4,050
C 519 ML	Clip-on mic with miniature gooseneck	"	600	CS3 CU 30	Chairman Unit with 30cm GN	"	1,290
C 520	Headworn mic for vocals with XLR Connector for phantom powering	"	720	CS3 CU 50	Chairman Unit with 50cm GN	"	1,290
C 520 L	Headworn mic for vocals with mini XLR Connector	"	630	CS3 DU 30	Delegate Unit with 30cm GN	"	1,050
C 535 EB	Classic vocal&instrument mic	"	990	CS3 DU 50	Delegate Unit with 50cm GN	"	1,080
C 535 WL 1	Microphone head with C535	"	1,050	CS321	30cm Gooseneck for CS3 cardioid	"	300
C 544 L	Rugged headworn mic for sports use with mini XLR Connector	"	390	CS3EC002	CS3, 2m cable	"	135
C 547 BL	Studio quality boundary layer microphone	"	1,320	CS3EC005	CS3, 5m cable	"	195
C 555L	Light, rugged head-worn mic for presenters with mini XLR Connector	"	390	CS3EC010	CS3, 10m cable	"	360
C 562 CM	Small, low-profile mic, for surveillance or recording, XLR Connector	"	660	CS3EC020	CS3, 20m cable	"	750
C 568 B	Compact, short shotgun microphone	"	1,380	CS3EC050	CS3, 50m cable	"	1,500
C 577 WR	Moisture resistant miniature lavalier microphone with XLR Connector	"	1,320	CS3EC100	CS3, 100m cable	"	2,250
C 747 V11	Slim, high quality directional shotgun mic	"	2,100	CS3ECT002	CS3, 2m cable with T Connector	"	285
CBL31 WLS	for wireless use	"	1,050	CS3ECT005	CS3, 5m cable with T Connector	"	450
CBL 410 PCC black/white	Plug and play desktop microphone	"	225	CS3LC	CS3, Connector	"	45
				CS3TC	CS3, T Connector	"	180



HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 8월호
 조사기간 7월 1일~10일

⑤ **통신** 방송음향기기 (25) **1139**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

방 송 음 향 시 스템 (25)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● AKG				● AKG			
CS5 BOB	Breakout Box for 16 analog channels	대	12,600	DMM6	Digitalautomatic mic mixer, 6 channel input, 1x stereo output	대	6,000
CS 5 BU	CS5 Conference system-Base Unit	"	12,900	DPT700 V2 BD1-U	Digitalwireless bodypack transmitter	"	2,850
CS 5 CU	CS5 Conference system-Charging Case for 50 IRR7	"	10,800	DPT800 BD1	548.1-605.9&614.1-697.9MHz	"	1,500
CS 5 DU	CS5 Conference system-Delegate Unit simple	"	1,950	DPT800 BD2	710.1-785.9&823.1-831.9MHz	"	1,500
CS 5 ID10	CS5 Conference system-10 pcs. ID Cards for Identification	"	1,350	Drum Set Premium	incl.1x121VR, 2xC214, 1xC451, 4xD40	"	6,900
CS 5 IRR7	CS5 Conference system- IR Receiver for 7 languages	"	1,350	Drum Set Session I	1xP2 bass drum microphone/2xP17* for overheads/	"	900
CS 5 IRT1	CS5 Conference system-Infrared Transmitter small	"	9,000		4xP4 for toms andsnare for stage applications,		
CS 5 IRT2	CS5 Conference system-Infrared Transmitter large	"	14,100		rehearsal rooms and home recording		
CS 5 IU	CS5 Conference system-Interpreter Unit	"	6,300	DSR 700 V2	Digitalwireless mic. receiver (dual channel)	"	4,800
CS 5 MF	CS5 Conference system -	"	210	DSR800 BD1	548.1-605.9&614.1-697.9MHz	"	5,400
CS 5 MK1.25	Mounting Frame for flush mount installation	"	150	DSR800 BD2	710.1-785.9&823.1-831.9MHz	"	5,400
CS 5 MK10	CS5 Conference system- System Cable	"	300	DST 99 S	Tablestand mic with on/off switch, coiledcable with	"	450
CS 5 MK2.5	"	"	180		3-pin XLR connector (웹슬+구스넥+스탠드)		
CS 5 MK20	"	"	480	EK 300	Standard 3m(10ft.) cable mini XLR/mini jack(1/8")	"	60
CS 5 MK5	"	"	210	EK 500 S	Coiled 5m(10ft.) cable mini XLR/mini jack(1/8")	"	66
CS5 PRO SW	Professional software plus adaptions for CS5	"	7,500	FLOORPAD (안테나)	Floorpadremote antenna, directional, passive	"	1,350
CS 5 PS12	CS5 Conference system-Power Supply for max. 12 Delegates	"	840	GHAP1	-	"	54
CS5 RU	Refresher Unit for more than 100m (300ft.) cable length	"	2,550	GN 15	Rugged 15m gooseneck for permanent screw-on installation	"	540
CS 5 VU	Chairmanand Delegate unit high end	"	2,820	GN 15 E	Rugged 15m gooseneck with integrated XLR connector	"	540
CS521	50cm Gooseneck for CS3 cardioid	"	300	GN 15 E5-pin	Rugged 15m gooseneck with integrated 5-pin XLR connector	"	660
CSX BIR10	TheCSX BIR10 is the infrared central control unit	"	11,400	GN 15 ESP	Rugged 15m gooseneck module with programmable mute switch	"	630
CSX CU50	TheCSX CU50 flight-case charger can store a	"	11,400	GN 15 M	15cm gooseneck module	"	240
CSX IRR10	TheCSX IRR10 is a reference conferencing infrared receiver	"	1,350	GN 155 M	Floorstandset, Modular Plus Series	"	1,260
CSX IRT3	CSXIRT3 and CSX IRT4 are 10 channel infrared transmitter	"	9,900	GN 155 Set	Elegantfloor stand, rugged all-metal gooseneck module	"	1,200
CSX IRT4	"	"	11,400	GN 30	Rugged 30m gooseneck for permanent screw-on installation	"	600
CU400	Chargingunit, two slots, for HT470, PT470	"	750	GN 30 CS	Gooseneck module-30cm	"	480
CU700	Chargingunit	"	1,350	GN 30 E	Rugged 30m gooseneck with integrated XLR connector	"	630
CU800	"	"	1,500	GN 30 E 5-pin	Rugged 30m gooseneck with integrated 5-pin XLR connector	"	750
CU4000	Chargingunit, two slots, for HT4500, PT4500, SPR4500	"	1,980	GN 30 ESP	Rugged 30m gooseneck module with programmable mute switch	"	690
D112 MKII	dynamic microphone for bass drum and	"	600	GN 30 M	30cm gooseneck module	"	300
	bass guitar on stage and in the studio	"		GN 30 OC	Rugged 30m gooseneck with unterminated cable	"	480
D 12 VR	Dynamickick drum microphone	"	1,500	GN 50	Rugged 50m gooseneck for permanent screw-on installation	"	660
D 230	Omnidirectional reporter's microphone	"	570	GN 50 CS	Gooseneck module-50cm	"	540
D 40	Dynamicinstrument microphone	"	390	GN 50 E	Rugged50 m gooseneck with integrated XLR connector	"	660
D 5	Professionaldynamic mic	"	300	GN 50 E 5-pin	Rugged50 m gooseneck with integrated 5-pin XLR connector	"	780
D5 C	Professionaldynamic mic/Cardioid	"	285	GN 50 ESP	Rugged50 m gooseneck module with programmable mute switch	"	750
D5 CS	D5with on/off switch/Cardioid	"	300	GN 50 M	50cmgooseneck module	"	420
D5 S	D5with on/off switch/Super Cardioid	"	330	Groove Pack	Drumset "groove pack" perception live	"	1,140
D5 WL1/DMS800용	Microphonehead with D5	"	450	H 30	Universal shock mount	"	165
D 58 E (웹슬)	Small& inconspicuous close talking/paging microphone	"	390	H 50	Stereobar	"	111
D 7	Referencedynamic vocal microphone	"	570	H 500	Elasticshockmount for GN15 E,GN30 E,	"	90
D 7 S	D7with on/off switch	"	630		GN50 E and 5-pin versions		
D 7 WL 1	Microphonehead with D7	"	600	H 600+A 608	Elasticshock mount unit for all	"	330
D7 WL1/DMS800용	"	"	750		Discreet Acoustics GN modules		
DAM+	-	"	6,600	H 85	Spidersuspension	"	180
DGN 99	PA/Paging gooseneck mic (웹슬+구스넥)	"	450	HC 577 L	Singlepack of a top end headworn condenser microphone	"	1,950
DGN 99 E	"	"	450	HELICAL (안테나)	Helicalremote antenna, directional, passive	"	1,500
DHT700 V2 C5 BD1-U	Digitalwireless handheld transmitter	"	2,850	HM 1000	Hangingmodule with 10m cable, phantom	"	480
DHT700 V2 D5 BD1-U	"	"	2,550		power adapter, hanging clamp included		
DHT700 V2 D7 BD1-U	"	"	2,850	HM 1000 M	Hangingmodule with 10m system cable	"	210
DHT800 BD1	548.1-605.9&614.1-697.9MHz	"	1,350	HT 45	Handheldtransmitter	"	390
DHT800 BD2	710.1-785.9&823.1-831.9MHz	"	1,350	HT4500 BD1/7/8	Professionalhandheld transmitter	"	1,260
DMM12	Digitalautomatic mic mixer, 12 channel input, 2x stereo output	"	8,400	HT470 C5	Wirelesshandheld transmitter, C5 microphone element	"	930
DMM12 BC	Digitalautomatic mic mixer, 12 channel input, 4x line outputs	"	9,900	HT470 D5	Wirelesshandheld transmitter, D5 microphone element	"	690

HARMAN

세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

1140 ⑤ 통신 방송음향기기(26)

거래가격 2017년 8월호
조사기간 7월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 [메이커] — ① — [수요자]	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------	----------------------------------	------------------------------------------------------------------------------

방 송 음 향 시 스템 (26)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● AKG				● AKG			
HUB 4000Q	Networkconcentrator	대	2,400	Perception 45 Vocal Set	Wirelessmic system, HT45	대	750
IP 2	Highperformance earphones	"	300	PF 80	Popfilter	"	165
IVM 4500 IEM Set	InEar Monitoring Set(이어폰+리시버+트랜스미터)	"	4,500	PR4500 ENG Set HT	PR4500ENG Diversity bodypack receiver, HT4500 transmitter	"	3,600
K 10/2	Extremelyrugged lightweight mono headphone	"	270	PS 3 F-lock	XLR connector	"	120
K 121	Semi-openHeadphones	"	270	PSU 4000(전원공급기)	Central power supply unit	"	1,650
K 141 MK II	"	"	390	PT 45	Pocket transmitter	"	390
				PT420 Band K	-	"	330
K167 TIESTO	Professional headphones	"	630	PT4500 BDI/7/8	Professionalwireless bodypack transmitter	"	1,260
K 171 MK II	Closedback Headphones	"	375	PT470	Wirelessbodypack transmitter, belt clip, 1AA LR6 battery	"	690
K 181 DJ	Closed-backdesign DJ Headphone	"	420				
K20	Lightweightand comfortable to wear stereo headphones	"	210	PZM-10	Lowprofile boundary layer microphone	"	600
K240 MKII	Semi-openHeadphones	"	420	PZM-10LL	Lowprofile boundary layer microphone, Line level version	"	840
K240 Studio	"	"	330	PZM-11	Cost-effectiveboundary layer microphone	"	480
				PZM-11LL	Cost-effectiveboundary layer microphone, line level version	"	660
K267 TIESTO	Referenceheadphones	"	1,050				
K271 MKII	Closedback Headphones	"	510	PZM-11LLWR	Cost-effectiveboundary layer microphone, line level versio, water-resistant version	"	750
K44 V2	Closedtype of hi-fi stereo headphones	"	90				
K612PRO	High-Performance Headphones	"	480	PZM-185	Cost-effectiveboundary layer microphone, XLR version	"	810
K67 TIESTO	"	"	300	PZM-30D	First-classboundary layer microphone	"	1,740
K702	"	"	780	PZM-6D	"	"	1,500
K712PRO	"	"	1,140				
				RA 4000B/EW	Remotearranta, omni-directional, dipole, active	"	450
K77	Power-performance stereo Headphones	"	135	RA 4000B/W	"	"	420
K81 DJ	Closed-backdesign DJ Headphone	"	165	RA 4000EW	Remotearranta, omni-directional, dipole, passive	"	420
K812PRO	SuperiorReference Headphones	"	3,900	RA 4000W	"	"	420
K99	NaturalSound Stereo Headphones	"	180				
MB-3	Extremelysmall & inconspicuous lightweight supercardioid	"	870	RMU40 PRO	Rackmount kit for Perception45, DMS70, WMS420, WMS470 receivers (Use One&Two Receivers)	"	90
MB-4	"	"	750	RMU4X PRO	InONE rack mount kit ONE receiver(Use One Receiver)	"	180
MF M	FlushMount Module with cover	"	135	SA 60	Standadaptor	"	51
MK PS	0.6m BNC antennacable	"	33	SA 61	Standadaptor for tapered shaft mics	"	51
MK150M	1.5m system cable with system connectors	"	120				
MK150ML	1.5m system cable with 3pin MiniXLR for AKG PT	"	150	SA 63	Standadaptor for C1000 S incl. LED and/or WMS handheld transmitters	"	60
MKA 20	20m BNC antenna cable	"	135				
MKA 5	5m BNC antenna cable	"	120	SE 300 B	Transformerlesspowering/output module (캡슐없음)	"	600
MPA V L	XLR phantom adapter for Micro mic "ML" & "L" versions	"	198	Sound GrabberII	Lowcost allround boundary layer microphone, 1/4" phone plug adapter	"	390
P 2	Dynamicmicrophone designed for low-pitched instruments	"	360				
P 3 S	Ruggedperformance microphone with on/off switch	"	150	SPC 4500	Stationary 4 : 1 combiner	"	2,610
P 4	Dynamicmicrophone	"	270	SPR 4500 Set	SPR4500IEM Diversity bodypack receiver+IP2 Earphone Receiver, Perception Wireless 45 single component	"	2,100
P 5	Ruggedperformance microphone	"	150	SR 45	-	"	450
				SR420 Band K	-	"	480
P 5 S	Ruggedperformance microphone designedfor lead vocals with on/off switch	"	180	SR4500 BDI/7/8	Professionalstationary true diversity receiver	"	2,100
				SR470	Wirelessstationary receiver, rack mount unit included	"	900
P120	Professionalstudio microphone	"	300	SRA2 B/EW	Remotearranta, directional, active	"	1,110
P170	Smalldiaphragm-true condenser Mic.	"	300	SRA 2 B/W	"	"	1,110
P220	Truecondenser large diaphragm capsule	"	540				
				SRA2 EW	Remotearranta, directional, passive	"	1,080
P420	Professionallarge-dual-diaphragm true-condenser microphone	"	720	SRA 2 W	"	"	1,080
P820 Tube	Professionalmulti-pattern tube microphone	"	1,950	SST 4500 IEM	Stereoin-ear monitoring transmitter	"	2,400
PAE M	Phantompoweradapter-3pin XLR	"	210	ST 45	"Lowprofile" table stand	"	231
PAESP M	Phantompoweradapter-programmable switch 3pin XLR	"	285	ST 46	Miniaturetable stand for small mics	"	174
PCC-130	Lowprofile boundary layer mic, XLR version	"	1,260	ST6	ProfessionalTabletop Stand for use with all 3 pin XLR microphones	"	300
PCC-130SW	Lowprofile boundary layer mic, XLR version, with switch	"	1,410				
PCC-160	Theindustry-standard stage-floor microphone	"	1,500				
PCC-170	Surface-mountsupercardioid boundary layer mic, XLR version	"	1,320	STS DAM+	ProfessionalTabletop Stand for use with DAM+ modules and derivates	"	900
PCC-170SW	XLR version, with switch	"	1,440				
PCC-170SWO	XLR version, with remote sensing switch	"	1,710	STS DAM+ WLS	-	"	960
				UWA9M	Pockettransmitter holder fitting AKG PT	"	150
Perception 45 Instrument Set	Wirelessmic system, MKG L inst. Cable	"	750	W23	Foamwindscreen 50mm dia.	"	51
Perception 45 Presenter Set	Wirelessmic system, CK99 L	"	938	W30	Foamwindscreen for CK31, CK32, CK33	"	15
Perception 45 Sports Set	Wirelessmic system, C544L	"	1,050	W32	Foamwindscreen 18-20mm dia (for CK's)	"	24



HARMAN

세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 8월호
조사기간 7월 1일~10일

⑤ **통신** 방송음향기기 (27) **1141**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

방 송 음 향 시 스템 (27)

(가격단위 : 천원)

(생산자공표가격)

品 名	規 格	單 位	價 格 ①	品 名	規 格	單 位	價 格 ①
<p>■ 테크데이타</p> <p>● AKG</p>				<p>■ 테크데이타</p> <p>● BSS</p>			
W40 M	Duallayer wiremesh windscreen for CK41 and CK43	대	135	BLU-BOB2	8-channelanalog break-out box	대	3,600
W77 M	Blackwiremesh windscreen for CK77WR's, C577WR	"	90	BLU-DAN	BLU-Linkto Dante Bridge	"	3,900
W77 MP	beigewiremesh windscreen for CK77WR, C577WR	"	90	BLU-GPX	NetworkedGeneral Purpose I/O expander w/ BLU link chassis	"	7,500
WLMA-US	Uus Shure Unit Gender	"	390	BLU-HIF	SoundwebLondon Telephone HeadSet Interface	"	900
WMS420 Head Set Band K	Wirelessbodypack microphone system, C555 L headworn mic	"	1,275	BLU-PCI	BLU-LinkPcle Card	"	10,500
WMS420 Instrumental Set Band K	Wirelessbodypack microphone system, MKG L inst. Cable	"	1,088	BLU-Si	BLU-LinkCard for Soundcraft Si Consoles	"	2,100
WMS420 Presenter Set Band K	Wirelessbodypack microphone system, C417 L lavalier mic.	"	1,088	CONTRIOSRVR-BLU	SoundwebConrio Server-BLU link Version	"	40,500
WMS420 Vocal Set Band K	Wirelesshandheld microphone system, D6 microphone element	"	1,088	CONTRIOSRVR-DVS	SoundwebConrio Server-Dante Virtual Soundcard Verion	"	34,500
WMS4500 CK77 Set BD1/7/8	Professionalwireless system including SR4500, PT4500, CK77	"	4,050	EC-4B	EthernetController with 4 Buttons	"	780
WMS4500 D7 Set BD1/7/8	Professionalwireless system including SR4500, HT4500, D7 WL1, SA63	"	3,600	EC-4BV	EthernetController with 4 Buttons and Volume	"	900
WMS4500 HC577 Set BD1/7/8	Professionalwireless system, including SR4500, PT4500, HC577	"	4,650	EC-8BV	EthernetController with 4 Buttons and Volume	"	1,200
WMS4500 Instrumental Set BD1/7/8	Professionalwireless system including SR4500, PT4500, MK GL cable	"	3,150	EC-V	EthernetController with Volume	"	600
WMS470 C5 Set	Wirelesshandheld microphone system, C5 microphone element	"	1,838	FCS-960	30band dual mode graphic equalizer (2 channels)	"	6,900
WMS470 D5 Set	Wirelesshandheld microphone system, D5 microphone element	"	1,650	FCS-966	30band graphic equalizer (2 channels)	"	3,000
WMS470 INSTR Set	Wirelessbodypack microphone system, MKG L inst. Cable	"	1,650	MC1	Single Mode Fiber Media Converter	"	6,900
WMS470 PRES Set	Wirelessbodypack microphone system, C555L headworn mic, CK39L lavalier mic.	"	2,025	PS48POE	Powersupply for BLU-10/BLU-8 (Power over Ethernet)	"	450
WMS470 SPORTS Set	Wirelessbodypack microphone system, C54L headworn mic	"	1,913	SW9012	5position source/preSet selector, level control single gang wallcontroller	"	540
<p>● BSS</p>				<p>● DBX</p>			
1 U Rack Mount Kit	-	"	300	260	-	"	2,400
32-0290	Individualadditional 6-way Phoenix/Combicon connector	"	75	376	TubePreamp Channel Strip w/Digital Out	"	2,400
999-PSU	Powersupply for BLU-10/BLU-8 (24VDC Direct Powering)	"	450	386	DualVacuum Tube Preamp w/Digital Out	"	2,400
AC-5S	Analog Controller with 5 Sources	"	300	510	Sub harmonic Synth	"	1,584
AC-V	Analog Controller with Volume	"	300	520	De-Esser	"	1,584
AR-133	Active DirectInjection (DI) box	"	510	530	3-BandPEQ	"	2,088
BLU AEC-IN	4analog input mic/line card	"	4,500	580	MicPre	"	2,614
BLUCARD-IN	4analog input mic/line card	"	1,500	1046	Quad Compressor Limiter	"	1,860
BLU CARD-OUT	4analog output card	"	1,500	1066	Dual Compressor Limiter Gate	"	1,500
BLUDIGITAL-IN	4digital input card	"	1,500	1074	Quad Noise Gate	"	1,860
BLUDIGITAL-OUT	4digital output card	"	1,500	1215	12Series-Dual 15 Band Graphic Equalizer	"	960
BLU HYBRID	Telephone Hybrid Card	"	3,000	1231	12Series-Dual 31 Band Graphic Equalizer	"	1,290
BLU-100	12analog mic/line input, 8analog output, networked signal processor	"	10,500	2031	20Series-Single 31 Band Graphic Equalizer	"	1,440
BLU-101	12analog mic/line input, 8analog output, networked signal processor	"	13,500	2215	20Series-Dual 15 Band Graphic Equalizer	"	1,440
BLU-102	10analog mic/line input, 8analog output, networked signal processor	"	13,500	2231	20Series-Dual 31 Band Graphic Equalizer	"	1,890
BLU10	Touchscreen programmable wall controller (Black/Blue/White)	"	5,100	4820	4800W/ blank front panel	"	12,600
BLU-120	NetworkedI/O expander w/BLU link chassis (no CobraNet™)	"	12,000	120A	Sub harmonic Processor	"	750
BLU-160	Networked signal processor & BLU link chassis (no CobraNet™)	"	15,000	1260m	12x6 Zone Processor (6mic/line)	"	6,300
BLU3	8position source/preSet selector, level control (UK) wall controller	"	540	160AD	Compressor/Limiter	"	1,500
BLU-320	NetworkedI/O expander w/CobraNet™ & BLU link chassis	"	15,000	166xs	DualCompressor Limiter Gate	"	750
BLU-325	NetworkedI/O expander w/AVB & BLU link chassis	"	15,000	215s	2Series - Dual 15 Band Graphic Equalizer	"	450
BLU-326	NetworkedI/O expander w/Dante™ & BLU link chassis	"	15,000	220i	2x2Loudspeaker Management System	"	2,400
BLU-50	4x4Signal Processor with BLU link	"	5,400	223xs	223s with XLR Connectors	"	600
BLU6	8position source/preSet selector, up/down pair (UK) wall controller	"	600	231s	2Series - Dual 31 Band Graphic Equalizer	"	600
BLU-800	Networkedsignal processor w/CobraNet™ & BLU link chassis	"	27,000	234xs	234s with XLR Connectors	"	720
BLU-805	Networkedsignal processor w/AVB & BLU link chassis	"	27,000	266Xs	DualCompressor Gate	"	420
BLU-806	Networkedsignal processor w/Dante™ & BLU link chassis	"	27,000	286s	Mic Preamp/Channel Strip	"	690
BLU8v2	Programmablezone controller (Black/White)	"	2,250	676	Tube Mic Pre Channel Strip	"	4,200
BLU-BIB	8-channelanalog break-in box	"	3,900	AFS 2(NEW)	Dual Channel Advanced Feedback Suppression /LCD display	"	1,080
BLU-BOB1	8-channelanalog break-out box	"	3,300	db10	Passive Direct Box	"	210
				db12	Active Direct Box	"	270
				goRack	2x2PA performance processor	"	360
				IEQ15	IntelligentDual 15 Band Graphic Equalizer W/AFS	"	2,400




HARMAN 세계적인 음향 브랜드 하만, 테크데이타가 함께합니다.







공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

1142 ⑤ 통신 방송음향기기(28)

거래가격 2017년 8월호
조사기간 7월 1일~10일

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현금 · 부가세 : 별도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
----------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

방 송 음 향 시 스템 (28)

(가격단위 : 천원)

(생산자공표가격)

品名	規格	單位	價格 ①	品名	規格	單位	價格 ①
<p>■ 테크데이터</p> <p>● DBX</p>				<p>■ 테크데이터</p> <p>● AMX</p>			
IEQ31	Intelligent Dual 31 Band Graphic Equalizer w/AFS	대	2,850	EXB-1/O8	ICSLan Input/Output Interface, 8 Channels	대	2,015
PA2	2x6 PA Management Processor (아이패드연동)	"	1,500	EXB-MP1	ICSLan Multi-Port, 1 COM, 1 IR/S, 2 I/O, 1 IR RX	"	2,340
PB-48	Patch Bay	"	300	AXB-232++	AXB-232++ RS-232/422/485 Interface	"	2,340
PMC16	16-Channel Personal Monitor Controller	"	2,250	AXB-DMX512	DMX 512 Interface	"	3,412.5
PowerRack 8	8-Slot 500 Series Power Supply	"	3,564	AXB-VOL3	3-Channel Volume Controller (line-level audio)	"	2,340
PS6	Power Supply for PMC	"	1,200	DGX800-ENC	Enova DGX 800 Digital Media Enclosure with Integrated NX Series Controller	"	22,425
TR1616	16x16 Blu link Performance I/O	"	6,900	DGX1600-ENC	Enova DGX 1600 Digital Media Enclosure with Integrated NX Series Controller	"	31,525
VENU360	3x6 Loudspeaker Management System w/Display	"	3,000	DGX3200-ENC	Enova DGX 3200 Digital Media Enclosure with Integrated NX Series Controller	"	59,475
ZC1	Programmable Volume Control Zone Controller	"	270	DGX6400-ENC	Enova DGX 6400 Digital Media Enclosure with Integrated NX Controller	"	132,600
ZC2	Programmable Volume and Mute Zone Controller	"	270	DGX-I-HDMI-4K	4connection 4K HDMI Enova DGX Input Board includes HDCP compliance	"	7,507.5
ZC3	Program Selector Zone Controller	"	300	DGX-I-HDMI	4connection HDMI Enova DGX Input Board includes HDCP compliance	"	6,272.5
ZC4	Contact Closure Input Zone Controller	"	330	DGX-I-DVI	4connection DVI Enova DGX Input Board includes HDCP compliance	"	6,272.5
ZC6	Push Button Up/Down Controller	"	270	DGX-I-DXL-4K	4connection 4K DXLink twisted pair Enova DGX Input Board	"	10,075
ZC7	Mic Page Assignment Controller	"	300	DGX-I-DXL	4connection DXLink twisted pair Enova DGX Input Board	"	8,287.5
ZC8	Up/Down Volume w/Source Select	"	300	DGX-I-DXF-MMD	4connection DXLink Fiber Enova DGX Input Board	"	12,675
ZC9	8 Position Zone Controller	"	300	DGX-I-DXF-MMS	"	"	12,675
ZC-BOB	Break Out Box for Home Run Cabling	"	420	DGX-I-DXF-SMD	"	"	22,587.5
ZC-FIRE	Fire System Interface	"	330	DGX-I-DXF-SMS	"	"	22,587.5
<p>● LEXICON</p>				<p>DGX-O-HDMI</p>			
Alpha	Desktop Recording Studio	"	270	DGX-O-DVI	4connection DVI Enova DGX Output Board i	"	8,287.5
IO22	2-Input USB 2.0 Desktop Recording Studio	"	975	DGX-O-DXL-4K	4connection 4K DXLink twisted pair Enova DGX Output Board	"	10,075
IO42	4-Input USB 2.0 Desktop Recording Studio	"	1,320	DGX-O-DXL	4connection 4K DXLink twisted pair Enova DGX Output Board	"	8,287.5
IO82	8-Input USB 2.0 Desktop Recording Studio	"	1,950	DGX-O-DXF-SMD	4connection DXLink Fiber Enova DGX Output Board	"	22,587.5
Lambda	Desktop Recording Studio	"	525	DGX-O-DXF-SMS	"	"	22,587.5
LXP-PLUG-RB	Lexicon LXP Native Reverb Plug-in Bundle	"	720	DGX-O-DXF-MMD	"	"	12,675
MX200	Multi-Effects Processor	"	750	DGX-O-DXF-MMS	"	"	12,675
MX300	"	"	930	DGX-AIE	Enova DGX Audio Insert / Extract Expansion Board	"	5,037.5
MX400XL	"	"	1,350	DX-TX-DWP-4K-BL	DXLink 4K HDMI Decor Style Wallplate Transmitter	"	2,665
Omega	Desktop Recording Studio	"	660	DX-TX-DWP-4K-WH	"	"	2,665
PCM92	Stereo Reverb/Effects Processor	"	8,700	DX-TX	DXLink Multi-Format Twisted Pair Transmitter	"	4,322.5
PCM96	"	"	12,900	DX-TX-DWP-BL	DXLink Multi-Format Decor Style Wallplate Transmitter	"	4,550
PCM96SUR-A	Multi-channel Reverb/Effects Processor-Analog & Digital I/O	"	17,700	DX-TX-DWP-WH	DXLink Multi-Format Decor Style Wallplate Transmitter (US), HDCP compliant	"	3,672.5
PCM96SUR-D	Multi-channel Reverb/Effects Processor-Digital I/O	"	16,500	DX-TX-WP-WH	DXLink Multi-Format Wallplate Transmitter, HDCP compliant	"	3,672.5
PL-MPX-R	Lexicon MPX Native Reverb Plug-in	"	360	DX-TX-WP-BL	DXLink Multi-Format Wallplate Transmitter	"	7,150
PL-PCM-FX	PCM Native Effects Plug-in Bundle	"	1,860	DXF-TX-MMD	DXLink Fiber Multi-Format Transmitter Module	"	7,150
PL-PCM-RB	PCM Native Reverb Plug-in Bundle	"	2,190	DXF-TX-SMS	DXLink Fiber Multi-Format Transmitter Module	"	9,100
PL-PCM-TOT	PCM Total Bundle (Reverb & Effects Plug-ins)	"	3,750	DX-RX-4K	DXLink 4K HDMI Twisted Pair Receiver Module	"	6,175
<p>● 테크데이터</p>				<p>DX-TX-DWP-WH</p>			
TDDA-831	-	"	1,746	DX-TX-WP-WH	DXLink Multi-Format Wallplate Transmitter, HDCP compliant	"	3,672.5
TDME-805	Ethernet E/M & PRE AMP	"	2,728	DX-TX-WP-BL	DXLink Multi-Format Wallplate Transmitter	"	3,672.5
TDSE-820	Ethernet Speaker E/M Selector	"	1,382	DXF-TX-MMD	DXLink Fiber Multi-Format Transmitter Module	"	7,150
TDRG-8220	Relay Group	"	910	DXF-TX-SMS	DXLink Fiber Multi-Format Transmitter Module	"	9,100
TDME-8408	8-Module Extension Cabinet	"	691	DX-RX	DXLink 4K HDMI Twisted Pair Receiver Module	"	5,135
TDSW-3.5	P.A Operation Software	"	1,091	DXF-RX-MMD	DXLink Fiber HDMI Receiver Module	"	7,150
TDMP-8107	Monitor Unit (Digital)	"	655	DXF-RX-MMS	"	"	7,150
TDPB-8324	Power Distributor+Battery	"	1,375	DXF-RX-SMD	"	"	9,100
NX-1200	-	"	3,965	DXF-RX-SMS	"	"	9,100
NX-2200	NX-2200 NetLinX NX Integrated Controller with 512MB RAM	"	7,312.5	DX-TX-WP-WH	DXLink Multi-Format Wallplate Transmitter, HDCP compliant	"	3,672.5
NX-3200	NX-3200 NetLinX NX Integrated Controller with 512MB RAM	"	11,375	DX-TX-WP-BL	DXLink Multi-Format Wallplate Transmitter	"	7,150
NX-4200	NX-4200 NetLinX NX Integrated Controller with 1GB RAM	"	15,275	DXF-TX-MMD	DXLink Fiber Multi-Format Transmitter Module	"	9,100
EXB-IRS4	ICSLan IR/S Interface, 4 IR/S and 4 Inputs	"	2,340	DXF-TX-SMS	DXLink Fiber Multi-Format Transmitter Module	"	9,100
EXB-COM2	ICSLan Serial Interface, 2 Ports	"	2,340	DVX-3250HD-SP	10x4 All-In-One Presentation Switcher	"	39,487.5
EXB-REL8	ICSLan Relay Interface, 8 Channels	"	2,015	DVX-3250HD-T	"	"	39,812.5
				DVX-3255HD-SP	"	"	42,575

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 8월호
조사기간 7월 1일~10일

⑤ **통신** 방송음향기기 (29) **1143**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p style="font-size: 2em;">①</p> <p style="font-size: 1.5em;">메이커 ————— 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------

방 송 음 향 시 스템 (29)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
<p>■ 테크데이터</p> <p>● AMX</p>				<p>■ 테크데이터</p> <p>● AMX</p>			
DVX-3255HD-T	10x4 All-In-One Presentation Switcher	대	42,900	MXT-2001-PAN	20.3" Modero XSeries G5 Panoramic Tabletop Touch Panel	대	42,900
DVX-3155HD-SP	"	"	42,575	MXD-2001-PAN-P	20.3" Modero XSeries G5 Panoramic Portrait Wall Mount Touch Panel	"	42,900
DVX-3256HD-SP	"	"	45,500	MXT-2001-PAN-L	20.3" Modero XSeries G5 Panoramic Landscape Wall Mount Touch Panel	"	42,900
DVX-3256HD-T	"	"	45,825	MXT-1901-PAN	19.4" Modero XSeries G5 Panoramic Tabletop Touch Panel	"	31,850
DVX-3156HD-SP	"	"	45,500	MXD-1901-PAN-P	19.4" Modero XSeries G5 Panoramic Portrait Wall Mount Touch Panel	"	31,850
DVX-2250HD-SP	6x3 All-In-One Presentation Switchers	"	29,250	MXT-1901-PAN-L	19.4" Modero XSeries G5 Panoramic Landscape Wall Mount Touch Panel	"	31,850
DVX-2250HD-T	"	"	29,737.5	MXD-1901-PAN-L	19.4" Modero XSeries G5 Panoramic Landscape Wall Mount Touch Panel	"	31,850
DVX-2255HD-SP	"	"	32,825	MXT-1001	10.1" Modero XSeries G5 Widescreen Tabletop Touch Panel	"	21,450
DVX-2255HD-T	"	"	32,825	MXD-1001-P	10.1" Modero XSeries G5 Widescreen Portrait Wall Mount Touch Panel	"	21,450
DVX-2155HD-SP	"	"	32,825	MXD-1001-L	10.1" Modero XSeries G5 Widescreen Landscape Wall Mount Touch Panel	"	21,450
DVX-2210HD-SP	4x2 All-In-One Presentation Switchers	"	22,750	MXT-701	7" Modero XSeries G5 Widescreen Tabletop Touch Panel	"	14,625
DVX-2210HD-T	"	"	23,075	MXD-701-P	7" Modero XSeries G5 Widescreen Portrait Wall Mount Touch Panel	"	14,625
SDX-414-DX	Solecis 4x1 4K HDMI Digital Switcher with DXLink Output	"	6,500	MXD-701-L	7" Modero XSeries G5 Widescreen Landscape Wall Mount Touch Panel	"	14,625
SDX-410-DX	Solecis 4x1 HDMI Digital Switcher with DXLink Output	"	5,525	MXR-1001-BL	10.1" Modero XSeries G5 Retractable Touch Panel	"	24,862.5
SDX-514M-DX	Solecis 5x1 4K Multi-Format Digital Switcher with DXLink Output	"	9,100	MXR-1001-SL	"	"	24,862.5
SDX-510M-DX	Solecis 5x1 Multi-Format Digital Switcher with DXLink Output	"	7,475	MXT-2000XL-PAN	20.3" Modero XSeries Panoramic Tabletop Touch Panel	"	42,900
SDX-814-DX	Solecis 8x1 4K HDMI Digital Switcher with DXLink Output	"	10,075	MXD-2000XL-PAN-P	20.3" Modero XSeries Panoramic Portrait Wall Mount Touch Panel	"	42,900
SDX-810-DX	Solecis 8x1 HDMI Digital Switcher with DXLink Output	"	8,287.5	MXT-1900L-PAN	19.4" Modero XSeries Panoramic Tabletop Touch Panel	"	31,850
NMX-ENC-N1122	SVSI Stand-alone Minimal Compression Video over IP Decoder	"	4,322.5	MXD-1900L-PAN-P	19.4" Modero XSeries Panoramic Portrait Wall Mount Touch Panel	"	31,850
NMX-DEC-N1222	"	"	4,322.5	MXT-1900L-PAN-L	19.4" Modero XSeries Panoramic Landscape Wall Mount Touch Panel	"	31,850
NMX-ENC-N1133	"	"	5,362.5	MXT-1000	10.1" Modero XSeries Widescreen Tabletop Touch Panel	"	21,450
NMX-DEC-N1233-C	"	"	5,362.5	MXD-1000-P	10.1" Modero XSeries Widescreen Portrait Wall Mount Touch Panel	"	21,450
NMX-ENC-N1233	"	"	5,362.5	MXD-1000-L	10.1" Modero XSeries Widescreen Landscape Wall Mount Touch Panel	"	21,450
NMX-DEC-N1233	"	"	4,192.5	MXT-700	7" Modero XSeries Widescreen Tabletop Touch Panel	"	14,625
NMX-ENC-N1122-C	SVSI Minimal Compression Video over IP Decoder Card	"	4,192.5	MXD-700-P	7" Modero XSeries Widescreen Portrait Wall Mount Touch Panel	"	14,625
NMX-DEC-N1222-C	"	"	5,135	MXD-700-L	7" Modero XSeries Widescreen Landscape Wall Mount Touch Panel	"	14,625
NMX-ENC-N1133-C	"	"	5,135	MXD-430-P	4.3" Modero X Series Portrait Wall Mount Touch Panel	"	7,637.5
NMX-DEC-N1233-C	"	"	9,100	MST-1001	10.1" Modero S Tabletop Touch Panel	"	10,075
NMX-ENC-N2122	SVSI Stand-alone JPEG2000 Decoder	"	4,322.5	MSD-1001-L	10.1" Modero S Wall Landscape Mount Touch Panel	"	9,587.5
NMX-DEC-N2212	"	"	5,525	MST-701	7" Modero S Tabletop Touch Panel	"	6,825
NMX-ENC-N2135	SVSI Stand-alone JPEG2000 or Uncompressed Ultra-HD(4K)	"	10,075	MSD-701-L	7" Modero S Wall Mount Landscape Touch Panel	"	6,337.5
NMX-DEC-N2235	"	"	7,930	MST-431	4.3" Modero S Tabletop Touch Panel	"	4,290
NMX-ENC-N2151	"	"	13,325	MSD-431-L	4.3" Modero S Wall Mount Landscape Touch Panel	"	3,997.5
NMX-DEC-N2251	"	"	11,375	MXT-2000XL-PAN-NC	20.3" Modero X Series Panoramic Tabletop Touch Panel	"	43,550
NMX-ENC-N2122-C	SVSI JPEG2000 Decoder Card with ultra-low latency	"	9,100	MXD-2000XL-PAN-P-NC	20.3" Modero X Series Panoramic Portrait Wall Mount Touch Panel	"	43,550
NMX-DEC-N2212-C	"	"	4,225	MXT-2000XL-PAN-L-NC	20.3" Modero X Series Panoramic Landscape Wall Mount Touch Panel	"	43,550
NMX-ENC-N2135-C	"	"	5,427.5	MXT-1900L-PAN-NC	19.4" Modero X Panoramic Tabletop Touch Panel	"	32,825
NMX-DEC-N2222-C	"	"	9,750	MXD-1900L-PAN-P-NC	19.4" Modero X Panoramic Portrait Wall Mount Touch Panel	"	32,825
NMX-ENC-N2135-C	SVSI JPEG2000 Encoder Card	"	7,800	MXD-1900L-PAN-L-NC	19.4" Modero X Series Panoramic Landscape Wall Mount Touch Panel	"	32,825
NMX-DEC-N2235-C	SVSI JPEG2000 Decoder Card	"	7,800	MXT-1000-NC	10.1" Modero X Series Widescreen Tabletop Touch Panel	"	22,587.5
NMX-ENC-N2151-C	SVSI JPEG2000 or Uncompressed Ultra-HD(4K) Encoder Card	"	13,325	MXD-1000-P-NC	10.1" Modero X Series Widescreen Portrait Wall Mount Touch Panel	"	22,587.5
NMX-DEC-N2251-C	"	"	11,375	MXT-700-NC	7" Modero X Series Widescreen Tabletop Touch Panel	"	15,600
NMX-ENC-N3132	SVSI Stand-alone H.264 Encoder with USB for record	"	14,975	MXD-700-P-NC	7" Modero X Series Widescreen Portrait Wall Mount Touch Panel	"	15,600
NMX-DEC-N3232	SVSI Stand-alone H.264 Decoder with USB for record	"	4,875	MXT-700-L-NC	7" Modero X Series Widescreen Landscape Wall Mount Touch Panel	"	15,600
NMX-ENC-N3132-C	SVSI H.264 Encoder Card with USB for record	"	14,787.5	MVP-9000i-GB	Black-Modero ViewPoint 9" Widescreen	"	18,200
NMX-DEC-N3232-C	SVSI H.264 Decoder Card with USB for record	"	4,745	MVP-9000i-GW	White-Modero ViewPoint 9" Widescreen	"	18,200
NMX-ENC-N1100	H.264 High-Definition Encoder with Record, multi-format input	"	8,287.5				
NMX-DEC-N1105	H.264 High-Definition Encoder with Record, multi-format input and SDI input	"	11,050				
NMX-ATC-N4321	SVSI NMX-ATC-N4321 Audio Transceiver is an audio-over-IP solution that both sends and receives two-channel balanced or unbalanced audio over IP	"	3,087.5				
NMX-ATC-N4321-C	The SVSI NMX-ATC-N4321-C Audio Transceiver Card is an audio-over-IP solution that both sends and receives two-channel balanced or unbalanced audio over IP-must be used in conjunction with NMX-ACC-N2016 Rack Mount Cage	"	2,990				
NMX-WP-2510	The SVSI NMX-WP-N2510 Windowing Processor functions with the N2000 JPEG2000 family of Video over IP Encoders and Decoders and are capable of handling multiple real-time HD streams with no video input or output connectors-only a single network port	"	24,862.5				
NMX-WP-N3510	The SVSI NMX-WP-N3510 H.264 Multi-Channel Windowing Processor	"	37,700				
SC-N8001	The SVSI SC-N8001 N-Command Control Appliance	"	7,930				
SC-N8002	The SVSI SC-N8002 N-Command Control Appliance	"	14,950				
SC-N8012	The SVSI SC-N8012 N-Command Control Appliance	"	49,725				

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474