

1138 ⑤ **통신** 방송음향기기(24)

거래가격 2017년 12월호  
조사기간 11월 1일~10일

<p>거래조건</p> <ul style="list-style-type: none"> <li>· 수도방법 : 현장도착도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현 금</li> <li>· 부가세 : 별 도</li> </ul>	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> <li>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</li> </ul>
---	----------------------------------	---

방 송 음 향 시 스템 (24)

(가격단위 : 천원)

(생산자공표가격)

品 名	規 格	單位	價 格 ①	品 名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● AKG				● AKG			
AB 4000(안테나부스터)	Antenna booster	대	750	CBL 99	Extremely small&inconspicuous	대	450
AB4000 EW/BNC	-	"	750	CC519	lightweight boundary layer microphone	"	120
APS4	-	"	1,650	CGN 99C/L	Clarinet clamp for C519, fits on A and B-flat clarinet	"	390
ASU 4000 without AC adapter	Antenna supply unit	"	630	CGN 99C/S	Cardioid condenser microphone on 50cm Gooseneck	"	390
B 23 L	-	"	270	CGN 99H/L	Cardioid condenser microphone on 30cm Gooseneck	"	390
B 48 L(Phantom Power Supply)	48V battery driven phantom power unit	"	630	CGN 99H/S	Hypercardioid condenser microphone on 50cm gooseneck	"	390
C 1000 S	Multipurpose condenser microphone	"	540	CGN321STS	Hypercardioid condenser microphone on 30cm gooseneck	"	690
C 12 VR	Tube "Vintage Revival" microphone	"	20,400	CGN331E	Professional tabletop microphone set	"	840
C 111 LP	3pin mini XLR 무선타입	"	300	CGN341E	-	"	1,050
C 214	Large diaphragm studio microphone	"	1,500	CGN521STS	Professional tabletop microphone set	"	750
C 214 Stereoset	Large diaphragm studio microphone	"	3,600	CHM 99 black/white(Hanging Mic)	Hanging module with 10 m non twisting	"	390
C 3000	Large diaphragm microphone	"	690	CK 31	cable and inline phantom power adapter	"	195
C 314	Professional Multi-pattern Condenser microphone	"	2,250	CK 32	Screw-on cardioid microphone capsule module	"	195
C 314 Matched Pair	Professional Multi-pattern Condenser microphone	"	5,700	CK 33	Screw-on omni directional microphone capsule module	"	405
C 391 B(SE300B+CK91)	Powering/output module SE300 B and CK91 cardioid capsule	"	1,050	CK 41 (단일지향)	Screw-on hypercardioid microphone capsule module	"	420
C 4000	Large diaphragm multi-pattern studio microphone	"	1,350	CK 43 (초지향)	Cardioid Capsule with foam windscreen W40	"	450
C 411 PP	For hardware applications, with standard XLR Connector 유선타입	"	540	CK 47	Supercardioid Capsule with foam windscreen W40	"	990
C 411 L	Ultra-light vibration pickup with mini XLR Connector	"	420	CK 49	Screw-on hypercardioid shotgun capsule module	"	750
C 414 XL II	Large diaphragm studio microphone for solo vocals & solo instruments	"	3,750	CK 61 ULS	Shotgun Capsule with foam windscreen W49	"	750
C 414 XL II Stereoset	Large diaphragm studio microphone, matched stereo pair	"	9,600	CK 62 ULS	High quality cardioid capsule, only for C490 B-ULS	"	750
C 414 XLS	Large diaphragm studio microphone for universal applications	"	3,600	CK 63 ULS	High quality omni directional capsule, only for C490 B-ULS	"	750
C 414 XLS Stereoset	Large diaphragm studio microphone, matched stereo pair	"	9,600	CK 69 ULS	High quality hypercardioid capsule, only for C490 B-ULS	"	2,040
C 417 L	Extremely light, inconspicuous mic, mini XLR-version	"	330	CK 77 WR L	Two shotgun capsules in one, only for C490 B-ULS	"	1,080
C 417 PP	Extremely light, inconspicuous mic with XLR Connector	"	450	CK 77 WR L/P	Moisture resistant miniature mic, mini XLR Connector, flesh colour	"	1,260
C 430	Overhead mic	"	600	CK 80	mini XLR-Connector, flesh colour	"	150
C 451B	Microphone for drums, percussion, acoustic guitars/overhead	"	1,350	CK 91	Screw-on hypercardioid shotgun microphone capsule module	"	600
C 451 B Stereoset	Small diaphragm condenser microphone, matched stereo pair	"	3,450	CK 92	Versatile cardioid capsule, only for SE300 B	"	600
C 480 B comb(CK61 ULS 포함)	C480B-ULS combined with CK 61-ULS	"	2,340	CK 93	Omnidirectional capsule, only for SE300 B	"	600
C 480 B-ULS(캡슐없음)	Ultra low noise linear preamplifier with high sensitivity	"	1,680	CK 94	Hypercardioid capsule, only for SE300 B	"	1,230
C 5	Professional condenser mic	"	540	CK 97 C/L	Highly accurate figure-eight capsule, only for SE300 B	"	480
C 5 WL 1	Microphone head with C5	"	660	CK 98	High end clip-on cardioid condenser microphone	"	1,050
C 5 WL1/DMS800용	Microphone head with C5	"	690	CK 99 L	Short shotgun capsule, only for SE300 B	"	255
C 516 ML	Ultra-light hypercardioid instrumental	"	600	CM-311A	Inconspicuous cardioid clip-on	"	1,650
C 518 M	miniature mic with mini XLR Connector	"	750	CM-311AESH	microphone with mini XLR Connector	"	1,350
C 518 ML	Miniature clip-on mic, with standard XLR Connector	"	600	CM-311L	Light, rugged head-worm mic for presenters with XLR Connector	"	1,350
C 519 M	Clip-on mic with miniature gooseneck Mic, with standard XLR Connector	"	750	CS 3 BU	Light, rugged head-worm mic for presenters, with Mini XLR Connector	"	4,050
C 519 ML	Clip-on mic with miniature gooseneck	"	600	CS3 CU 30	Base Unit	"	1,290
C 520	Headworn mic for vocals with XLR Connector for phantom powering	"	720	CS3 CU 50	Chairman Unit with 30cm GN	"	1,290
C 520 L	Headworn mic for vocals with mini XLR Connector	"	630	CS3 DU 30	Chairman Unit with 50cm GN	"	1,050
C 535 EB	Classic vocal&instrument mic	"	990	CS3 DU 50	Delegate Unit with 30cm GN	"	1,080
C 535 WL 1	Microphone head with C535	"	1,050	CS321	Delegate Unit with 50cm GN	"	300
C 544 L	Rugged headworn mic for sports use with mini XLR Connector	"	390	CS3EC002	30cm Gooseneck for CS3 cardioid	"	135
C 547 BL	Studio quality boundary layer microphone	"	1,320	CS3EC005	CS3, 2m cable	"	195
C 555L	Light, rugged head-worm mic for presenters with mini XLR Connector	"	390	CS3EC010	CS3, 5m cable	"	360
C 562 CM	Small, low-profile mic, for surveillance or recording, XLR Connector	"	660	CS3EC020	CS3, 10m cable	"	750
C 568 B	Compact, short shotgun microphone	"	1,380	CS3EC050	CS3, 20m cable	"	1,500
C 577 WR	Moisture resistant miniature lavalier microphone with XLR Connector	"	1,320	CS3EC100	CS3, 50m cable	"	2,250
C 747 V11	Slim, high quality directional shotgun mic	"	2,100	CS3ECT002	CS3, 100m cable	"	285
CBL31 WLS	for wireless use	"	1,050	CS3ECT005	CS3, 2m cable with T Connector	"	450
CBL 410 PCC black/white	Plug and play desktop microphone	"	225	CS3LC	CS3, 5m cable with T Connector	"	45
				CS3TC	CS3, Connector	"	180



**HARMAN** 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 12월호  
 조사기간 11월 1일~10일

⑤ **통신** 방송음향기기 (25) **1139**

<p><b>거래조건</b></p> <ul style="list-style-type: none"> <li>· 수도방법 : 공장상차도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현 금</li> <li>· 부가세 : 별 도</li> </ul>	<p><b>조사단계</b></p> <p style="font-size: 2em;">①</p> <p style="font-size: 1.5em;">메이커 ————— 수요자</p>	<p><b>주 기</b></p> <ul style="list-style-type: none"> <li>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</li> </ul>
--	--	--

**방 송 음 향 시 스템 (25)**

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● AKG				● AKG			
CS5 BOB	Breakout Box for 16 analog channels	대	12,600	DMM6	Digitalautomatic mic mixer, 6 channel input, 1x stereo output	대	6,000
CS 5 BU	CS5 Conference system-Base Unit	"	12,900	DPT700 V2 BD1-U	Digitalwireless bodypack transmitter	"	2,850
CS 5 CU	CS5 Conference system-Charging Case for 50 IRR7	"	10,800	DPT800 BD1	548.1-605.9&614.1-697.9MHz	"	1,500
CS 5 DU	CS5 Conference system-Delegate Unit simple	"	1,950	DPT800 BD2	710.1-785.9&823.1-831.9MHz	"	1,500
CS 5 ID10	CS5 Conference system-10 pcs. ID Cards for Identification	"	1,350	Drum Set Premium	incl.1x1212VR, 2xC214, 1xC451, 4xD40	"	6,900
CS 5 IRR7	CS5 Conference system- IR Receiver for 7 languages	"	1,350	Drum Set Session I	1xP2 bass drum microphone/2xP17* for overheads/	"	900
CS 5 IRT1	CS5 Conference system-Infrared Transmitter small	"	9,000		4xP4 for toms andsnare for stage applications, rehearsal rooms and home recording		
CS 5 IRT2	CS5 Conference system-Infrared Transmitter large	"	14,100	DSR 700 V2	Digitalwireless mic. receiver (dual channel)	"	4,800
CS 5 IU	CS5 Conference system-Interpreter Unit	"	6,300	DSR800 BD1	548.1-605.9&614.1-697.9MHz	"	5,400
CS 5 MF	CS5 Conference system - Mounting Frame for flush mount installation	"	210	DSR800 BD2	710.1-785.9&823.1-831.9MHz	"	5,400
CS 5 MK1.25	CS5 Conference system- System Cable	"	150	DST 99 S	Tablestand mic with on/off switch, coiledcable with 3-pin XLR connector (웹슬+구스넥+스탠드)	"	450
CS 5 MK10	"	"	300	EK 300	Standard 3m(10ft.) cable mini XLR/mini jack(1/8")	"	60
CS 5 MK2.5	"	"	180	EK 500 S	Coiled 5m(10ft.) cable mini XLR/mini jack(1/8")	"	66
CS 5 MK20	"	"	480	FLOORPAD (안테나)	Floorpadremote antenna, directional, passive	"	1,350
CS 5 MK5	"	"	210	GHAP1	-	"	54
CS5 PRO SW	Professional software plus adaptions for CS5	"	7,500	GN 15	Rugged 15m gooseneck for permanent screw-on installation	"	540
CS 5 PS12	CS5 Conference system-Power Supply for max. 12 Delegates	"	840	GN 15 E	Rugged 15m gooseneck with integrated XLR connector	"	540
CS5 RU	Refresher Unit for more than 100m (300ft.) cable length	"	2,550	GN 15 E5-pin	Rugged 15m gooseneck with integrated 5-pin XLR connector	"	660
CS 5 VU	Chairmanand Delegate unit high end	"	2,820	GN 15 ESP	Rugged 15m gooseneck module with programmable mute switch	"	630
CS521	50cm Gooseneck for CS3 cardioid	"	300	GN 15 M	15cm gooseneck module	"	240
CSX BIR10	TheCSX BIR10 is the infrared central control unit	"	11,400	GN 155 M	Floorstandset, Modular Plus Series	"	1,260
CSX CU50	TheCSX CU50 flight-case charger can store a	"	11,400	GN 155 Set	Elegantfloor stand, rugged all-metal gooseneck module	"	1,200
CSX IRR10	TheCSX IRR10 is a reference conferencing infrared receiver	"	1,350	GN 30	Rugged 30m gooseneck for permanent screw-on installation	"	600
CSX IRT3	CSXIRT3 and CSX IRT4 are 10 channel infrared transmitter	"	9,900	GN 30 CS	Gooseneck module-30cm	"	480
CSX IRT4	"	"	11,400	GN 30 E	Rugged 30m gooseneck with integrated XLR connector	"	630
CU400	Chargingunit, two slots, for HT470, PT470	"	750	GN 30 E 5-pin	Rugged 30m gooseneck with integrated 5-pin XLR connector	"	750
CU700	Chargingunit	"	1,350	GN 30 ESP	Rugged 30m gooseneck module with programmable mute switch	"	690
CU800	"	"	1,500	GN 30 M	30cm gooseneck module	"	300
CU4000	Chargingunit, two slots, for HT4500, PT4500, SPR4500	"	1,980	GN 30 OC	Rugged 30m gooseneck with unterminated cable	"	480
D112 MKII	dynamic microphone for bass drum and bass guitar on stage and in the studio	"	600	GN 50	Rugged 50m gooseneck for permanent screw-on installation	"	660
D 12 VR	Dynamickick drum microphone	"	1,500	GN 50 CS	Gooseneck module-50cm	"	540
D 230	Omnidirectional reporter's microphone	"	570	GN 50 E	Rugged50 m gooseneck with integrated XLR connector	"	660
D 40	Dynamicinstrument microphone	"	390	GN 50 E 5-pin	Rugged50 m gooseneck with integrated 5-pin XLR connector	"	780
D 5	Professionaldynamic mic	"	300	GN 50 ESP	Rugged50 m gooseneck module with programmable mute switch	"	750
D5 C	Professionaldynamic mic/Cardioid	"	285	GN 50 M	50cmgooseneck module	"	420
D5 CS	D5with on/off switch/Cardioid	"	300	Groove Pack	Drumset "groove pack" perception live	"	1,140
D5 S	D5with on/off switch/Super Cardioid	"	330	H 30	Universal shock mount	"	165
D5 WL1/DMS800용	Microphonehead with D5	"	450	H 50	Stereobar	"	111
D 58 E (웹슬)	Small& inconspicuous close talking/paging microphone	"	390	H 500	Elasticshockmount for GN15 E,GN30 E, GN50 E and 5-pin versions	"	90
D 7	Referencedynamic vocal microphone	"	570	H 600+A 608	Elasticshock mount unit for all Discreet Acoustics GN modules	"	330
D 7 S	D7with on/off switch	"	630	H 85	Spidersuspension	"	180
D 7 WL 1	Microphonehead with D7	"	600	HC 577 L	Singlepack of a top end headworn condenser microphone	"	1,950
D7 WL1/DMS800용	"	"	750	HELICAL (안테나)	Helicalremote antenna, directional, passive	"	1,500
DAM+	-	"	6,600	HM 1000	Hangingmodule with 10m cable, phantom power adapter, hanging clamp included	"	480
DGN 99	PA/Paging gooseneck mic (웹슬+구스넥)	"	450	HM 1000 M	Hangingmodule with 10m system cable	"	210
DGN 99 E	"	"	450	HT 45	Handheldtransmitter	"	390
DHT700 V2 C5 BD1-U	Digitalwireless handheld transmitter	"	2,850	HT4500 BD1/7/8	Professionalhandheld transmitter	"	1,260
DHT700 V2 D5 BD1-U	"	"	2,550	HT470 C5	Wirelesshandheld transmitter, C5 microphone element	"	930
DHT700 V2 D7 BD1-U	"	"	2,850	HT470 D5	Wirelesshandheld transmitter, D5 microphone element	"	690
DHT800 BD1	548.1-605.9&614.1-697.9MHz	"	1,350				
DHT800 BD2	710.1-785.9&823.1-831.9MHz	"	1,350				
DMM12	Digitalautomatic mic mixer, 12 channel input, 2x stereo output	"	8,400				
DMM12 BC	Digitalautomatic mic mixer, 12 channel input, 4x line outputs	"	9,900				



**HARMAN** 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

# 1140 ⑤ 통신 방송음향기기(26)

거래가격 2017년 12월호  
조사기간 11월 1일~10일

<p>거래조건</p> <ul style="list-style-type: none"> <li>· 수도방법 : 현장도착도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현금</li> <li>· 부가세 : 별도</li> </ul>	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> <li>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</li> </ul>
---	----------------------------------	---

## 방 송 음 향 시 스템 (26)

(가격단위 : 천원)

(생산자공표가격)

品名	規格	單位	價格 ①	品名	規格	單位	價格 ①
■ 테크데이터				■ 테크데이터			
● AKG				● AKG			
HUB 4000Q	Networkconcentrator	대	2,400	Perception 45 Vocal Set	Wirelessmic system, HT45	대	750
IP 2	Highperformance earphones	"	300	PF 80	Popfilter	"	165
IVM 4500 IEM Set	InEar Monitoring Set(이어폰+리시버+트랜스미터)	"	4,500	PR4500 ENG Set HT	PR4500ENG Diversity bodypack receiver, HT4500 transmitter	"	3,600
K 10/2	Extremelyrugged lightweight mono headphone	"	270	PS 3 F-lock	XLR connector	"	120
K 121	Semi-openHeadphones	"	270	PSU 4000(전원공급기)	Central power supply unit	"	1,650
K 141 MK II	"	"	390	PT 45	Pocket transmitter	"	390
				PT420 Band K	-	"	330
K167 TIESTO	Professional headphones	"	630	PT4500 BDI/7/8	Professionalwireless bodypack transmitter	"	1,260
K 171 MK II	Closedback Headphones	"	375	PT470	Wirelessbodypack transmitter, belt clip, 1AA LR6 battery	"	690
K 181 DJ	Closed-backdesign DJ Headphone	"	420				
K20	Lightweightand comfortable to wear stereo headphones	"	210	PZM-10	Lowprofile boundary layer microphone	"	600
K240 MKII	Semi-openHeadphones	"	420	PZM-10LL	Lowprofile boundary layer microphone, Line level version	"	840
K240 Studio	"	"	330	PZM-11	Cost-effectiveboundary layer microphone	"	480
				PZM-11LL	Cost-effectiveboundary layer microphone, line level version	"	660
K267 TIESTO	Referenceheadphones	"	1,050				
K271 MKII	Closedback Headphones	"	510	PZM-11LLWR	Cost-effectiveboundary layer microphone,	"	750
K44 V2	Closedtype of hi-fi stereo headphones	"	90		line level versio, water-resistant version		
K612PRO	High-Performance Headphones	"	480	PZM-185	Cost-effectiveboundary layer microphone, XLR version	"	810
K67 TIESTO	"	"	300	PZM-30D	First-classboundary layer microphone	"	1,740
K702	"	"	780	PZM-6D	"	"	1,500
K712PRO	"	"	1,140				
				RA 4000B/EW	Remotearranta, omni-directional, dipole, active	"	450
K77	Power-performance stereo Headphones	"	135	RA 4000B/W	"	"	420
K81 DJ	Closed-backdesign DJ Headphone	"	165	RA 4000EW	Remotearranta, omni-directional, dipole, passive	"	420
K812PRO	SuperiorReference Headphones	"	3,900	RA 4000W	"	"	420
K99	NaturalSound Stereo Headphones	"	180				
MB-3	Extremelysmall & inconspicuous lightweight supercardioid	"	870	RMU40 PRO	Rackmount kit for Perception45, DMS70, WMS420,	"	90
MB-4	"	"	750		WMS470 receivers (Use One&Two Receivers)		
				RMU4X PRO	InONE rack mount kit ONE receiver(Use One Receiver)	"	180
MF M	FlushMount Module with cover	"	135	SA 60	Standadaptor	"	51
MK PS	0.6m BNC antennacable	"	33	SA 61	Standadaptor for tapered shaft mics	"	51
MK150M	1.5m system cable with system connectors	"	120				
MK150ML	1.5m system cable with 3pin MiniXLR for AKG PT	"	150	SA 63	Standadaptor for C1000 S incl. LED	"	60
MKA 20	20m BNC antenna cable	"	135		and/or WMS handheld transmitters		
MKA 5	5m BNC antenna cable	"	120	SE 300 B	Transformerlesspowering/output module (캡슐없음)	"	600
MPA V L	XLR phantom adapter for Micro mic "ML" & "L" versions	"	198	Sound GrabberII	Lowcost allround boundary layer	"	390
P 2	Dynamicmicrophone designed for low-pitched instruments	"	360		microphone, 1/4" phone plug adapter		
P 3 S	Ruggedperformance microphone with on/off switch	"	150	SPC 4500	Stationary 4 : 1 combiner	"	2,610
P 4	Dynamicmicrophone	"	270	SPR 4500 Set	SPR4500IEM Diversity bodypack receiver+IP2 Earphone	"	2,100
P 5	Ruggedperformance microphone	"	150	SR 45	Receiver,Perception Wireless 45 single component	"	450
				SR420 Band K	-	"	480
P 5 S	Ruggedperformance microphone designedfor	"	180	SR4500 BDI/7/8	Professionalstationary true diversity receiver	"	2,100
	lead vocals with on/off switch			SR470	Wirelessstationary receiver, rack mount unit included	"	900
P120	Professionalstudio microphone	"	300	SRA2 B/EW	Remotearranta, directional, active	"	1,110
P170	Smalldiaphragm-true condenser Mic.	"	300	SRA 2 B/W	"	"	1,110
P220	Truecondenser large diaphragm capsule	"	540				
				SRA2 EW	Remotearranta, directional, passive	"	1,080
P420	Professionallarge-dual-diaphragm true-condenser microphone	"	720	SRA 2 W	"	"	1,080
P820 Tube	Professionalmulti-pattern tube microphone	"	1,950	SST 4500 IEM	Stereoin-ear monitoring transmitter	"	2,400
PAE M	Phantompoweradapter-3pin XLR	"	210	ST 45	"Lowprofile" table stand	"	231
PAESP M	Phantompoweradapter-programmable switch 3pin XLR	"	285	ST 46	Miniaturetable stand for small mics	"	174
PCC-130	Lowprofile boundary layer mic, XLR version	"	1,260	ST6	ProfessionalTabletop Stand for use	"	300
PCC-130SW	Lowprofile boundary layer mic, XLR version, with switch	"	1,410		with all 3 pin XLR microphones		
PCC-160	Theindustry-standard stage-floor microphone	"	1,500				
PCC-170	Surface-mountsupercardioid boundary layer mic, XLR version	"	1,320	STS DAM+	ProfessionalTabletop Stand for use	"	900
PCC-170SW	XLR version, with switch	"	1,440		with DAM+ modules and derivates	"	
PCC-170SWO	XLR version, with remote sensing switch	"	1,710	STS DAM+ WLS	-	"	960
				UWA9M	Pockettransmitter holder fitting AKG PT	"	150
Perception 45 Instrument Set	Wirelessmic system, MKG L inst. Cable	"	750	W23	Foamwindscreen 50mm dia.	"	51
Perception 45 Presenter Set	Wirelessmic system, CK99 L	"	938	W30	Foamwindscreen for CK31, CK32, CK33	"	15
Perception 45 Sports Set	Wirelessmic system, C544L	"	1,050	W32	Foamwindscreen 18-20mm dia (for CK's)	"	24



# HARMAN

세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 12월호  
조사기간 11월 1일~10일

⑤ **통신** 방송음향기기 (27) **1141**

<p><b>거래조건</b></p> <ul style="list-style-type: none"> <li>· 수도방법 : 공장상차도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현 금</li> <li>· 부 가 세 : 별 도</li> </ul>	<p><b>조사단계</b></p> <p style="text-align: center;"> <span style="border: 1px solid black; padding: 2px;">메 이 커</span> ——— ① ——— <span style="border: 1px solid black; padding: 2px;">수 요 자</span> </p>	<p><b>주 기</b></p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
--	---	---

**방 송 음 향 시 스템 (27)**

(가격단위 : 천원)

(생산자공표가격)

品 名	規 格	單 位	價 格 ①	品 名	規 格	單 位	價 格 ①
<p>■ 테크데이타</p> <p>● AKG</p> <p>W40 M Dualayer wiremesh windscreen for CK41 and CK43</p> <p>W77 M Blackwiremesh windscreen for CK77WR's, C577WR</p> <p>W77 MP beigewiremesh windscreen for CK77WR, C577WR</p> <p>WLMA-US Uus Shure Unit Gender</p> <p>WMS420 Head Set Band K Wirelessbodypack microphone system, C555 L headworn mic</p> <p>WMS420 Instrumental Set Band K Wirelessbodypack microphone system, MKG L inst. Cable</p> <p>WMS420 Presenter Set Band K Wirelessbodypack microphone system, C417 L lavalier mic.</p> <p>WMS420 Vocal Set Band K Wirelesshandheld microphone system, D6 microphone element</p> <p>WMS4500 CK77 Set BD1/7/8 Professional wireless system including SR4500, PT4500, CK77</p> <p>WMS4500 D7 Set BD1/7/8 Professional wireless system including SR4500, HT4500, D7 WLI, SA63</p> <p>WMS4500 HC577 Set BD1/7/8 Professional wireless system, including SR4500, PT4500, HC577</p> <p>WMS4500 Instrumental Set BD1/7/8 Professional wireless system including SR4500, PT4500, MK GL cable</p> <p>WMS470 C5 Set Wirelesshandheld microphone system, C5 microphone element</p> <p>WMS470 D5 Set Wirelesshandheld microphone system, D5 microphone element</p> <p>WMS470 INSTR Set Wirelessbodypack microphone system, MKG L inst. Cable</p> <p>WMS470 PRES Set Wirelessbodypack microphone system, C555L headworn mic, CK39L lavalier mic.</p> <p>WMS470 SPORTS Set Wirelessbodypack microphone system, C54L headworn mic</p> <p>● BSS</p> <p>1 U Rack Mount Kit -</p> <p>32-0290 Individual additional 6-way Phoenix/Comhicon connector</p> <p>999-PSU Powersupply for BLU-10/BLU-8 (24VDC Direct Powering)</p> <p>AC-5S Analog Controller with 5 Sources</p> <p>AC-V Analog Controller with Volume</p> <p>AR-133 Active Direct Injection (DI) box</p> <p>BLU AEC-IN 4analog input mic/line card</p> <p>BLUCARD-IN 4analog input mic/line card</p> <p>BLU CARD-OUT 4analog output card</p> <p>BLUDIGITAL-IN 4digital input card</p> <p>BLUDIGITAL-OUT 4digital output card</p> <p>BLU HYBRID Telephone Hybrid Card</p> <p>BLU-100 12analog mic/line input, 8analog output, networked signal processor</p> <p>BLU-101 12analog mic/line input, 8analog output, networked signal processor</p> <p>BLU-102 10analog mic/line input, 8analog output, networked signal processor</p> <p>BLU10 Touchscreen programmable wall controller (Black/Blue/White)</p> <p>BLU-120 Networked I/O expander w/BLU link chassis (no CobraNet™)</p> <p>BLU-160 Networked signal processor &amp; BLU link chassis (no CobraNet™)</p> <p>BLU3 8position source/preSet selector, level control (UK) wall controller</p> <p>BLU-320 Networked I/O expander w/CobraNet™ &amp; BLU link chassis</p> <p>BLU-325 Networked I/O expander w/AVB &amp; BLU link chassis</p> <p>BLU-326 Networked I/O expander w/Dante™ &amp; BLU link chassis</p> <p>BLU-50 4x4 Signal Processor with BLU link</p> <p>BLU6 8position source/preSet selector, up/down pair (UK) wall controller</p> <p>BLU-800 Networked signal processor w/CobraNet™ &amp; BLU link chassis</p> <p>BLU-805 Networked signal processor w/AVB &amp; BLU link chassis</p> <p>BLU-806 Networked signal processor w/Dante™ &amp; BLU link chassis</p> <p>BLU8v2 Programmable zone controller (Black/White)</p> <p>BLU-BIB 8-channel analog break-in box</p> <p>BLU-BOB1 8-channel analog break-out box</p>	<p>● 테크데이타</p> <p>● BSS</p> <p>BLU-BOB2 8-channel analog break-out box</p> <p>BLU-DAN BLU-Link to Dante Bridge</p> <p>BLU-GPX Networked General Purpose I/O expander w/ BLU link chassis</p> <p>BLU-HIF Soundweb London Telephone HeadSet Interface</p> <p>BLU-PCI BLU-Link PCIe Card</p> <p>BLU-Si BLU-Link Card for Soundcraft Si Consoles</p> <p>CONTRIOSRVR-BLU Soundweb Contrio Server-BLU link Version</p> <p>CONTRIOSRVR-DVS Soundweb Contrio Server-Dante Virtual Soundcard Version</p> <p>EC-4B Ethernet Controller with 4 Buttons</p> <p>EC-4BV Ethernet Controller with 4 Buttons and Volume</p> <p>EC-8BV Ethernet Controller with 4 Buttons and Volume</p> <p>EC-V Ethernet Controller with Volume</p> <p>FCS-960 30band dual mode graphic equalizer (2 channels)</p> <p>FCS-966 30band graphic equalizer (2 channels)</p> <p>MC1 Single Mode Fiber Media Converter</p> <p>PS48POE Powersupply for BLU-10/BLU-8 (Power over Ethernet)</p> <p>SW9012 5position source/preSet selector, level control single gang wall controller</p> <p>SW9015 8position source/preSet selector, up/down pair wall controller</p> <p>USB TOSERIALCNVTR USB to Serial Cable</p> <p>Wall Box US3-gang wall box for mounting BLU-10/BLU-8</p> <p>● DBX</p> <p>-</p> <p>Tube Preamp Channel Strip w/Digital Out</p> <p>Dual Vacuum Tube Preamp w/Digital Out</p> <p>Sub harmonic Synth</p> <p>De-Esser</p> <p>3-Band PEQ</p> <p>Mic Pre</p> <p>Quad Compressor Limiter</p> <p>Dual Compressor Limiter Gate</p> <p>Quad Noise Gate</p> <p>12 Series-Dual 15 Band Graphic Equalizer</p> <p>12 Series-Dual 31 Band Graphic Equalizer</p> <p>20 Series-Single 31 Band Graphic Equalizer</p> <p>20 Series-Dual 15 Band Graphic Equalizer</p> <p>20 Series-Dual 31 Band Graphic Equalizer</p> <p>4800W/ blank front panel</p> <p>Sub harmonic Processor</p> <p>12x6 Zone Processor (6mic/line)</p> <p>Compressor/Limiter</p> <p>Dual Compressor Limiter Gate</p> <p>2 Series - Dual 15 Band Graphic Equalizer</p> <p>2x2 Loudspeaker Management System</p> <p>223s with XLR Connectors</p> <p>2 Series - Dual 31 Band Graphic Equalizer</p> <p>234s with XLR Connectors</p> <p>Dual Compressor Gate</p> <p>Mic Preamp/Channel Strip</p> <p>Tube Mic Pre Channel Strip</p> <p>Dual Channel Advanced Feedback Suppression /LCD display</p> <p>Passive Direct Box</p> <p>Active Direct Box</p> <p>2x2 PA performance processor</p> <p>Intelligent Dual 15 Band Graphic Equalizer W/AFS</p>						

**HARMAN** 세계적인 음향 브랜드 하만, 테크데이타가 함께합니다.



공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

# 1142 ⑤ 통신 방송음향기기(28)

거래가격 2017년 12월호  
조사기간 11월 1일~10일

<b>거래조건</b> · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	<b>조사단계</b> [메이커] — ① — [수요자]	<b>주 기</b> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	----------------------------------	--

## 방 송 음 향 시 스템 (28)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
<b>■ 테크데이터</b> <b>● DBX</b> IEQ31 Intelligent Dual 31 Band Graphic Equalizer w/AFS 2x6 PA Management Processor (아이패드연동) PA2 Patch Bay PB-48 16-Channel Personal Monitor Controller PMC16 16-Channel Personal Monitor Controller PowerRack 8 8-Slot 500 Series Power Supply PS6 Power Supply for PMC TR1616 16x16 Blu link Performance I/O VENU360 3x6 Loudspeaker Management System w/Display ZC1 Programmable Volume Control Zone Controller ZC2 Programmable Volume and Mute Zone Controller ZC3 Program Selector Zone Controller ZC4 Contact Closure Input Zone Controller ZC6 Push Button Up/Down Controller ZC7 Mic Page Assignment Controller ZC8 Up/Down Volume w/Source Select ZC9 8 Position Zone Controller ZC-BOB Break Out Box for Home Run Cabling ZC-FIRE Fire System Interface <b>● LEXICON</b> Alpha Desktop Recording Studio IO22 2-Input USB 2.0 Desktop Recording Studio IO42 4-Input USB 2.0 Desktop Recording Studio IO82 8-Input USB 2.0 Desktop Recording Studio Lambda Desktop Recording Studio LXP-PLUG-RB Lexicon LXP Native Reverb Plug-in Bundle MX200 Multi-Effects Processor MX300 " " MX400XL " " Omega Desktop Recording Studio PCM92 Stereo Reverb/Effects Processor PCM96 " " PCM96SUR-A Multi-channel Reverb/Effects Processor-Analog & Digital I/O PCM96SUR-D Multi-channel Reverb/Effects Processor-Digital I/O PL-MPX-R Lexicon MPX Native Reverb Plug-in PL-PCM-FX PCM Native Effects Plug-in Bundle PL-PCM-RB PCM Native Reverb Plug-in Bundle PL-PCM-TOT PCM Total Bundle (Reverb & Effects Plug-ins) <b>● 테크데이터</b> - TDDA-831 Ethernet E/M & PRE AMP TDME-805 Ethernet Speaker E/M Selector TDRG-8220 Relay Group TDME-8408 8-Module Extension Cabinet TDSW-3.5 P.A Operatiione Software TDMP-8107 Monitor Unit (Digital) TDPB-8324 Power Distributor+Battery NX-1200 - NX-2200 NX-2200 NetLinx NX Integrated Controller with 512MB RAM NX-3200 NX-3200 NetLinx NX Integrated Controller with 512MB RAM NX-4200 NX-4200 NetLinx NX Integrated Controller with 1GB RAM EXB-IRS4 ICsLan IR/S Interface, 4 IR/S and 4 Inputs EXB-COM2 ICsLan Serial Interface, 2 Ports EXB-REL8 ICsLan Relay Interface, 8 Channels				<b>■ 테크데이터</b> <b>● AMX</b> EXB-1/O8 ICsLan Input/Output Interface, 8 Channels EXB-MP1 ICsLan Multi-Port, 1 COM, 1 IR/S, 2 I/O, 1 IR RX AXB-232++ AXB-232++ RS-232/422/485 Interface AXB-DMX512 DMX 512 Interface AXB-VOL3 3-Channel Volume Controller (line-level audio) DGX800-ENC Enova DGX 800 Digital Media Enclosure with Integrated NX Series Controller DGX1600-ENC Enova DGX 1600 Digital Media Enclosure with Integrated NX Series Controller DGX3200-ENC Enova DGX 3200 Digital Media Enclosure with Integrated NX Series Controller DGX6400-ENC Enova DGX 6400 Digital Media Enclosure with Integrated NX Controller DGX-I-HDMI-4K 4connection 4K HDMI Enova DGX Input Board includes HDCP compliance DGX-I-HDMI 4connection HDMI Enova DGX Input Board includes HDCP compliance DGX-I-DVI 4connection DVI Enova DGX Input Board includes HDCP compliance DGX-I-DXL-4K 4connection 4K DXLink twisted pair Enova DGX Input Board DGX-I-DXL 4connection DXLink twisted pair Enova DGX Input Board DGX-I-DXF-MMD 4connection DXLink Fiber Enova DGX Input Board DGX-I-DXF-MMS " " DGX-I-DXF-SMD " " DGX-I-DXF-SMS " " DGX-O-HDMI 4connection HDMI Enova DGX Output Board DGX-O-DVI 4connection DVI Enova DGX Output Board i DGX-O-DXL-4K 4connection 4K DXLink twisted pair Enova DGX Output Board DGX-O-DXL 4connection DXLink twisted pair Enova DGX Output Board DGX-O-DXF-SMD 4connection DXLink Fiber Enova DGX Output Board DGX-O-DXF-SMS " " DGX-O-DXF-MMD " " DGX-O-DXF-MMS " " DGX-AIE Enova DGX Audio Insert / Extract Expansion Board DX-TX-DWP-4K-BL DXLink 4K HDMI Decor Style Wallplate Transmitter DX-TX-DWP-4K-WH " " DX-TX " " DXLink Multi-Format Twisted Pair Transmitter DXLink Multi-Format Decor Style Wallplate Transmitter DX-TX-DWP-WH DXLink Multi-Format Decor Style Wallplate Transmitter (US), HDCP compliant DX-TX-WP-WH DXLink Multi-Format Wallplate Transmitter, HDCP compliant DX-TX-WP-BL DXLink Multi-Format Wallplate Transmitter DXF-TX-MMD DXLink Fiber Multi-Format Transmitter Module DXF-TX-MMS " " DXF-TX-SMD DXLink Fiber Multi-Format Transmitter Module DXF-TX-SMS DXLink Fiber Multi-Format Transmitter Module DX-RX-4K DXLink 4K HDMI Twisted Pair Receiver Module DX-RX DXLink HDMI Twisted Pair Receiver Module DXF-RX-MMD DXLink Fiber HDMI Receiver Module DXF-RX-MMS " " DXF-RX-SMD " " DXF-RX-SMS " " DVX-3250HD-SP 10x4 All-In-One Presentation Switcher DVX-3250HD-T " " DVX-3255HD-SP " "			



# HARMAN

세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.









공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 12월호  
조사기간 11월 1일~10일

⑤ **통신** 방송음향기기 (29) **1143**

<p><b>거래조건</b></p> <ul style="list-style-type: none"> <li>· 수도방법 : 공장상차도</li> <li>· 거래규모 : 단위당</li> <li>· 결제조건 : 현 금</li> <li>· 부가세 : 별 도</li> </ul>	<p><b>조사단계</b></p> <p style="font-size: 2em;">①</p> <p style="font-size: 1.5em;">메이커 ————— 수요자</p>	<p><b>주 기</b></p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
--	--	---

**방 송 음 향 시 스템 (29)**

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
<p>■ 테크데이터</p> <p>● AMX</p> <p>DXV-3255HD-T 10x4 All-In-One Presentation Switcher " 42,900</p> <p>DXV-3155HD-SP " " 42,575</p> <p>DXV-3256HD-SP " " 45,500</p> <p>DXV-3256HD-T " " 45,825</p> <p>DXV-3156HD-SP " " 45,500</p> <p>DXV-2250HD-SP 6x3 All-In-One Presentation Switchers " 29,250</p> <p>DXV-2250HD-T " " 29,737.5</p> <p>DXV-2255HD-SP " " 32,825</p> <p>DXV-2255HD-T " " 32,825</p> <p>DXV-2155HD-SP " " 32,825</p> <p>DXV-2210HD-SP 4x2 All-In-One Presentation Switchers " 22,750</p> <p>DXV-2210HD-T " " 23,075</p> <p>SDX-414-DX Solecis 4x1 4K HDMI Digital Switcher with DXLink Output " 6,500</p> <p>SDX-410-DX Solecis 4x1 HDMI Digital Switcher with DXLink Output " 5,525</p> <p>SDX-514M-DX Solecis 5x1 4K Multi-Format Digital Switcher with DXLink Output " 9,100</p> <p>SDX-510M-DX Solecis 5x1 Multi-Format Digital Switcher with DXLink Output " 7,475</p> <p>SDX-814-DX Solecis 8x1 4K HDMI Digital Switcher with DXLink Output " 10,075</p> <p>SDX-810-DX Solecis 8x1 HDMI Digital Switcher with DXLink Output " 8,287.5</p> <p>NMX-ENC-N1122 SVSI Stand-alone Minimal Compression Video over IP Decoder " 4,322.5</p> <p>NMX-DEC-N1222 " " 4,322.5</p> <p>NMX-ENC-N1133 " " 5,362.5</p> <p>NMX-DEC-N1233 " " 5,362.5</p> <p>NMX-ENC-N1233 " " 5,362.5</p> <p>NMX-ENC-N1122-C SVSI Minimal Compression Video over IP Decoder Card " 4,192.5</p> <p>NMX-DEC-N1222-C " " 4,192.5</p> <p>NMX-ENC-N1133-C " " 5,135</p> <p>NMX-DEC-N1233-C " " 5,135</p> <p>NMX-ENC-N2122 SVSI Stand-alone JPEG2000 Decoder " 9,100</p> <p>NMX-DEC-N2212 " " 4,322.5</p> <p>NMX-DEC-N2222 " " 5,525</p> <p>NMX-ENC-N2135 SVSI Stand-alone JPEG2000 or Uncompressed Ultra-HD(4K) " 10,075</p> <p>NMX-DEC-N2235 " " 7,930</p> <p>NMX-ENC-N2151 " " 13,325</p> <p>NMX-DEC-N2251 " " 11,375</p> <p>NMX-ENC-N2122-C SVSI JPEG2000 Decoder Card with ultra-low latency " 9,100</p> <p>NMX-DEC-N2212-C " " 4,225</p> <p>NMX-DEC-N2222-C " " 5,427.5</p> <p>NMX-ENC-N2135-C SVSI JPEG2000 Encoder Card " 9,750</p> <p>NMX-DEC-N2235-C SVSI JPEG2000 Decoder Card " 7,800</p> <p>NMX-ENC-N2151-C SVSI JPEG2000 or Uncompressed Ultra-HD(4K) Encoder Card " 13,325</p> <p>NMX-DEC-N2251-C " " 11,375</p> <p>NMX-ENC-N3132 SVSI Stand-alone H.264 Encoder with USB for record " 14,975</p> <p>NMX-DEC-N3232 SVSI Stand-alone H.264 Decoder with USB for record " 4,875</p> <p>NMX-ENC-N3132-C SVSI H.264 Encoder Card with USB for record " 14,787.5</p> <p>NMX-DEC-N3232-C SVSI H.264 Decoder Card with USB for record " 4,745</p> <p>NMX-ENC-1100 H.264 High-Definition Encoder with Record, multi-format input " 8,287.5</p> <p>NMX-DEC-1105 H.264 High-Definition Encoder with Record, multi-format input and SDI input " 11,050</p> <p>NMX-ATC-N4321 SVSI NMX-ATC-N4321 Audio Transceiver is an audio-over-IP solution that both sends and receives two-channel balanced or unbalanced audio over IP " 3,087.5</p> <p>NMX-ATC-N4321-C The SVSI NMX-ATC-N4321-C Audio Transceiver Card is an audio-over-IP solution that both sends and receives two-channel balanced or unbalanced audio over IP-must be used in conjunction with NMX-ACC-N2016 Rack Mount Cage " 2,990</p> <p>NMX-WP-2510 The SVSI NMX-WP-N2510 Windowing Processor functions with the N2000 JPEG2000 family of Video over IP Encoders and Decoders and are capable of handling multiple real-time HD streams with no video input or output connectors-only a single network port " 24,862.5</p> <p>NMX-WP-N3510 The SVSI NMX-WP-N3510 H.264 Multi-Channel Windowing Processor " 37,700</p> <p>SC-N8001 The SVSI SC-N8001 N-Command Control Appliance " 7,930</p> <p>SC-N8002 The SVSI SC-N8002 N-Command Control Appliance " 14,950</p> <p>SC-N8012 The SVSI SC-N8012 N-Command Control Appliance " 49,725</p>	<p>■ 테크데이터</p> <p>● AMX</p> <p>MXT-2001-PAN 20.3" Modero XSeries G5 Panoramic Tabletop Touch Panel " 42,900</p> <p>MXD-2001-PAN-P 20.3" Modero XSeries G5 Panoramic Portrait Wall Mount Touch Panel " 42,900</p> <p>MXD-2001-PAN-L 20.3" Modero XSeries G5 Panoramic Landscape Wall Mount Touch Panel " 42,900</p> <p>MXT-1901-PAN 19.4" Modero XSeries G5 Panoramic Tabletop Touch Panel " 31,850</p> <p>MXD-1901-PAN-P 19.4" Modero XSeries G5 Panoramic Portrait Wall Mount Touch Panel " 31,850</p> <p>MXD-1901-PAN-L 19.4" Modero XSeries G5 Panoramic Landscape Wall Mount Touch Panel " 31,850</p> <p>MXT-1001 10.1" Modero XSeries G5 Widescreen Tabletop Touch Panel " 21,450</p> <p>MXD-1001-P 10.1" Modero XSeries G5 Widescreen Portrait Wall Mount Touch Panel " 21,450</p> <p>MXD-1001-L 10.1" Modero XSeries G5 Widescreen Landscape Wall Mount Touch Panel " 21,450</p> <p>MXT-701 7" Modero XSeries G5 Widescreen Tabletop Touch Panel " 14,625</p> <p>MXD-701-P 7" Modero XSeries G5 Widescreen Portrait Wall Mount Touch Panel " 14,625</p> <p>MXD-701-L 7" Modero XSeries G5 Widescreen Landscape Wall Mount Touch Panel " 14,625</p> <p>MXR-1001-BL 10.1" Modero XSeries G5 Retractable Touch Panel " 24,862.5</p> <p>MXR-1001-SL " " 24,862.5</p> <p>MXT-2000XL-PAN 20.3" Modero XSeries Panoramic Tabletop Touch Panel " 42,900</p> <p>MXD-2000XL-PAN-P 20.3" Modero XSeries Panoramic Portrait Wall Mount Touch Panel " 42,900</p> <p>MXD-2000XL-PAN-L 20.3" Modero XSeries Panoramic Landscape Wall Mount Touch Panel " 42,900</p> <p>MXT-1900L-PAN 19.4" Modero XSeries Panoramic Tabletop Touch Panel " 31,850</p> <p>MXD-1900L-PAN-P 19.4" Modero XSeries Panoramic Portrait Wall Mount Touch Panel " 31,850</p> <p>MXD-1900L-PAN-L 19.4" Modero XSeries Panoramic Landscape Wall Mount Touch Panel " 31,850</p> <p>MXT-1000 10.1" Modero XSeries Widescreen Tabletop Touch Panel " 21,450</p> <p>MXD-1000-P 10.1" Modero XSeries Widescreen Portrait Wall Mount Touch Panel " 21,450</p> <p>MXD-1000-L 10.1" Modero XSeries Widescreen Landscape Wall Mount Touch Panel " 21,450</p> <p>MXT-700 7" Modero XSeries Widescreen Tabletop Touch Panel " 14,625</p> <p>MXD-700-P 7" Modero XSeries Widescreen Portrait Wall Mount Touch Panel " 14,625</p> <p>MXD-700-L 7" Modero XSeries Widescreen Landscape Wall Mount Touch Panel " 14,625</p> <p>MXD-430-P 4.3" Modero X Series Portrait Wall Mount Touch Panel " 7,637.5</p> <p>MST-1001 10.1" Modero S Tabletop Touch Panel " 10,075</p> <p>MSD-1001-L 10.1" Modero S Wall Landscape Mount Touch Panel " 9,587.5</p> <p>MST-701 7" Modero S Tabletop Touch Panel " 6,825</p> <p>MSD-701-L 7" Modero S Wall Mount Landscape Touch Panel " 6,337.5</p> <p>MST-431 4.3" Modero S Tabletop Touch Panel " 4,290</p> <p>MSD-431-L 4.3" Modero S Wall Mount Landscape Touch Panel " 3,997.5</p> <p>MXT-2000XL-PAN-NC 20.3" Modero X Series Panoramic Tabletop Touch Panel " 43,550</p> <p>MXD-2000XL-PAN-P-NC 20.3" Modero X Series Panoramic Portrait Wall Mount Touch Panel " 43,550</p> <p>MXD-2000XL-PAN-L-NC 20.3" Modero X Series Panoramic Landscape Wall Mount Touch Panel " 43,550</p> <p>MXT-1900L-PAN-NC 19.4" Modero X Panoramic Tabletop Touch Panel " 32,825</p> <p>MXD-1900L-PAN-P-NC 19.4" Modero X Panoramic Portrait Wall Mount Touch Panel " 32,825</p> <p>MXD-1900L-PAN-L-NC 19.4" Modero X Series Panoramic Landscape Wall Mount Touch Panel " 32,825</p> <p>MXT-1000-NC 10.1" Modero X Series Widescreen Tabletop Touch Panel " 22,587.5</p> <p>MXD-1000-P-NC 10.1" Modero X Series Widescreen Portrait Wall Mount Touch Panel " 22,587.5</p> <p>MXD-1000-L-NC 10.1" Modero X Series Widescreen Landscape Wall Mount Touch Panel " 22,587.5</p> <p>MXT-700-NC 7" Modero X Series Widescreen Tabletop Touch Panel " 15,600</p> <p>MXD-700-P-NC 7" Modero X Series Widescreen Portrait Wall Mount Touch Panel " 15,600</p> <p>MXD-700-L-NC 7" Modero X Series Widescreen Landscape Wall Mount Touch Panel " 15,600</p> <p>MVP-9000i-GB Black-Modero ViewPoint 9" Widescreen 24 Bit Active Matrix Display " 18,200</p> <p>MVP-9000i-GW White-Modero ViewPoint 9" Widescreen 24 Bit Active Matrix Display " 18,200</p>						

**HARMAN** 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474