

거래가격 2018년 2월호
 조사기간 1월 1일~10일

⑤ **통신** 방송음향기기 (25) **1139**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	---	--

방 송 음 향 시 스템 (25)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● AKG				● AKG			
CS5 BOB	Breakout Box for 16 analog channels	대	12,600	DMM6	Digitalautomatic mic mixer, 6 channel input, 1x stereo output	대	6,000
CS 5 BU	CS5 Conference system-Base Unit	"	12,900	DPT700 V2 BD1-U	Digitalwireless bodypack transmitter	"	2,850
CS 5 CU	CS5 Conference system-Charging Case for 50 IRR7	"	10,800	DPT800 BD1	548.1-605.9&614.1-697.9MHz	"	1,500
CS 5 DU	CS5 Conference system-Delegate Unit simple	"	1,950	DPT800 BD2	710.1-785.9&823.1-831.9MHz	"	1,500
CS 5 ID10	CS5 Conference system-10 pcs. ID Cards for Identification	"	1,350	Drum Set Premium	incl.1x1212VR, 2xC214, 1xC451, 4xD40	"	6,900
CS 5 IRR7	CS5 Conference system- IR Receiver for 7 languages	"	1,350	Drum Set Session I	1xP2 bass drum microphone/2xP17* for overheads/	"	900
CS 5 IRT1	CS5 Conference system-Infrared Transmitter small	"	9,000		4xP4 for toms andsnare for stage applications,		
CS 5 IRT2	CS5 Conference system-Infrared Transmitter large	"	14,100		rehearsal rooms and home recording		
CS 5 IU	CS5 Conference system-Interpreter Unit	"	6,300	DSR 700 V2	Digitalwireless mic. receiver (dual channel)	"	4,800
CS 5 MF	CS5 Conference system -	"	210	DSR800 BD1	548.1-605.9&614.1-697.9MHz	"	5,400
CS 5 MK1.25	Mounting Frame for flush mount installation	"	150	DSR800 BD2	710.1-785.9&823.1-831.9MHz	"	5,400
CS 5 MK10	CS5 Conference system- System Cable	"	300	DST 99 S	Tablestand mic with on/off switch, coiledcable with	"	450
CS 5 MK2.5	"	"	180		3-pin XLR connector (웹슬+구스넥+스탠드)		
CS 5 MK20	"	"	480	EK 300	Standard 3m(10ft.) cable mini XLR/mini jack(1/8")	"	60
CS 5 MK5	"	"	210	EK 500 S	Coiled 5m(10ft.) cable mini XLR/mini jack(1/8")	"	66
CS5 PRO SW	Professional software plus adaptions for CS5	"	7,500	FLOORPAD (안테나)	Floorpadremote antenna, directional, passive	"	1,350
CS 5 PS12	CS5 Conference system-Power Supply for max. 12 Delegates	"	840	GHAP1	-	"	54
CS5 RU	Refresher Unit for more than 100m (300ft.) cable length	"	2,550	GN 15	Rugged 15m gooseneck for permanent screw-on installation	"	540
CS 5 VU	Chairmanand Delegate unit high end	"	2,820	GN 15 E	Rugged 15m gooseneck with integrated XLR connector	"	540
CS521	50cm Gooseneck for CS3 cardioid	"	300	GN 15 E5-pin	Rugged 15m gooseneck with integrated 5-pin XLR connector	"	660
CSX BIR10	TheCSX BIR10 is the infrared central control unit	"	11,400	GN 15 ESP	Rugged 15m gooseneck module with programmable mute switch	"	630
CSX CU50	TheCSX CU50 flight-case charger can store a	"	11,400	GN 15 M	15cm gooseneck module	"	240
CSX IRR10	TheCSX IRR10 is a reference conferencing infrared receiver	"	1,350	GN 155 M	Floorstandset, Modular Plus Series	"	1,260
CSX IRT3	CSXIRT3 and CSX IRT4 are 10 channel infrared transmitter	"	9,900	GN 155 Set	Elegantfloor stand, rugged all-metal gooseneck module	"	1,200
CSX IRT4	"	"	11,400	GN 30	Rugged 30m gooseneck for permanent screw-on installation	"	600
CU400	Chargingunit, two slots, for HT470, PT470	"	750	GN 30 CS	Gooseneck module-30cm	"	480
CU700	Chargingunit	"	1,350	GN 30 E	Rugged 30m gooseneck with integrated XLR connector	"	630
CU800	"	"	1,500	GN 30 E 5-pin	Rugged 30m gooseneck with integrated 5-pin XLR connector	"	750
CU4000	Chargingunit, two slots, for HT4500, PT4500, SPR4500	"	1,980	GN 30 ESP	Rugged 30m gooseneck module with programmable mute switch	"	690
D112 MKII	dynamic microphone for bass drum and	"	600	GN 30 M	30cm gooseneck module	"	300
	bass guitar on stage and in the studio	"		GN 30 OC	Rugged 30m gooseneck with unterminated cable	"	480
D 12 VR	Dynamickick drum microphone	"	1,500	GN 50	Rugged 50m gooseneck for permanent screw-on installation	"	660
D 230	Omnidirectional reporter's microphone	"	570	GN 50 CS	Gooseneck module-50cm	"	540
D 40	Dynamicinstrument microphone	"	390	GN 50 E	Rugged50 m gooseneck with integrated XLR connector	"	660
D 5	Professionaldynamic mic	"	300	GN 50 E 5-pin	Rugged50 m gooseneck with integrated 5-pin XLR connector	"	780
D5 C	Professionaldynamic mic/Cardioid	"	285	GN 50 ESP	Rugged50 m gooseneck module with programmable mute switch	"	750
D5 CS	D5with on/off switch/Cardioid	"	300	GN 50 M	50cmgooseneck module	"	420
D5 S	D5with on/off switch/Super Cardioid	"	330	Groove Pack	Drumset "groove pack" perception live	"	1,140
D5 WL1/DMS800용	Microphonehead with D5	"	450	H 30	Universal shock mount	"	165
D 58 E (웹슬)	Small& inconspicuous close talking/paging microphone	"	390	H 50	Stereobar	"	111
D 7	Referencedynamic vocal microphone	"	570	H 500	Elasticshockmount for GN15 E,GN30 E,	"	90
D 7 S	D7with on/off switch	"	630		GN50 E and 5-pin versions		
D 7 WL 1	Microphonehead with D7	"	600	H 600+A 608	Elasticshock mount unit for all	"	330
D7 WL1/DMS800용	"	"	750		Discreet Acoustics GN modules		
DAM+	-	"	6,600	H 85	Spidersuspension	"	180
DGN 99	PA/Paging gooseneck mic (웹슬+구스넥)	"	450	HC 577 L	Singlepack of a top end headworn condenser microphone	"	1,950
DGN 99 E	"	"	450	HELICAL (안테나)	Helicalremote antenna, directional, passive	"	1,500
DHT700 V2 C5 BD1-U	Digitalwireless handheld transmitter	"	2,850	HM 1000	Hangingmodule with 10m cable, phantom	"	480
DHT700 V2 D5 BD1-U	"	"	2,550		power adapter, hanging clamp included		
DHT700 V2 D7 BD1-U	"	"	2,850	HM 1000 M	Hangingmodule with 10m system cable	"	210
DHT800 BD1	548.1-605.9&614.1-697.9MHz	"	1,350	HT 45	Handheldtransmitter	"	390
DHT800 BD2	710.1-785.9&823.1-831.9MHz	"	1,350	HT4500 BD1/7/8	Professionalhandheld transmitter	"	1,260
DMM12	Digitalautomatic mic mixer, 12 channel input, 2x stereo output	"	8,400	HT470 C5	Wirelesshandheld transmitter, C5 microphone element	"	930
DMM12 BC	Digitalautomatic mic mixer, 12 channel input, 4x line outputs	"	9,900	HT470 D5	Wirelesshandheld transmitter, D5 microphone element	"	690

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2018년 2월호
조사기간 1월 1일~10일

⑤ **통신** 방송음향기기 (29) **1143**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p style="font-size: 2em;">①</p> <p>메이커 ————— 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
--	--	---

방 송 음 향 시 스템 (29)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
<p>■ 테크데이터</p> <p>● AMX</p>				<p>■ 테크데이터</p> <p>● AMX</p>			
DVX-3255HD-T	10x4 All-In-One Presentation Switcher	대	42,900	MXT-2001-PAN	20.3" Modero XSeries G5 Panoramic Tabletop Touch Panel	대	42,900
DVX-3155HD-SP	"	"	42,575	MXD-2001-PAN-P	20.3" Modero XSeries G5 Panoramic Portrait Wall Mount Touch Panel	"	42,900
DVX-3256HD-SP	"	"	45,500	MXD-2001-PAN-L	20.3" Modero XSeries G5 Panoramic Landscape Wall Mount Touch Panel	"	42,900
DVX-3156HD-T	"	"	45,825	MXT-1901-PAN	19.4" Modero XSeries G5 Panoramic Tabletop Touch Panel	"	31,850
DVX-2250HD-SP	6x3 All-In-One Presentation Switchers	"	29,250	MXD-1901-PAN-P	19.4" Modero XSeries G5 Panoramic Portrait Wall Mount Touch Panel	"	31,850
DVX-2250HD-T	"	"	29,737.5	MXD-1901-PAN-L	19.4" Modero XSeries G5 Panoramic Landscape Wall Mount Touch Panel	"	31,850
DVX-2255HD-SP	"	"	32,825	MXT-1001	10.1" Modero XSeries G5 Widescreen Tabletop Touch Panel	"	21,450
DVX-2255HD-T	"	"	32,825	MXD-1001-P	10.1" Modero XSeries G5 Widescreen Portrait Wall Mount Touch Panel	"	21,450
DVX-2155HD-SP	"	"	32,825	MXD-1001-L	10.1" Modero XSeries G5 Widescreen Landscape Wall Mount Touch Panel	"	21,450
DVX-2210HD-SP	4x2 All-In-One Presentation Switchers	"	22,750	MXT-701	7" Modero XSeries G5 Widescreen Tabletop Touch Panel	"	14,625
DVX-2210HD-T	"	"	23,075	MXD-701-P	7" Modero XSeries G5 Widescreen Portrait Wall Mount Touch Panel	"	14,625
SDX-414-DX	Solecis 4x1 4K HDMI Digital Switcher with DXLink Output	"	6,500	MXD-701-L	7" Modero XSeries G5 Widescreen Landscape Wall Mount Touch Panel	"	14,625
SDX-410-DX	Solecis 4x1 HDMI Digital Switcher with DXLink Output	"	5,525	MXR-1001-BL	10.1" Modero XSeries G5 Retractable Touch Panel	"	24,862.5
SDX-514M-DX	Solecis 5x1 4K Multi-Format Digital Switcher with DXLink Output	"	9,100	MXR-1001-SL	"	"	24,862.5
SDX-510M-DX	Solecis 5x1 Multi-Format Digital Switcher with DXLink Output	"	7,475	MXT-2000XL-PAN	20.3" Modero XSeries Panoramic Tabletop Touch Panel	"	42,900
SDX-814-DX	Solecis 8x1 4K HDMI Digital Switcher with DXLink Output	"	10,075	MXD-2000XL-PAN-P	20.3" Modero XSeries Panoramic Portrait Wall Mount Touch Panel	"	42,900
SDX-810-DX	Solecis 8x1 HDMI Digital Switcher with DXLink Output	"	8,287.5	MXT-1900L-PAN	19.4" Modero XSeries Panoramic Tabletop Touch Panel	"	31,850
NMX-ENC-N1122	SVSI Stand-alone Minimal Compression Video over IP Decoder	"	4,322.5	MXD-1900L-PAN-P	19.4" Modero XSeries Panoramic Portrait Wall Mount Touch Panel	"	31,850
NMX-DEC-N1222	"	"	4,322.5	MXD-1900L-PAN-L	19.4" Modero XSeries Panoramic Landscape Wall Mount Touch Panel	"	31,850
NMX-ENC-N1133	"	"	5,362.5	MXT-1000	10.1" Modero XSeries Widescreen Tabletop Touch Panel	"	21,450
NMX-DEC-N1233-C	"	"	5,362.5	MXD-1000-P	10.1" Modero XSeries Widescreen Portrait Wall Mount Touch Panel	"	21,450
NMX-ENC-N1233	"	"	5,362.5	MXD-1000-L	10.1" Modero XSeries Widescreen Landscape Wall Mount Touch Panel	"	21,450
NMX-DEC-N1233-C	"	"	4,192.5	MXT-700	7" Modero XSeries Widescreen Tabletop Touch Panel	"	14,625
NMX-ENC-N1122-C	SVSI Minimal Compression Video over IP Decoder Card	"	4,192.5	MXD-700-P	7" Modero XSeries Widescreen Portrait Wall Mount Touch Panel	"	14,625
NMX-DEC-N1222-C	"	"	5,135	MXD-700-L	7" Modero XSeries Widescreen Landscape Wall Mount Touch Panel	"	14,625
NMX-ENC-N1133-C	"	"	5,135	MXD-430-P	4.3" Modero X Series Portrait Wall Mount Touch Panel	"	7,637.5
NMX-DEC-N1233-C	"	"	9,100	MST-1001	10.1" Modero S Tabletop Touch Panel	"	10,075
NMX-ENC-N2122	SVSI Stand-alone JPEG2000 Decoder	"	4,322.5	MSD-1001-L	10.1" Modero S Wall Landscape Mount Touch Panel	"	9,587.5
NMX-DEC-N2212	"	"	5,525	MST-701	7" Modero S Tabletop Touch Panel	"	6,825
NMX-ENC-N2135	SVSI Stand-alone JPEG2000 or Uncompressed Ultra-HD(4K)	"	10,075	MSD-701-L	7" Modero S Wall Mount Landscape Touch Panel	"	6,337.5
NMX-DEC-N2235	"	"	7,930	MST-431	4.3" Modero S Tabletop Touch Panel	"	4,290
NMX-ENC-N2151	"	"	13,325	MSD-431-L	4.3" Modero S Wall Mount Landscape Touch Panel	"	3,997.5
NMX-DEC-N2251	"	"	11,375	MXT-2000XL-PAN-NC	20.3" Modero X Series Panoramic Tabletop Touch Panel	"	43,550
NMX-ENC-N2122-C	SVSI JPEG2000 Decoder Card with ultra-low latency	"	9,100	MXD-2000XL-PAN-P-NC	20.3" Modero X Series Panoramic Portrait Wall Mount Touch Panel	"	43,550
NMX-DEC-N2212-C	"	"	4,225	MXD-2000XL-PAN-L-NC	20.3" Modero X Series Panoramic Landscape Wall Mount Touch Panel	"	43,550
NMX-ENC-N2135-C	"	"	5,427.5	MXT-1000-NC	10.1" Modero X Series Widescreen Tabletop Touch Panel	"	22,587.5
NMX-DEC-N2235-C	"	"	9,750	MXD-1000-P-NC	10.1" Modero X Series Widescreen Portrait Wall Mount Touch Panel	"	22,587.5
NMX-ENC-N2151-C	SVSI JPEG2000 or Uncompressed Ultra-HD(4K) Encoder Card	"	7,800	MXD-1000-L-NC	10.1" Modero X Series Widescreen Landscape Wall Mount Touch Panel	"	22,587.5
NMX-DEC-N2251-C	"	"	13,325	MXT-700-NC	7" Modero X Series Widescreen Tabletop Touch Panel	"	15,600
NMX-ENC-N3132	SVSI Stand-alone H.264 Encoder with USB for record	"	11,375	MXD-700-P-NC	7" Modero X Series Widescreen Portrait Wall Mount Touch Panel	"	15,600
NMX-DEC-N3232	SVSI Stand-alone H.264 Decoder with USB for record	"	4,875	MXD-700-L-NC	7" Modero X Series Widescreen Landscape Wall Mount Touch Panel	"	15,600
NMX-ENC-N3132-C	SVSI H.264 Encoder Card with USB for record	"	14,787.5	MVP-9000i-GB	Black-Modero ViewPoint 9" Widescreen	"	18,200
NMX-DEC-N3232-C	SVSI H.264 Decoder Card with USB for record	"	4,745	MVP-9000i-GW	White-Modero ViewPoint 9" Widescreen	"	18,200
NMX-ENC-1100	H.264 High-Definition Encoder with Record, multi-format input	"	8,287.5				
NMX-DEC-1105	H.264 High-Definition Encoder with Record, multi-format input and SDI input	"	11,050				
NMX-ATC-N4321	SVSI NMX-ATC-N4321 Audio Transceiver is an audio-over-IP solution that both sends and receives two-channel balanced or unbalanced audio over IP	"	3,087.5				
NMX-ATC-N4321-C	The SVSI NMX-ATC-N4321-C Audio Transceiver Card is an audio-over-IP solution that both sends and receives two-channel balanced or unbalanced audio over IP-must be used in conjunction with NMX-ACC-N2016 Rack Mount Cage	"	2,990				
NMX-WP-2510	The SVSI NMX-WP-N2510 Windowing Processor functions with the N2000 JPEG2000 family of Video over IP Encoders and Decoders and are capable of handling multiple real-time HD streams with no video input or output connectors-only a single network port	"	24,862.5				
NMX-WP-N3510	The SVSI NMX-WP-N3510 H.264 Multi-Channel Windowing Processor	"	37,700				
SC-N8001	The SVSI SC-N8001 N-Command Control Appliance	"	7,930				
SC-N8002	The SVSI SC-N8002 N-Command Control Appliance	"	14,950				
SC-N8012	The SVSI SC-N8012 N-Command Control Appliance	"	49,725				

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474