

1138 ⑤ **통신** 방송음향기기(24)

거래가격 2018년 3월호
조사기간 2월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="border: 1px solid black; padding: 2px;">메이커</div> ① <div style="border: 1px solid black; padding: 2px;">수요자</div> </div>	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------

방 송 음 향 시 스템 (24)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● JBL				● JBL			
2516	Bracket	대	90	AM5215/66-WRC	Protected Outdoor Areas	대	10,710
8124	4" 8Ω, 20W, 93dB	"	150	AM5215/66-WRC	Extreme Environment	"	12,600
8128	8" 8Ω, 25W, 97dB	"	180	AM5215/95(AM5215/95-WH)	15" 2way, 350W, 40W (90°×50°)	"	6,600
8138	8" 8Ω, 25W, 97dB	"	210	AM5215/95-WRC	Protected Outdoor Areas	"	10,710
8320	150W, Compact Surround Speaker	"	840	AM5215/95-WRC	Extreme Environment	"	12,600
AC15(AC15WH)	16Ω, 150W, 86dB	"	1,485	AM7200/64(AM7200/64-WH)	High Power Mid-High 350W, 100W (60°×40°)	"	10,080
AC16(AC16WH)	16Ω, 150W, 90dB	"	2,940	AM7200/64-WRC	Protected Outdoor Areas	"	14,160
AC16WRC	16Ω, 150W, 90dB, ProtectedOutdoorAreas	"	6,300	AM7200/64-WRC	Extreme Environment	"	15,750
AC16WRX	16Ω, 150W, 90dB, ExtremeEnvironment	"	5,880	AM7200/95(AM7200/95-WH)	High Power Mid-High 350W, 100W (90°×50°)	"	10,080
AC18/26(AC18/26WH)	8Ω, 250W, 92dB	"	3,600	AM7200/95-WRC	Protected Outdoor Areas	"	14,160
AC18/26WRC	8Ω, 250W, 92dB, ProtectedOutdoorAreas	"	6,300	AM7200/95-WRC	Extreme Environment	"	15,750
AC18/26WRX	8Ω, 250W, 92dB, ExtremeEnvironment	"	7,080	AM7212/00(AM7212/00-WH)	12" 2way, 700W, 100W (100°×100°)	"	9,150
AC18/95(AC18/95WH)	8Ω, 250W, 93dB	"	3,600	AM7212/00-WRC	Protected Outdoor Areas	"	12,600
AC18/95WRC	8Ω, 250W, 93dB, ProtectedOutdoorAreas	"	6,300	AM7212/00-WRC	Extreme Environment	"	14,160
AC18/95WRX	8Ω, 250W, 93dB, ExtremeEnvironment	"	7,080	AM7212/26(AM7212/26-WH)	12" 2way, 700W, 100W (120°×60°)	"	9,150
AC2212/00(AC2212/00-WH)	Compact 12" 2way 250W, 50W (100°×100°)	"	3,900	AM7212/26-WRC	Protected Outdoor Areas	"	12,600
AC2212/00-WRC	Protected Outdoor Areas	"	7,350	AM7212/26-WRC	Extreme Environment	"	14,160
AC2212/00-WRX	Extreme Environment	"	8,550	AM7212/64(AM7212/64-WH)	12" 2way, 700W, 100W (60°×40°)	"	9,150
AC2212/64(AC2212/64-WH)	Compact 12" 2way 250W, 50W (60°×40°)	"	3,900	AM7212/64-WRC	Protected Outdoor Areas	"	12,600
AC2212/64-WRC	Protected Outdoor Areas	"	7,350	AM7212/64-WRC	Extreme Environment	"	14,160
AC2212/64-WRX	Extreme Environment	"	8,550	AM7212/66(AM7212/66-WH)	12" 2way, 700W, 100W (60°×60°)	"	9,150
AC2212/95(AC2212/95-WH)	Compact 12" 2way 250W, 50W (90°×50°)	"	3,900	AM7212/66-WRC	Protected Outdoor Areas	"	12,600
AC2212/95-WRC	Protected Outdoor Areas	"	7,350	AM7212/66-WRC	Extreme Environment	"	14,160
AC2212/95-WRX	Extreme Environment	"	8,550	AM7212/95(AM7212/95-WH)	12" 2way, 700W, 100W (90°×50°)	"	9,150
AC2215/00(AC2215/00-WH)	Compact 15" 2way 250W, 30W (100°×100°)	"	4,410	AM7212/95-WRC	Protected Outdoor Areas	"	12,600
AC2215/00-WRC	Protected Outdoor Areas	"	7,860	AM7212/95-WRC	Extreme Environment	"	14,160
AC2215/00-WRX	Extreme Environment	"	9,150	AM7215/26(AM7215/26-WH)	15" 2way, 750W, 100W (120°×60°)	"	9,750
AC2215/64(AC2215/64-WH)	Compact 15" 2way 250W, 30W (60°×40°)	"	4,410	AM7215/26-WRC	Protected Outdoor Areas	"	13,860
AC2215/64-WRC	Protected Outdoor Areas	"	7,860	AM7215/26-WRC	Extreme Environment	"	15,450
AC2215/64-WRX	Extreme Environment	"	9,150	AM7215/64(AM7215/64-WH)	15" 2way, 750W, 100W (60°×40°)	"	9,750
AC2215/95(AC2215/95-WH)	Compact 15" 2way 250W, 30W (90°×50°)	"	4,410	AM7215/64-WRC	Protected Outdoor Areas	"	13,860
AC2215/95-WRC	Protected Outdoor Areas	"	7,860	AM7215/64-WRC	Extreme Environment	"	15,450
AC2215/95-WRX	Extreme Environment	"	9,150	AM7215/66(AM7215/66-WH)	15" 2way, 750W, 100W (60°×60°)	"	9,750
AC25(AC25WH)	16Ω, 225W, 91dB	"	2,670	AM7215/66-WRC	Protected Outdoor Areas	"	13,860
AC26(AC26WH)	8Ω, 180W, 92dB	"	4,350	AM7215/66-WRC	Extreme Environment	"	15,450
AC26WRC	8Ω, 180W, 92dB, ProtectedOutdoorAreas	"	6,600	AM7215/95(AM7215/95-WH)	15" 2way, 750W, 100W (90°×50°)	"	9,750
AC26WRX	8Ω, 180W, 92dB, ExtremeEnvironment	"	7,050	AM7215/95-WRC	Protected Outdoor Areas	"	13,860
AC28/26(AC28/26WH)	8Ω, 375W, 94dB	"	5,100	AM7215/95-WRC	Extreme Environment	"	15,450
AC28/26WRC	8Ω, 375W, 94dB, ProtectedOutdoorAreas	"	7,500	AM7315/64(AM7315/64-WH)	High Power 3way 750W, 350W, 100W (60°×40°)	"	13,500
AC28/26WRX	8Ω, 375W, 94dB, ExtremeEnvironment	"	8,250	AM7315/64-WRC	Protected Outdoor Areas	"	17,010
AC28/95(AC28/95WH)	8Ω, 375W, 94dB	"	5,100	AM7315/64-WRC	Extreme Environment	"	18,900
AC28/95WRC	8Ω, 375W, 94dB, ProtectedOutdoorAreas	"	7,500	AM7315/95(AM7315/95-WH)	High Power 3way 750W, 350W, 100W (90°×50°)	"	13,500
AC28/95WRX	8Ω, 375W, 94dB, ExtremeEnvironment	"	8,250	AM7315/95-WRC	Protected Outdoor Areas	"	17,010
AL7115(AL7115-WH)	15" Low Frequency, 600W	"	5,700	AM7315/95-WRC	Extreme Environment	"	18,900
AL7115-WRC	Protected Outdoor Areas	"	9,150	AM7315/95-WRX	Extreme Environment	"	9,150
AL7115-WRX	Extreme Environment	"	11,340	ASB4128(ASB4128-WH)	Dual 18" Subwoofer 600W	"	12,600
AM5212/00(AM5212/00-WH)	12" 2way, 300W, 40W (100°×100°)	"	6,000	ASB4128-WRC	Protected Outdoor Areas	"	14,790
AM5212/00-WRC	Protected Outdoor Areas	"	9,450	ASB4128-WRX	Extreme Environment	"	5,100
AM5212/00-WRX	ExtremeEnvironment	"	11,340	ASB6112(ASB6112-WH)	Compact Single 12" Subwoofer 700W	"	8,820
AM5212/26(AM5212/26-WH)	12" 2way, 300W, 40W (120°×60°)	"	6,000	ASB6112-WRC	Protected Outdoor Areas	"	10,710
AM5212/26-WRC	Protected Outdoor Areas	"	9,450	ASB6112-WRX	Extreme Environment	"	6,000
AM5212/26-WRX	Extreme Environment	"	11,340	ASB6115(ASB6115-WH)	Single 15" Subwoofer 675W	"	9,450
AM5212/64(AM5212/64-WH)	12" 2way, 300W, 40W (60°×40°)	"	6,000	ASB6115-WRC	Protected Outdoor Areas	"	11,970
AM5212/64-WRC	Protected Outdoor Areas	"	9,450	ASB6115-WRX	Extreme Environment	"	7,560
AM5212/64-WRX	Extreme Environment	"	11,340	ASB6118(ASB6118-WH)	Single 18" Subwoofer 800W	"	10,410
AM5212/66(AM5212/66-WH)	12" 2way, 300W, 40W (60°×60°)	"	6,000	ASB6118-WRC	Protected Outdoor Areas	"	12,600
AM5212/66-WRC	Protected Outdoor Areas	"	9,450	ASB6118-WRX	Extreme Environment	"	9,450
AM5212/66-WRX	Extreme Environment	"	11,340	ASB6125(ASB6125-WH)	Dual 15" Subwoofer 1350W	"	14,160
AM5212/95(AM5212/95-WH)	12" 2way, 300W, 40W (90°×50°)	"	6,000	ASB6125-WRC	Protected Outdoor Areas	"	17,310
AM5212/95-WRC	Protected Outdoor Areas	"	9,450	ASB6125-WRX	Extreme Environment	"	11,970
AM5212/95-WRX	Extreme Environment	"	11,340	ASB6128(ASB6128-WH)	Dual 18" Subwoofer 1600W	"	13,200
AM5215/26(AM5215/26-WH)	15" 2way, 350W, 40W (120°×60°)	"	6,600	ASB6128V(ASB6128V-WH)	Extended Response Dual 18" Subwoofer 1600W	"	16,680
AM5215/26-WRC	Protected Outdoor Areas	"	10,710	ASB6128-WRC	Protected Outdoor Areas	"	17,310
AM5215/26-WRX	Extreme Environment	"	12,600	ASB6128-WRX	Extreme Environment	"	11,340
AM5215/64(AM5215/64-WH)	15" 2way, 350W, 40W (60°×40°)	"	6,600	ASB7118(ASB7118-WH)	Single 18" Subwoofer 1200W	"	15,900
AM5215/64-WRC	Protected Outdoor Areas	"	10,710	ASB7118-WRC	Protected Outdoor Areas	"	18,900
AM5215/64-WRX	Extreme Environment	"	12,600	ASB7118-WRX	Extreme Environment	"	19,800
AM5215/66(AM5215/66-WH)	15" 2way, 350W, 40W (60°×60°)	"	6,600	ASB7128(ASB7128-WH)	Dual 18" Subwoofer 2400W	"	

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2018년 3월호
 조사기간 2월 1일~10일

⑤ **통신** 방송음향기기 (25) **1139**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p style="font-size: 2em;">①</p> <p style="font-size: 1.5em;">메이커 ————— 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

방 송 음 향 시 스템 (25)

(가격단위 : 천원)

(생산자공표가격)

品名	規格	單位	價 格 ①	品名	規格	單位	價 格 ①
<p>■ 테크데이터</p> <p>● JBL</p>				<p>■ 테크데이터</p> <p>● JBL</p>			
ASB7128-WRC	Protected Outdoor Areas Extreme Environment	대	28,500	Control 322CT	8Ω, 250W, 95dB, Transfomer	대	2,670
ASB7128-WRX	Single 18" Subwoofer 800W	"	31,500	Control 328C	8Ω, 250W, 93dB, 8"	"	1,410
ASH6118(ASH6118-WH)	Compact 12" 2Way 500W	"	12,900	Control 328CT	8Ω, 250W, 93dB, 8", Transfomer	"	1,590
AW266(AW266-BK)	Compact 12" 2Way 500W	"	12,900	Control 40CS/T	Premium In-Ceiling Subwoofer	"	1,590
AW266-LS(AW266-BK)	Compact 12" 2Way 500W	"	12,900	Control 42C	Premium In-Ceiling Satellite	"	315
AW295(AW295-BK)	Compact 12" 2Way 500W	"	12,900	Control 47C/T	Premium In-Ceiling COAX w/6.5"	"	1,110
AW295-LS(AW295-LS-BK)	Compact 12" 2Way 500W	"	12,900	Control 47HC	Premium High-Ceiling COAX w/6.5"	"	1,260
AW526(AW526-BK)	Compact 15" 2Way 600W	"	13,800	Control 47LP	Premium Low-Profile Ceiling	"	960
AW526-LS(AW526-LS-BK)	Compact 15" 2Way 600W	"	13,800	Control 5(Control 5-WH)	4Ω, 175W, 89dB SPL (브래킷 별도)	"	660
AW566(AW566-BK)	Compact 15" 2Way 600W	"	13,800	Control 50S7(Control 50S/T-WH)	8Ω, 300W, 115dB, Subwoofer	"	1,500
AW566-LS(AW566-LS-BK)	Compact 15" 2Way 600W	"	13,800	Control 52(Control 52-WH)	16Ω, 50W, 85dB, Satellite Speaker	"	270
AW595(AW595-BK)	Compact 15" 2Way 600W	"	13,800	Control CRV(Control CRV-WH)	4Ω, 150W, 89dB	"	990
AW595-LS(AW595-LS-BK)	Compact 15" 2Way 600W	"	13,800	Control SB-2	8Ω, 340W, Subwoofer	"	1,440
AWC129(AWC129-BK)	All-Weather Co-ax, 12" 2-Way	"	3,600	Control SB-210(Control SB-210-WH)	8Ω, 800W, 95dB, Subwoofer	"	2,640
AWC159(AWC159-BK)	15" All Weather Compact Coax	"	5,400	CSS1-S/T	8Ω, 60W, 86dB, Transformer Taps	"	510
AWC159F(AWC159F-BK)	All Weather Compact Subwoofer	"	4,200	CSS8004(CSS-TR4)	Ceiling Speaker 15W (8x2pcs필요함)	"	75
AWC82(AWC82-BK)	All-Weather Compact 2Way 200W, Transformer	"	1,950	CSS8008(CSS-TR4)	Ceiling Speaker 15W "	"	96
C1PRO (C1PRO-WH)	4Ω, 150W, 87dB SPL (브래킷 포함)	"	270	CSS8018(CSS-TR4)	Ceiling Speaker 20W "	"	135
C24 CT MICROPLUS	8Ω, 30W, 85dB	"	510	CSS-BB4*6pcs	CSS Backcan, 4"	"	195
C24 CT	Control 24CT With Transformer	"	450	CSS-BB8*6pcs	CSS Backcan, 8"	"	375
C25AV-LS(C25AV-LS-WH)	UL Life Safety Version of C25AV	"	960	CSS-H15(New)	15 Watt Paging Horn (6 in masterpack)	"	360
C26CT-LS	UL Version 6.5" Ceiling W/X-FRMR	"	840	CSS-H30(New)	30 Watt Paging Horn (4 in masterpack)	"	480
C29AV-1(C29AV-WH-1)	8Ω, 300W, 90dB	"	1,590	CSS-TR4	Tile Rails (8x12pcs)	"	105
C2PM	POWERED, 35W, 111dB	"	720	CWT128(CWT128-WH)	Dual 8" 850W, 128dB	"	6,900
C2PS	POWERED, 35W, 115dB	"	930	CWT128-WRX	Protected Outdoor Areas	"	8,700
C40CS/T	8Ω, 200W, 95dB, Subwoofer	"	1,750	DC115	Intellivox, 320W	"	10,500
C50 PACK(C50 PACK-WH)	4Ω, 200W, 87dB	"	2,460	DS115	Intellivox, 320W	"	15,600
C60PS / T(C60PS / T-WH)	Subwoofer	"	1,620	DC180	Intellivox, 320W	"	17,400
C62P(C62P-WH)	16Ω, 30W, 87dB	"	411	DS180/DSX180	Intellivox, 320W	"	22,500
C65P/T(C65P/T-WH)	8Ω, 150W, 86dB	"	915	DC280	Intellivox, 320W	"	25,500
C67HC/T(C67HC/T-WH)	8Ω, 150W, 93dB	"	1,590	DS280/DSX280	Intellivox, 320W	"	33,000
C67P/T(C67P/T-WH)	8Ω, 150W, 90dB	"	1,290	DC430	Intellivox, 640W	"	36,000
CBT50LA-LS-WH(CBT 50LA-LS)	EN54-24 Certification 1 per carton	"	2,100	DS430/DSX430	Intellivox, 640W	"	48,000
CBT100LA-1(CBT100LA-1-WH)	8Ω, 200W, 93dB	"	3,480	DC500	Intellivox, 640W	"	54,000
CBT200LA-1(CBT200LA-1-WH)	650W, 119dB	"	8,190	DS500/DSX500	Intellivox, 640W	"	63,000
CBT50LA-1(CBT50LA-1-WH)	8Ω, 100W, 93dB	"	1,890	HP-DS170	Intellivox, 1200W	"	69,000
CBT70U-1(CBT70U-1-WH)	8Ω, 350W, 120dB	"	5,040	HP-DS370	Intellivox, 1600W	"	45,000
CBT70E-1(CBT70E-1-WH)	8Ω, 350W, 90dB	"	2,850	DPDA-VP7212/64/7212/95,7215/64,7215/95,7315/64,VP57118)	S/M, DPDA-VP Series	"	81,000
Control 126W	8Ω, 100W, 88dB, In-Wall Speaker	"	750	DPDA-VT4880A(4881A, 4882,4887A,4888,4889A)	DPDA Input Module Upgrade Kit	"	5,400
Control 126WT	8Ω, 100W, 88dB, In-Wall Speaker, Transfomer	"	840	EON206P	JBL Packaged PA System (160W/6.5Inch)	"	1,650
Control 128W	8Ω, 100W, 90dB, In-Wall Speaker	"	960	EON610	10" 2-Way Powered Portable Speaker	"	1,728
Control 128WT	8Ω, 100W, 90dB, In-Wall Speaker, Transfomer	"	1,050	EON612	12" 2-Way Powered Portable Speaker	"	1,944
Control 12C/T(Control 12C/T-BK)	3" Full-Range Ceiling SPKR	"	330	EON615	15" 2-Way Powered Portable Speaker	"	2,340
Control 14C/T(Control 14C/T-BK)	4" CO-AX Ceiling SPKR	"	450	JBL POLE-GA	JBL gas assist speaker pole	"	384
Control 16C/T(Control 16C/T-BK)	6-1/2" CO-AX Ceiling SPKR	"	570	JBL POLE-MA	JBL manual adjust speaker pole	"	240
Control 19CS	8Ω, 200W, 95dB (Ceiling Subwoofer)	"	1,020	JBL TRIPOD-GA	JBL lift assist speaker tripod	"	594
Control 19CST	8Ω, 200W, 96dB	"	1,140	JBL TRIPOD-MA	JBL manual adjust speaker tripod	"	240
Control 226C/T	8Ω, 100W, 90dB, Transfomer	"	1,500	JRX212	8Ω, 250W, 98dB	"	945
Control 227C	8Ω, 150W, 90dB, Transfomer	"	1,200	JRX215	8Ω, 250W, 99dB	"	1,038
Control 227C/T	8Ω, 150W, 90dB	"	1,350	JRX218S	4Ω, 350W, 96dB, Subwoofer	"	1,638
Control 23(Control 23-WH)	8Ω, 50W, 86dB	"	420	JRX225	4Ω, 500W, 100dB	"	1,575
Control 23T(Control 23T-WH)	8Ω, 50W, 86dB	"	550	LSR25PTOTE	Soft Case For Pair Of LSR25P/Wheels	"	720
Control 24C Micro	8Ω, 30W, 86dB	"	273	LSR305	5" Powered studio monitor 108dB	"	600
Control 24CT Micro	8Ω, 30W, 86dB	"	294	LSR308	8" Powered studio monitor 112dB	"	1,020
Control 24C	16Ω, 80W, 86dB	"	420	LSR310S	10" Powered studio subwoofer 113dB	"	1,470
Control 24CT	16Ω, 80W, 86dB	"	450	LSR4300KIT	LSR4300 Package	"	960
Control 25(Control 25-WH)	8Ω, 150W, 88dB	"	540	LSR4312SP	12" Powered Subwoofer, 450W, 116dB	"	4,350
Control 25AV(Control 25AV-WH)	8Ω, 200W, 113dB	"	660	LSR4326P	6.25" Powered, 150W, 106dB	"	2,340
Control 25T(Control 25T-WH)	8Ω, 150W, 88dB, Transformer Taps	"	660	LSR4326P/5.1	LSR4326P/5.1Ch	"	15,300
Control 26C	16Ω, 150W, 89dB	"	540	LSR4328P/PAK	LSR4328P Package	"	4,710
Control 26CT	16Ω, 150W, 89dB	"	600	LSR4328P/5.1	8" Powered, 150W, 106dB	"	3,300
Control 26-DT	Ceiling SPKR-Xfmr no Backcan	"	390	LSR4328P/5.1Ch	LSR4328P/5.1Ch	"	20,100
Control 28(Control 28-WH)	8Ω, 175W, 92dB	"	1,260	LSR4328P/PAK	LSR4328P Package	"	6,720
Control 28T(Control 28T-60-WH)	8Ω, 175W, 92dB, Transformer Taps	"	930	LSR6312SP	Powered Studio Subwoofer, 260W, 96dB	"	7,200
Control 30(Control 30-WH)	4Ω, 500W, 93dB	"	3,450	LSR6325P/5.1	LSR6325P/5.1Ch	"	16,500
Control 312CS	8Ω, 250W, 95dB, Subwoofer	"	2,190	LSR6325P-1	Self Powered studio monitor, 100W, 96dB	"	1,920
Control 321C	8Ω, 200W, 94dB	"	1,740				
Control 321CT	8Ω, 200W, 94dB, Transfomer	"	1,890				
Control 322C	8Ω, 250W, 95dB	"	2,520				

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

1140 ⑤ **통신** 방송음향기기(26)

거래가격 2018년 3월호
조사기간 2월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 <div style="display: flex; justify-content: space-around; align-items: center;"> 메이커 ① 수요자 </div>	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------

방 송 음 향 시 스템 (26)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터 ● JBL LSR6328P Self Powered studio monitor, 220W, 96dB LSR6328P/5.1 LSR6328P/5.1Ch LSR6328P/PAK LSR6328P Package LSR6332L 4c2, 150W, 93dB LSR6332R 4c2, 150W, 93dB LSR705i(New) 5Inch, 2Way Master Reference Monitor LSR708i(New) 8Inch, 2Way Master Reference Monitor M2 Master Reference Monitor, 1200W MD1 Super Tweeter 130W, 129dB MD2 Bi-Amplified, 700W, 100W MD3 L Dual 15" Low Freq. 1600W, left MD3 R Dual 15" Low Freq. 1600W, right MD46 4Way 15" 1100W, 200W, 50W, 35W MD49 4Way 15" 1600W, 350W, 75W, 130W MD52 12" 2Way, 550W MD55 15" 2Way, 550W MD7 18" Subwoofer, 4000W MDSB-1 Marquis Dance Club Series Stacking Bracket MSC1 Monitor System Controller MTC-126RIF Control 100 Series option MTC-128RIF Control 100 Series option MTC-200BB6 Control 200 Series option MTC-2P C2PS Mounting Bracket MTC-300BB12 Control 300 Series option MTC-300BB8 Control 300 Series option MTC-300SG12 Control 300 Series option MTC-300T150 Control 300 Series option MTC-42MR Control 40 Series option MTC-42NC Control 40 Series option MTC-47MR Control 40 Series option MTC-47NC Control 40 Series option MTC-8124C 8100 Series Option MTC-8128C 8100 Series Option MTC81BB8 8100 Series Option MTC81TB8 8100 Series Option MTC-CBT-SMB1 CBT Bracket MTC-RAIL Tile Rail For 8124 & 8128 MTC-RG6/8 Grille For C328, C227 MTC-SG6/8 Square Grille For C328, C227 MTC-TB6/8 Tile-Bridge For MTC-200BB6 & MTC-300BB8 MTU-1(MTU-1-WH) U-Bracket For AM7215/xx and AM5215/xx MTU-15(MTU-15-WH) U-Bracket For AC15 MTU-16(MTU-16-WH) U-Bracket For AC16 MTU-18(MTU-18-WH) U-Bracket For AC18 MTU-2(MTU-2-WH) U-Bracket For MODEL AC2215/xx MTU-25(MTU-25-WH) U-Bracket For AC25 MTU-26(MTU-26-WH) U-Bracket For AC26 MTU-28(MTU-28-WH) U-Bracket For AC28 MTU-3(MTU-3-WH) AE Series 28-1/2" U-Bracket (White) MTU-4(MTU-4-WH) AE Series 22-1/4" U-Bracket (White) MTU7212 U-Bracket 12" MTU7215 U-Bracket 15" MTU-895 8" 2-Way full-range system PA7212-18H 2 Way Plannar Array Kit PA7212-18V 2 Way Plannar Array Kit PA7212-2/PA7215-2/PA7315-2 2 Way Plannar Array Kit PAF-1K(PAF-1K-WH) AE Plannar Array Frame 1 PAF-2K(PAF-2K-WH) AE Plannar Array Frame 2 PAF-3K(PAF-3K-WH) AE Plannar Array Frame 3 PD525S Dual 15" Subwoofer PD525-WRC Dual 15" Subwoofer PD525-WRX Dual 15" Subwoofer PD544 15" 2-Way, full-range, 40x40 PD544-WRC 15" 2-Way, full-range, 40x40 IP55 PD544-WRX 15" 2-Way, full-range, 40x40 IP56 PD564 15" 2-Way, full-range, 60x40 PD564-WRC 15" 2-Way, full-range, 60x40 IP55 PD564-WRX 15" 2-Way, full-range, 60x40 IP56				■ 테크데이터 ● JBL PD566 15" 2-Way, full-range, 60x60 PD566-WRC 15" 2-Way, full-range, 60x60 IP55 PD566-WRX 15" 2-Way, full-range, 60x60 IP56 PD595 15" 2-Way, full-range, 90x50 PD595-WRC 15" 2-Way, full-range, 90x50 IP55 PD595-WRX 15" 2-Way, full-range, 90x50 IP56 PD6200/43(PD6200/43-WH) Two-Way, mid-high, horn-loaded loudspeaker PD6200/43-WRC Two-Way, mid-high, horn-loaded loudspeaker PD6200/43-WRX Two-Way, mid-high, horn-loaded loudspeaker PD6200/64(PD6200/64-WH) Two-Way, mid-high, horn-loaded loudspeaker PD6200/64-WRC Two-Way, mid-high, horn-loaded loudspeaker PD6200/64-WRX Two-Way, mid-high, horn-loaded loudspeaker PD6200/66(PD6200/66-WH) Two-Way, mid-high, horn-loaded loudspeaker PD6200/66-WRC Two-Way, mid-high, horn-loaded loudspeaker PD6200/66-WRX Two-Way, mid-high, horn-loaded loudspeaker PD6200/95(PD6200/95-WH) Two-Way, mid-high, horn-loaded loudspeaker PD6200/95-WRC Two-Way, mid-high, horn-loaded loudspeaker PD6200/95-WRX Two-Way, mid-high, horn-loaded loudspeaker PD6212/43(PD6212/43-WH) 12" Two-Way, horn-loaded, loudspeaker PD6212/43-WRC 12" Two-Way, horn-loaded, loudspeaker PD6212/43-WRX 12" Two-Way, horn-loaded, loudspeaker PD6212/64(PD6212/64-WH) 12" Two-Way, horn-loaded, loudspeaker PD6212/64-WRC 12" Two-Way, horn-loaded, loudspeaker PD6212/64-WRX 12" Two-Way, horn-loaded, loudspeaker PD6212/66(PD6212/66-WH) 12" Two-Way, horn-loaded, loudspeaker PD6212/66-WRC 12" Two-Way, horn-loaded, loudspeaker PD6212/66-WRX 12" Two-Way, horn-loaded, loudspeaker PD6212/95(PD6212/95-WH) 12" Two-Way, horn-loaded, loudspeaker PD6212/95-WRC 12" Two-Way, horn-loaded, loudspeaker PD6212/95-WRX 12" Two-Way, horn-loaded, loudspeaker PD6322/43(PD6322/43-WH) Dual 12" Three-Way full-range loudspeaker PD6322/43-WRC Dual 12" Three-Way full-range loudspeaker PD6322/43-WRX Dual 12" Three-Way full-range loudspeaker PD6322/64(PD6322/64-WH) Dual 12" Three-Way full-range loudspeaker PD6322/64-WRC Dual 12" Three-Way full-range loudspeaker PD6322/64-WRX Dual 12" Three-Way full-range loudspeaker PD6322/66(PD6322/66-WH) Dual 12" Three-Way full-range loudspeaker PD6322/66-WRC Dual 12" Three-Way full-range loudspeaker PD6322/66-WRX Dual 12" Three-Way full-range loudspeaker PD6322/95(PD6322/95-WH) Dual 12" Three-Way full-range loudspeaker PD6322/95-WRC Dual 12" Three-Way full-range loudspeaker PD6322/95-WRX Dual 12" Three-Way full-range loudspeaker PD743 High Output COAX 40x30 PD743-WRC High Output COAX 40x30 PD743-WRX High Output COAX 40x30 PD764 High Output COAX 60x40 PD764-WRC High Output COAX 60x40 PD764-WRX Extreme Environment PM42 42" Pole PMB-BK(PMB-WH) Pole Mount Bracket For CCRV PRX412M(PRX412M-WH) 8Ω, 300W, 95dB PRX415M(PRX415M-WH) 8Ω, 300W, 98dB PRX418S 8Ω, 800W, 95dB, Subwoofer PRX425 4c2, 600W, 100dB PRX710 10" Self-powered, 1500W, 133dB PRX812W 12" Self-powered, 1500W, 135dB PRX815W 15" Self-powered, 1500W, 137dB PRX815XLFW 15" Self-powered, 1500W, 131dB PRX818XLFW 18" Self-powered, 1500W, 134dB PRX825 Dual15" Self-powered, 1500W, 138dB PRX835 3way 15" Self-powered, 1500W, 138dB SM7200 Pole Mount Bracket SRX812 12" Bass-Reflex Stage Monitor SRX812P 12" Bass-Reflex Stage Monitor SRX815 15" Two-Way Bass Reflex Loudspeaker SRX815P 15" Two-Way Bass Reflex Loudspeaker SRX818S 18" Single Subwoofer SRX818SP 18" Single Subwoofer			

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2018년 3월호
조사기간 2월 1일~10일

⑤ **통신** 방송음향기기 (27) **1141**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
-----------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------	----------------------------------------------------------------------------------

방 송 음 향 시 스템 (27)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● JBL				● JBL			
SRX828S	18" Double Subwoofer	대	6,300	VT4880ADP-ACC	S/M, VT4880ADP-ACC	대	4,500
SRX828SP	18" Double Subwoofer	"	9,072	VT4880ADP-DA	Powered Fullsize 2-18" Subwoofer W/DPDA	"	43,500
SRX835	3-Way 15" Bass Reflex Loudspeaker	"	5,100	VT4881A	Compact 1-18" Subwoofer	"	15,900
SRX835P	3-Way 15" Bass Reflex Loudspeaker	"	7,344	VT4881-ACC	Dolly And Cover For VT4881A OR VT4881	"	2,700
SS2-BK	Tripod Mount SR/MR/EON/TR105/125.CNTRL5	"	6,330	VT4881ADP	Powered Compact 1-18" Subwoofer	"	22,500
SS3-BK	Speaker Pole Mount	"	180	VT4881ADP-ACC	Accessory Kit, Cover And Dolly	"	4,200
SS3-BK24	SM SS3-BK24	"	150	VT4881ADP-DA	Powered Compact 1-18" Subwoofer	"	27,000
SS4-BK	speaker Pole Mount	"	390	VT4882	Midsize 2x15" LINE Array Subwoofer	"	17,400
SS4-BK24	SM SS4-BK24	"	174	VT4882-ACC	Accessory Kit, Dolly And Cover	"	3,300
SS5-BK	Tripod Mount SR/MR/EON/TR105/125.CNTRL 5	"	870	VT4882DP	Midsize 2x15" Line Array Subwoofer W/DPDA (DBX)	"	27,600
STX812M	8Q, 800W, 95dB	"	4,410	VT4882DP-ACC	Accessory Kit, Dolly And Cover	"	4,200
STX812M-YK	Yoke Bracket Assy, STX812M	"	441	VT4882DP-DA	Powered Midsize 2-15" Subwoofer W/DPDA	"	33,000
STX815M	8Q, 800W, 96dB	"	5,670	VT4883	Sub Compact 2x12" Arrayable Subwoofer	"	13,500
STX818S	8Q, 1000W, 96dB Subwoofer	"	4,350	VT4886	Fullrange Line Array Element	"	13,500
STX825	4Q, 1600W, 98dB	"	6,900	VT4886-AF	Sub Compact System Array Frame	"	7,200
STX828S	4Q, 2000W, 99dB Subwoofer	"	7,200	VT4886-DF88	Sub Compact System Downfill Frame	"	6,900
STX835	4Q, 1600W, 96dB 15" 3way	"	9,000	VT4886-DF89	Sub Compact System Downfill Frame	"	7,200
VLA301	3Way Line Array, 1200W, 700W, 225W	"	45,000	VT4886-HB	Vertec Sub Compact Bracket	"	4,200
VLA301H	3Way Line Array, 1200W, 1400W, 450W	"	51,000	VT4886-SF	Sub Compact System Short Frame	"	5,700
VLA301H-WRC	Protected Outdoor Areas	"	54,000	VT4886-UB	Vertec Sub Compact Bracket	"	1,800
VLA301H-WRX	Extreme Environment	"	60,000	VT4886-UB1	Vertec Sub Compact Bracket	"	1,200
VLA301-WRC	Protected Outdoor Areas	"	48,000	VT4887A	Compact Fullrange Line Array Element	"	19,500
VLA301-WRX	Extreme Environment	"	51,000	VT4887A-ASP	Acoustical Spares Kit For VT4887A	"	4,500
VLA601	3Way Line Array, 1200W, 700W, 225W	"	39,000	VT4887-ACC	Accessory Kit, Dolly And Cover	"	2,400
VLA601H	3Way Line Array, 1200W, 1400W, 450W	"	45,000	VT4887ADP	Powered Compact Line Array	"	27,600
VLA601H-WRC	Protected Outdoor Areas	"	48,000	VT4887ADP-ACC	Accessory Kit, Dolly And Cover	"	3,300
VLA601H-WRX	Extreme Environment	"	54,000	VT4887ADP-DA	Powered Compact Line Array	"	33,000
VLA601-WRC	Protected Outdoor Areas	"	42,000	VT4887-AF	Array Frame	"	10,200
VLA601-WRX	Extreme Environment	"	45,000	VT4887-MSP	Mechanical Spares Kit For VT4887	"	4,200
VLA901	3Way Line Array, 1200W, 700W, 225W	"	39,000	VT4887-SF	Short Frame	"	7,200
VLA901H	3Way Line Array, 1200W, 1400W, 450W	"	45,000	VT4888	Midsize 3-WAY Line Array Element	"	24,000
VLA901H-WRC	Protected Outdoor Areas	"	48,000	VT4888-ACC	Accessory Kit, Dolly And Cover	"	2,400
VLA901H-WRX	Extreme Environment	"	54,000	VT4888-AF	Array Frame	"	12,000
VLA901-WRC	Protected Outdoor Areas	"	42,000	VT4888-ASP	Acoustical Spares Kit	"	8,400
VLA901-WRX	Extreme Environment	"	45,000	VT4888DP	Midsize Powered 3-WAY Line Array	"	39,000
VP7210/95DPA	Powered 10" 8Q, 875W, 132dB	"	14,400	VT4888DP-ACC	Accessory Kit, Dolly And Cover	"	3,900
VP7212/64DPA	Powered 12" 8Q, 1100W, 136dB (60°x40°)	"	21,000	VT4888DP-DA	Midsize Powered Line Array Element	"	45,000
VP7212/64DPDA	DPDA (drivepack Digital Audio)	"	26,700	VT4888-MSP	Mechanical Spares Kit For VT4888	"	4,500
VP7212/95DPA	Powered 12" 8Q, 1100W, 136dB (90°x50°)	"	21,300	VT4888-SF	Short Frame	"	7,200
VP7212/95DPC	Powered 12" 8Q, 875W, 134dB	"	14,400	VT4889	Fullsize 3-WAY Line Array	"	54,000
VP7212/95DPDA	DPDA (drivepack Digital Audio)	"	26,700	VT4889-1	Fullsize 3-WAY Line Array Element	"	39,000
VP7212MDP	Powered 12" 8Q, 875W, 134dB, Stage Monitor	"	14,700	VT4889-1-ACC	Accessory Kit, Dolly And Cover For VT4889-1	"	3,600
VP7215/64DPA	Powered 15" 8Q, 1100W, 137dB (60°x40°)	"	22,800	VT4889ADP	Fullsize Powered Line Array Element W/DPDA (DBX)	"	55,500
VP7215/64DPDA	DPDA (drivepack Digital Audio)	"	28,200	VT4889ADP-ACC	Accessory Kit, Dolly And Cover For VT4889ADP	"	4,500
VP7215/95DPA	Powered 15" 8Q, 1100W, 137dB (90°x50°)	"	22,800	VT4889ADP-DA	Fullsize Powered Line Array Element W/DPDA Input Module	"	61,500
VP7215/95DPC	Powered 15" 8Q, 875W, 135dB	"	15,600	VT4889-AF	Array Frame For ALL Fullsize Vertec Models Including DP Series	"	13,200
VP7215/95DPDA	DPDA (drivepack Digital Audio)	"	28,200	VT4889-ASP	Acoustical Spares Kit For VT4889	"	15,000
VP7315/64DPA	3Way Powered 15" 8Q, 1100W, 136dB (60°x40°)	"	29,700	VT4889-MSP	Mechanical Spares Kit For VT4889	"	8,100
VP7315/64DPDA	DPDA (drivepack Digital Audio)	"	36,000	VT4889-SF	Short Frame For ALL Fullsize Vertec Models Including DP Series	"	9,900
VPSB7118DPA	Powered 18" 4Q, 1800W, 129dB	"	21,600	VTX-M20	S/M, 10" Dual	"	11,700
VPSB7118DPDA	DPDA (drivepack Digital Audio)	"	26,700	VTX-M22	S/M, 12" Dual	"	13,800
VRX915M	8Q, 800W, 98dB, 15" Stage Monitor	"	7,560	VTX-F12	S/M, VTX-F12	"	10,500
VRX915S(VRX915S-WH)	4Q, 800W, 91dB, 15" Flying Subwoofer	"	5,670	VTX-F15	2-way 15" Multipurpose fill/floor mtr	"	12,600
VRX918S	8Q, 800W, 95dB, 18" Flying Subwoofer	"	6,300	VTX-F18S	S/M, VTX-F18S	"	12,600
VRX918SP(VRX918S-WH)	18" Powered Subwoofer, 1500W, 126dB	"	9,450	VTX-G28	Dual 18" Subwoofer, Ground-Stack	"	25,500
VRX928LA(VRX928LA-WH)	8Q, 400W, 90dB, 8" Line Array	"	6,930	VTX-G28-ACC	S/M, VTX-G28-ACC	"	5,400
VRX932LA-1(VRX932LA-1-WH)	8Q, 800W, 95dB, 12" Line Array	"	10,380	VTX-LZ	Laser Unit installation Accessory	"	900
VRX932LAP	12" Powered, 875W, 136dB	"	13,860	VTX-LZ-8788	VT4887 VT4888 Mount Bracket	"	1,140
VRX-AF	VRX Array Frame	"	3,780	VTX-LZ-89	Laser Unit VT4889 Mount Bracket	"	1,140
VRX-SMAF	VRX small Array Frame	"	2,250	VTX-LZ-K	Laser Kit installation	"	2,250
VT4800-CA	Compact Adapter Frame For Vertec	"	10,800	VTX-LZ-PS	Laser Power Supply installation Accessory	"	690
VT4800-DA	Downfill Adapter Frame For Vertec	"	7,500	VTX-LZ-V20-MB	Laser Mount Bracket Adapter For VTX-V20	"	420
VT4800-UA	Universal Adapter Frame For Vertec	"	13,500	VTX-LZ-V25-MB	Laser Mount Bracket Adapter For VTX-V25	"	240
VT4880	18" Subwoofer-Arrayable 2x8Q 2000W (ACC 제외)	"	18,000	VTX-S25	S/M, VTX-S25	"	22,500
VT4880A	18" Subwoofer-Arrayable 2x8Q 4000W (ACC 제외)	"	24,000	VTX-S25-VT	VTX S25 Vertical Transporter	"	3,600
VT4880A-ACC	Accessory Kit, Cover And Dolly	"	3,600	VTX-S25-VT-CVR	VTX S25 Vertical Transporter Protective Cover	"	3,300
VT4880-ACC	Accessory Kit, Cover And Dolly	"	4,500	VTX-S28	DUAL 18" Subwoofer, Suspendable	"	27,000
VT4880ADP	Powered Fullsize 2-18" Subwoofer	"	37,500	VTX-S28-ACC	S/M, VTX-S28-ACC	"	5,100

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

1142 ⑤ 통신 방송음향기기(28)

거래가격 2018년 3월호
조사기간 2월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 메이커 — ① — 수요자	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------	------------------------------	------------------------------------------------------------------------------

방 송 음 향 시 스템 (28)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● JBL				● Crown			
VTX-S28-VT	VTX S28 Vertical Transporter	대	10,800	DCi 41250	4Ch, per Ch-4Ω/8Ω 1250W	대	11,700
VTX-S28-VT-CVR	Vertical Transporter Soft Cover	"	3,600	DCi 41250N(New)	4Ch, per Ch-4Ω/8Ω 1250W	"	16,500
VTX-V20	S/M, VTX-V20	"	31,500	DCi 41250ND(New)	-	"	17,625
VTX-V20-AF	Array Frame, VTX-V20	"	14,100	DCi 4300	4Ch, per Ch-4Ω/8Ω 300W	"	5,550
VTX-V20-AF-EB	VTX V20 Array Frame Extension Bar	"	4,080	DCi 4300N	4Ch, per Ch-4Ω/8Ω 300W	"	9,300
VTX-V20-DF	V25 밑에 V20 다운릴	"	12,600	DCi 4600	4Ch, per Ch-4Ω/8Ω 600W	"	8,400
VTX-V20-VT	VTX V20 Vertical Transporter	"	4,500	DCi 4600N	4Ch, per Ch-4Ω/8Ω 600W	"	12,900
VTX-V20-VT-CVR	VTX V20 Vertical Transporter	"	3,300	DCi 8300	8Ch, per Ch-4Ω/8Ω 300W	"	11,100
VTX-V25	Fullsize 3-Way Line Array Element	"	53,400	DCi 8300N	8Ch, per Ch-4Ω/8Ω 300W	"	16,500
VTX-V25 II	Fullsize 3-Way Line Array Element	"	54,900	DCi 8600	8Ch, per Ch-4Ω/8Ω 600W	"	16,800
VTX-V25 II CS	-	"	54,900	DCi 8600N	8Ch, per Ch-4Ω/8Ω 600W	"	21,000
VTX-V25-ACC	S/M, VTX-V25-ACC	"	4,050	DCi 8600ND	-	"	25,500
VTX-V25-AF	Array Frame, VTX-V25	"	17,700	DSi1000	Dual, per Ch-4Ω 475W/8Ω 275W	"	2,700
VTX-V25-AF-EB	Extension Bar, VTX-V25-AF	"	5,490	DSi2000	Dual, per Ch-4Ω 800W/8Ω 475W	"	3,900
VTX-V25-AF-I	VTX V25 Array Install Version	"	21,600	DSi4000	Dual, per Ch-4Ω 1200W/8Ω 650W	"	5,400
VTX-V25-ASP	V25 Acoustical Spare Parts kit	"	13,500	DSi6000	Dual, per Ch-4Ω 2100W/8Ω 1200W	"	9,900
VTX-V25-MSP	V25 Mechanical Spare Parts kit	"	9,450	DSi8M	8 Channel System Monitor	"	3,900
VTX-V25-VT	VTX V25 Vertical Transporter	"	12,600	EOL Box	EOL Box	"	1,500
VTX-V25-VT-CVR	Vertical Transporter Soft Cover	"	3,600	IQ3PIPLITE	PIP-Lite IQ Network Input Module	"	1,800
VTX-VT-FL	VTX Vertical Transporter Fork Lift Adapter	"	5,880	IQ3USP3CN	PIP-USP3 DSP PIP Module	"	6,000
● Crown				IQ3USP4CN	DSP-Based PIP Input Module	"	3,900
1160A	1-input, 4Ω 160W (70V/100V)	"	2,340	IST	IST	"	165
1160MA	4-input, 4Ω 160W (70V/100V)	"	2,850	IT12000HD	Dual, per Ch-4Ω 4500W/8Ω 2100W	"	25,800
135MA	3-input, 8Ω 35W (70V/100V)	"	750	IT4X3500HDB	4Ch, per Ch-4Ω 2400W/8Ω 1900W	"	27,000
14M	4-input, Single-zone out	"	1,620	IT4X3500HDS	4Ch, per Ch-4Ω 2400W/8Ω 1900W	"	27,000
160MA	4-input, 8Ω 60W (70V/100V)	"	1,200	IT5000HD	Dual, per Ch-4Ω 2500W/8Ω 1250W	"	17,400
180A	1-input, 4Ω 80W (70V/100V)	"	1,800	IT9000HD	Dual, per Ch-4Ω 3500W/8Ω 1500W	"	21,000
180MA	4-input, 4Ω 80W (70V/100V)	"	2,250	MA12000i	Dual, per Ch-4Ω 4500W/8Ω 2100W	"	22,500
1VCAP	1-VCA Remote Volume Control	"	198	MA5000i	Dual, per Ch-4Ω 2500W/8Ω 1250W	"	13,500
280A	2-input, 4Ω 80W (70V/100V)	"	2,400	MA9000i	Dual, per Ch-4Ω 3500W/8Ω 1500W	"	16,500
280MA	8-input, 4Ω 80W (70V/100V)	"	3,300	MCVCA4A	Level Control Module for CTs 4200	"	750
28M	8-input, Two-zone out	"	2,220	MCVCA8	Level Control Module for CTs 8200	"	750
CDi1000	Dual, per Ch-4Ω 500W/8Ω 275W	"	3,300	PIP-BLU Module	PIP™ input module	"	2,400
CDi2000	Dual, per Ch-4Ω 800W/8Ω 475W	"	4,200	RM1	Single Unit Rack Mount Kit for 135MA/160MA	"	90
CDi4000	Dual, per Ch-4Ω 1200W/8Ω 650W	"	5,700	RM2	Double Unit Rack Mount Kit for 135MA/160MA	"	60
CDi6000	Dual, per Ch-4Ω 2100W/8Ω 1200W	"	9,600	SCOVER	10pack of Security Knobs	"	75
CT16S	16Ch Backup Amplifier Switcher	"	9,900	T170V	Constant-Voltage Transformer	"	300
CT4150	4Ch, per Ch-8Ω 125W	"	3,300	TP170V	Constant-Voltage Transformer Panel	"	1,350
CT475	4Ch, per Ch-8Ω 75W	"	2,850	USBX	Ethernet interface for Crown USB-enabled devices	"	1,020
CT8150	8Ch, per Ch-8Ω 150W	"	6,600	VRACK	Complete Amplification System	"	30,000
CT875	8Ch, per Ch-8Ω 75W	"	4,500	XFMR4	4Ch, Constant	"	1,050
CT8SHO	8Ch Backup Amplifier SwitCher	"	10,800	XFMR8	8Ch, Constant	"	1,890
CTS1200	Dual, per Ch-4Ω/8Ω 600W	"	5,400	XLi1500	Dual, per Ch-4Ω 450W/8Ω 330W	"	1,080
CTS1200BLU	Dual, per Ch-4Ω/8Ω 600W	"	8,700	XLi2500	Dual, per Ch-4Ω 750W/8Ω 500W	"	1,650
CTS1200LITE	Dual, per Ch-4Ω/8Ω 600W	"	8,100	XLi3500	Dual, per Ch-4Ω 1350W/8Ω 1000W	"	2,970
CTS1200USP4CN	Dual, per Ch-4Ω/8Ω 600W	"	10,500	XLi800	Dual, per Ch-4Ω 300W/8Ω 200W	"	900
CTS2000	Dual, per Ch-4Ω/8Ω 1000W	"	6,900	XLS1000	Dual, per Ch-4Ω 350W/8Ω 215W	"	1,200
CTS2000BLU	Dual, per Ch-4Ω/8Ω 1000W	"	10,500	XLS1002	Dual, per Ch-4Ω 350W/8Ω 215W	"	1,260
CTS2000LITE	Dual, per Ch-4Ω/8Ω 1000W	"	9,900	XLS1500	Dual, per Ch-4Ω 525W/8Ω 300W	"	1,500
CTS2000USP4CN	Dual, per Ch-4Ω/8Ω 1000W	"	12,000	XLS1502	Dual, per Ch-4Ω 525W/8Ω 300W	"	1,590
CTS3000	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	9,600	XLS2000	Dual, per Ch-4Ω 650W/8Ω 375W	"	1,950
CTS3000BLU	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	13,800	XLS2002	Dual, per Ch-4Ω 650W/8Ω 375W	"	2,040
CTS3000LITE	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	13,500	XLS2500	Dual, per Ch-4Ω 775W/8Ω 450W	"	2,250
CTS3000USP4CN	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	15,000	XLS2502	Dual, per Ch-4Ω 775W/8Ω 450W	"	2,340
CTS4200A	4Ch, per Ch-4Ω 260W/8Ω 180W	"	5,250	XTi1002	Dual, per Ch-4Ω 500W/8Ω 275W	"	2,160
CTS4200AUSPCN	-	"	12,600	XTi2002	Dual, per Ch-4Ω 800W/8Ω 475W	"	2,970
CTS600	Dual, per Ch-4Ω/8Ω 300W	"	3,600	XTi4002	Dual, per Ch-4Ω 1200W/8Ω 650W	"	4,140
CTS600BLU	Dual, per Ch-4Ω/8Ω 300W	"	6,600	XTi6002	Dual, per Ch-4Ω 2100W/8Ω 1200W	"	7,500
CTS600LITE	Dual, per Ch-4Ω/8Ω 300W	"	6,000	● Soudcraft			
CTS600USP4CN	Dual, per Ch-4Ω/8Ω 300W	"	8,100	supplied on reel	RZ2702, 150m optical with fibrecast connectors	"	10,500
CTS8200A	8Ch, per Ch-4Ω 200W/8Ω 160W	"	9,900	XLR AES Card	5019847, 16in, 16out	"	2,550
CTS8200AUSPCN	8Ch, per Ch-4Ω 200W/8Ω 160W	"	18,000	16X AES/EBU card	RS2422	"	2,700
DCi 21250	Dual, per Ch-4Ω/8Ω 1250W	"	7,650	supplied on reel	RZ2701, 200m optical with fibrecast connectors	"	12,300
DCi 21250N(New)	Dual, per Ch-4Ω/8Ω 1250W	"	11,100	BLU Link card	32Ch	"	1,620
DCi 2300	Dual, per Ch-4Ω/8Ω 300W	"	3,450	ADAT 16Ch I/O Card	RS2360	"	2,400
DCi 2300N	Dual, per Ch-4Ω/8Ω 300W	"	6,000	AES input Card	RS2446	"	1,800
DCi 2600	Dual, per Ch-4Ω/8Ω 600W	"	5,100	AES output Card	RS2447	"	1,800
DCi 2600N	Dual, per Ch-4Ω/8Ω 600W	"	7,800	AES/EBU 4+4 XLR card	A520.002000SP	"	1,800



HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2018년 3월호
조사기간 2월 1일~10일

⑤ **통신** 방송음향기기 (29) **1143**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

방 송 음 향 시 스템 (29)

(가격단위 : 천원)

(생산자공표가격)

品名	規格	單位	價 格 ①	品名	規格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● Soudcraft				● Soudcraft			
AES/EBU 8+8 Dtype card	A520.003000SP (Word Clock)	대	1,800	Signature 10	10 Channel console, 4 mono mic/line inputs	대	1,140
A-Net Aviom Card	A520.004000SP	"	4,200	Signature 12	12 Channel console, 6 mono mic/line inputs	"	1,320
Aviom 16Ch Output Card	RS2497	"	5,100	Signature 12MTK	12 Channel console, 6 mono mic/line inputs	"	1,470
"	RS2498	"	5,400	Signature 16	16 Channel console, 10 mono mic/line inputs	"	2,370
Cat5 Dual port MADI	A520.005000SP	"	1,620	Signature 22	22 Channel console, 14 mono mic/line inputs	"	2,760
CobraNet 32Ch I/O Card	RS2496	"	5,400	Signature 22MTK	22 Channel console, 14 mono mic/line inputs	"	2,550
"	A520.006000SP	"	4,200	Si-Impact	24 mic pre's on XLR, 8 Mic/Line on	"	9,900
"	RS2485	"	5,100	Single mode Optical MADI Card	5019983.v	"	1,950
Compact Stage Box	32 in, 16 line out, Dual Cat5 MADI	"	17,400	Stage-box Cat5	-	"	36,000
"	32 in, 8 line out, 8 AES OUT, Dual Cat5 MADI	"	17,400	Stagebox Cat5 HD Link Card	A949.055632	"	2,700
"	32 in, 8 line out, 8 AES OUT, Dual MM Optical	"	17,400	Stage-box Optical	-	"	45,000
CSB Cat5 MADI HD card	A949.049232	"	2,850	Stagebox Optical HD Link card	RS2562 (SC connectors-single mode)	"	3,600
CSB Optical MADI HD card	A949.049032, Multi mode	"	3,000	Stagebox Optical HD Link card	RS2448 (SC connectors-multi mode)	"	3,300
"	A949.049132, Single mode	"	3,600	TDIF Card	RS2564	"	2,400
Dual port Cat5 Dante card	5031819	"	4,200	Ui-12	12 inputs to mix, 4 mic/line in	"	1,320
EFX12	32 FX Settings, 12+2/2/2	"	1,575	Ui-16	16 inputs to mix, 8 mic/line in	"	1,800
EFX8	32 FX Settings, 8+2/2/2	"	1,290	Vi1 custom Flight Case	-	"	9,000
EPM12	Compact high-performance mixers, 12+2/2/2	"	1,227	Vi1-32	16 input fader, 8 master fader, 24 buses	"	72,000
EPM6	Compact high-performance mixers, 6+2/2/2	"	819	Vi1-48	48 local Mic/Line inputs and 16 outputs	"	72,000
EPM8	Compact high-performance mixers, 8+2/2/2	"	945	Vi1-48CS5	Local-16 Mic/Line inputs, 8 line	"	90,000
Expression 1Dust Cover	Gooseneck	"	207	Vi1-48MO	Multimode optical	"	93,000
Expression 2+Performer 2Dust Cover	Gooseneck, Scribble pad and Pen	"	228	Vi1-64CS5	Local-16 Mic/Line inputs, 8 line	"	105,000
Expression 3+Performer 3Dust Cover	2xGooseneck, Scribble pad and Pen	"	330	Vi1-64MO	Multimode optical	"	108,000
Flightcase for Expression2	-	"	1,650	Vi2000	48 Local Mic/Line inputs and 16 output	"	105,000
Flightcase for Expression3	-	"	1,800	Vi3000-48	96 input to mix	"	135,000
FX16ii	16 direct outputs and built-in effects, 16/4/2/2	"	2,670	Vi3000-72CS5	"	"	174,000
GB2 16Ch	Compact Live Sound Mixer, 16+2/6/2/2	"	4,890	Vi3000-72MO	"	"	180,000
GB2 24Ch	Compact Live Sound Mixer, 24+2/6/2/2	"	6,600	Vi3000-FCS	Vi3000 Standard flightcase	"	12,000
GB2 32Ch	Compact Live Sound Mixer, 32+2/6/2/2	"	7,890	Vi4 Cat5 System	96 input to mix	"	300,000
GB2R 12Ch	19' compact installation mixer, 12+2/6/2/2	"	3,960	Vi4 Control Surface custom Flight Case	-	"	9,000
GB2R 16Ch	19' compact installation mixer, 16+2/6/2/2	"	3,960	Vi4 Multi Optical System	-	"	315,000
				Vi4 Surface	-	"	120,000
GB4 16Ch	Live Sound Mixer, 16+2/8/4/3	"	6,210	Vi4 Surface	-	"	120,000
GB4 24Ch	Live Sound Mixer, 24+2/8/4/3	"	7,890	Vi4.2 Cat5 System	Ships with 2xVi Stage box-64 inputs, 32 Outputs	"	336,000
GB4 32Ch	Live Sound Mixer, 32+2/8/4/3	"	10,140	Vi4.2 Optical System	"	"	360,000
GB4 40Ch	Live Sound Mixer, 40+2/8/4/3	"	12,000	Vi4/Vi6 12U 19' Custom Flight Case For Local Rack/Stagebox	-	"	5,400
GB8 24Ch	Live Sound Console, 24+4/8/8/3	"	12,000	Vi4/Vi6 Script Tray	A947.006000	"	1,875
GB8 32Ch	Live Sound Console, 32+4/8/8/3	"	13,890	Vi5000 Surface	-	"	105,000
GB8 40Ch	Live Sound Console, 40+4/8/8/3	"	17,250	Vi5000-FC	Vi5000 Flightcase inc 2xMonitor Mount+4U of rack space	"	13,500
GB8 48Ch	Live Sound Console, 48+4/8/8/3	"	21,600	Vi6 Cat5 System	96 input to mix	"	360,000
Gooseneck Lamp 18" Right Angle	Soundcraft 18" 4pin desk lamp	"	150	Vi6 Control Surface Custom Flight Case	-	"	9,600
GPIO module	RS2429	"	5,100	Vi6 Multi Optical System	-	"	375,000
Local rack Cat5	-	"	144,000	Vi6 Surface	Control surface	"	180,000
Local Rack Cat5 Link Card	RS2409	"	2,700	Vi6.2 Cat 5 System	Ships with 2xVi Stage box-64 inputs, 32 Outputs	"	396,000
Local rack Optical	-	"	150,000	Vi6.2 Multi Optical System	"	"	420,000
LX-7 II 16	Multi purpose mixer, 16+2/6/4/3	"	3,570	Vi7000 surface	-	"	165,000
LX-7 II 24	Multi purpose mixer, 24+2/6/4/3	"	4,710	Vi7000-FC	Vi7000 Flightcase inc 2xMonitor Mount+4U of rack space	"	15,000
LX-7 II 32	Multi purpose mixer, 32+2/6/4/3	"	5,820	Vi-Dante	5033340	"	3,600
Madi card/Local Rack Optical Link card	RS2426 (SC connectors-multi mode)	"	3,000	Vi-Dante	50386916	"	5,100
"	RS2563 (SC connectors-single mode)	"	3,750	ViLR-48MO	384 to Local rack at 48mic, supports 128 in	"	180,000
MFXi12	Built-in 24bit Lexicon digital effects processor	"	2,040	ViLR-96MO	384 to Local rack at 48mic&96mic, Supports 128 in	"	210,000
MFXi20	"	"	2,640	ViSB 64:32 MO	64 Mic/Line in, 32 Line out	"	60,000
MFXi8	"	"	1,710	● AMX			
MPMi12	Multi Purpose Mixer	"	2,250	MCP-106P-BL	Messio 6-Button Ethernet ControlPad	"	2,340
MPMi20	"	"	3,000	MCP-106P-WH	Messio 6-Button Ethernet ControlPad, Portrait	"	2,340
MSB-16	16in, 8line out, single cat5 MADI (Si Expression Set 발주시 적용)	"	2,700	MCP-106L-BL	Messio 6-Button Ethernet ControlPad, Landscape Black	"	2,340
MSB-16C5	16 in, 8 line out, single cat5 MADI	"	3,150	MCP-106L-WH	Messio 6-Button Ethernet ControlPad, Landscape White	"	2,340
MSB-32C5	32 in, 8lineout, 4AES out, Dual Cat5 MADI	"	6,300	MCP-108-BL	Messio 8-Button Ethernet ControlPad with Knob, Black	"	2,990
MSB-32C5	Si Expression Set (발주시 적용)	"	5,670	MCP-108-WH	Messio 8-Button Ethernet ControlPad with Knob, White	"	2,990
Multi mode Optical MADI Card	A520.001000SP, Firewire+8+8ADAT	"	1,950	NXA-PDU-1508-8	110V/220V - Allows remote reset of devices	"	4,712.5
Multi-Digital32+32 USB	5024024	"	12,000	AVS-EPDGX144-ENC	Epica DGX 144 Matrix Switcher Enclosure	"	451,750
Realtime Rack Core(New)	14 Plug-ins	"	16,500	AVS-EPDGX144-VO-DVI	16 DVI Connection Epica DGX 144 Output Board	"	52,000
Realtime Rack Ultimate(New)	74 Plug-ins	"	39,000	AVS-EPDGX144-OI-SC	16 SC Fiber Connection Epica DGX 144 Input Board	"	52,325
SI Expression1	16mic pres, 16faders, 16xlr outputs	"	7,200	AVS-EPDGX144-OO-SC	16 SC Fiber Connection Epica DGX 144 Output Board	"	59,637.5
SI Expression2	24mic pres, 24faders, 16xlr outputs	"	8,400	AVS-EPDGX144-VI-DVI	16 DVI Connection Epica DGX 144 Input Board	"	46,475
SI Expression3	32mic pres, 24faders, 16xlr outputs Processors	"	10,200	EPICADGX288-ENC	Epica DGX 288 Matrix Switcher Enclosure	"	529,750
SI Performer1	16 mic pre's, 16fader, 20 sub-group	"	15,000	EPICADGX288-VIO-SMF-S	16 Connection Single Mode Fiber Input/Output Board	"	92,625
SI Performer2	24 mic pre's, 24fader, 20 sub-group	"	18,000	EPICADGX288-VIO-MMP-S	16 Connection Multi Mode Fiber Input/Output Board	"	66,300
SI Performer3	32 mic pre's, 32fader, 20 sub-group	"	21,000				



HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.









공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474