

Acendo Core Meeting Space Collaboration System™

ACR-5100 (FG4051-00)



Overview

Delivering a flawless start to any meeting, Acendo Core enables vast web conferencing platform support including one-click Skype for Business and Zoom meeting launch, wireless document sharing, web browsing, and access to content from network drives, and a variety of scheduling functions including booking the room, extending the meeting, and browsing / scheduling nearby rooms. Make selections directly from an intuitive interface on the meeting space touch enabled display or with a keyboard and mouse. CloudworX Manager allows the user to configure and deploy large numbers of Acendo Core devices simultaneously, either locally or remotely.

The start screen has everything a user needs when they walk into the space. Join Skype for Business or Zoom meetings without having to find a link or meeting invite, share content wirelessly from a mobile device or PC using AirPlay or Google Cast, view documents from the web, cloud storage, network drive, or a USB thumb drive. Built-in document viewers allow for side-by-side view of two documents, and 4K support for dual monitors provides an optimal collaboration experience.

Acendo Core also allows users to quickly and easily perform a variety of space scheduling actions with direct integration into Exchange and Office 365, the start screen shows the day's schedule for the room. Is the room available? Book it right from the start screen. Is it busy? Browse and book a nearby available room. Acendo Core even delivers a warning when the meeting is about to end so users can extend their booking time, find another room, or wrap up the meeting so the next group can start on time.

Common Applications

- As the number of small meeting spaces grows it becomes more and more critical to outfit spaces with technology that is multi-purpose, easy to install, works the way the user would expect, and offers a very low total cost of ownership through minimal to no maintenance.
- Acendo Core fits this growing trend perfectly and can be used in open huddle spaces with only a display as well as larger conference rooms with a variety of complementary technology.
- Acendo Core is mass configurable and deployable through CloudworX Manager.

Features

- Wide Support for Web Conferencing Platforms, including One-click Skype for Business and Zoom Meetings
 Users can quickly and easily join a scheduled Skype for Business or Zoom meeting without having to find a link or meeting invite, enhancing productivity by reducing wait time.
- Wireless Sharing Acendo Core supports AirPlay and Google Cast so users can easily share content from mobile devices or PC.
- Built-in Document Viewers Users can present content without bringing any devices to the room. Users
 simply walk into the room, start a session, navigate to their document (USB drive, network drive, or the web),
 and start their presentation.
- 4K, Dual Monitor and Touch Screen Support Ensure meeting spaces are as engaging as they are simple to
 use.
- Network Drive Support Many enterprises choose to have all their documents stored on network drives. If a
 user authenticates into a meeting, they will have access to content stored on those drives. As Core is always
 on, there is no waiting for boot up time allowing users to access their network content quickly enhancing
 workforce productivity.
- Active Directory Authentication By natively integrating with Active Directory, users can authenticate into
 Acendo Core and access network drives. Furthermore, administrators have the option to require
 authentication in order to use Core for secure document and network access.
- Simple and Intuitive On-screen Scheduling Direct integration with Exchange and Office 365 supports a variety of on-screen scheduling options. At a glance users can see the status of the meeting room. From the start screen, users can book the room if it is available, start their meeting, or book a nearby room quickly, therefore minimizing wait time and improving productivity
- End-of-Meeting Notifications Meetings start on time because the previous meeting ended on time. Meetings have an opportunity to wrap up cleanly and capture actions effectively because users are provided with a notification prior to the end of the scheduled meeting time.
- **Configuration and Deployment** Instead of configuring one-by-one, CloudworX Manager allows large numbers of devices to be configured simultaneously, either locally or remotely.

Specifications

GENERAL	
Dimensions (HWD)	1 3/16" x 7 1/16" x 7 15/16" (30 mm x 180 mm x 201 mm)
Weight	2.6 lbs (1.2 kg)
Mounting Options	 Included Surface Mount Accessory – Hide Acendo Core on the wall behind a display or underneath a table. Install on tabletop or on top of a credenza.
Regulatory Compliance	FCC 47 CFR Part 15, Subpart C / Subpart B (emissions) UL 60950-1 CE EN 55024 CE EN 60950-1 IEC 60950-1
Included Accessories	Included wall-mount allows Acendo Core to surface- mount on the wall

ACTIVE POWER REQUIREMENTS	
Included	Input Voltage: 100 – 240 VAC, 50 - 60 Hz Output Voltage: 12 VDC

DOMED CHOOLY	
POWER SUPPLY	
Voltage, DC (Typical)	12 VDC
Power Consumption (Max)	60 W
Power Connector	5.5 mm barrel connector
ENVIRONMENTAL	
ENVIRONMENTAL	
Temperature (Operating)	32° F to 104° F (0° C to 40° C)
Temperature (Storage)	-4° F to 158° F (-20° C to 70° C)
Humidity (Operating)	5% to 85%, non-condensing
CONNECTORS	
Power Connector	5.5 mm barrel connector
USB	4x USB 3.0 Type A connector (back), 2x USB 2.0 Type
035	connector (front)
HDMI	2x HDMI Type A connector
Ethernet	2x RJ-45 connector for gigabit Ethernet
Analog Stereo Input	1/8" mini-stereo jack
Analog Stereo Output	1/8" mini-stereo jack
Andrew Steres Surpar	170 mm stereojaak
HDMI	
HDMI	1.4b
Resolution	Up to 4K30
WIRELESS	
Wi-Fi	802.11 a/b/g/n/ac
Configuration	Enable/disable setting for Wireless
COMPUTE PERFORMANCE	
CPU	Intel Celeron N3160
RAM	4 GB
DISK	128 GB minimum
OPERATING SYSTEM	
Operating System	Windows 10 IoT Enterprise
, ,	'
SUPPORTED CALENDAR SYSTEMS	
Supported Calendar Systems	Microsoft Exchange 2013 SP1 or higher
	Microsoft Exchange 2016
	Exchange Online (Office 365)
INCLUDED APPLICATIONS	
Included Applications	Viewers for Microsoft PowerPoint, Word, Excel and
moraca Applications	Adobe PDF documents
	Viewers for images and videos
	 Microsoft Edge web browser Skype® for Business Client (note: customers will nee
	to supply a Skype for Business user account for each
	Acendo Core)
	Acendo Corej

 Zoom Video Conferencing (note: customers will need
to supply a Zoom user account for each Acendo Core)
 Acendo Core supports a wide array of Windows and
web-based applications and can be fully customized
for enterprise deployment.

RECOMMENDED ACCESSORIES	
Items	 Acendo Vibe Sound Bar ACV-2100 (FG4121-00GR or FG4121-00BL) or Acendo Vibe Sound Bar with Camera ACV-5100 (FG4151-00GR or FG4151-00BL) AVB-VSTYLE-RMK-1U V-Style Box Tray (FG1010-720) AVB-VSTYLE-RMK-FILL-1U,V-Style Box Tray with Fill Plates (FG1010-721) NMX-VRK V-Style Rack Shelf (FG3201-60) CBL-USB-FL2-16, USB 2.0 16ft Extension Cable (FG10-2220-16) CBL-USB-FL2-33, USB 2.0 33ft Extension Cable (FG10-2220-33) CBL-HDMI-FL2-16, HDMI High Speed Flat Cable with RedMere® Technology (FG10-2192-16)

About AMX by HARMAN

Founded in 1982 and acquired by HARMAN in 2014, AMX® is dedicated to providing AV solutions for an IT World. AMX solves the complexity of managing technology with reliable, consistent and scalable systems comprising control, video switching and distribution, digital signage and technology management. AMX systems are deployed worldwide in conference rooms, classrooms, network operation/command centers, homes, hotels, entertainment venues and broadcast facilities, among others. AMX is part of the HARMAN Professional Group, the only total audio, video, lighting, and control vendor in the professional AV market. HARMAN designs, manufactures and markets premier audio, video, infotainment and integrated control solutions for the automotive, consumer and professional markets. Revised 8.24.2017 ©2017 Harman. All rights reserved. Specifications subject to change.

www.amx.com | +1.469.624.7400 |800.222.0193