

1138 ⑤ 통신 방송음향기기(24)

거래가격 2017년 3월호
조사기간 2월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 메이커 — ① — 수요자	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	------------------------------	--

방 송 음 향 시 스템 (24)

(가격단위 : 천원)

(생산자공표가격)

品名	規格	單位	價格 ①	品名	規格	單位	價格 ①
■ 테크데이터 ● JBL				■ 테크데이터 ● JBL			
2516	Bracket	대	90	AM5215/66(AM5215/66-WH)	15" 2way, 350W, 40W (60°×60°)	대	6,600
8124	4" 8Ω, 20W, 93dB	"	150	AM5215/66-WRC	Protected Outdoor Areas	"	10,710
8128	8" 8Ω, 25W, 97dB	"	180	AM5215/66-WRX	Extreme Environment	"	12,600
8138	8" 8Ω, 25W, 97dB	"	210	AM5215/95(AM5215/95-WH)	15" 2way, 350W, 40W (90°×50°)	"	6,600
8320	150W, Compact Surround Speaker	"	840	AM5215/95-WRC	Protected Outdoor Areas	"	10,710
AC15(AC15WH)	16Ω, 150W, 86dB	"	1,485	AM5215/95-WRX	Extreme Environment	"	12,600
AC16(AC16WH)	16Ω, 150W, 90dB	"	2,940	AM7200/64(AM7200/64-WH)	High Power Mid-High 350W, 100W (60°×40°)	"	10,080
AC16WRC	16Ω, 150W, 90dB, ProtectedOutdoorAreas	"	6,300	AM7200/64-WRC	Protected Outdoor Areas	"	14,160
AC16WRX	16Ω, 150W, 90dB, ExtremeEnvironment	"	5,880	AM7200/64-WRX	Extreme Environment	"	15,750
AC18/26(AC18/26WH)	8Ω, 250W, 92dB	"	3,600	AM7200/95(AM7200/95-WH)	High Power Mid-High 350W, 100W (90°×50°)	"	10,080
AC18/26WRC	8Ω, 250W, 92dB, ProtectedOutdoorAreas	"	6,300	AM7200/95-WRC	Protected Outdoor Areas	"	14,160
AC18/26WRX	8Ω, 250W, 92dB, ExtremeEnvironment	"	7,080	AM7200/95-WRX	Extreme Environment	"	15,750
AC18/95(AC18/95WH)	8Ω, 250W, 93dB	"	3,000	AM7212/00(AM7212/00-WH)	12" 2way, 700W, 100W (100°×100°)	"	9,150
AC18/95WRC	8Ω, 250W, 93dB, ProtectedOutdoorAreas	"	6,300	AM7212/00-WRC	Protected Outdoor Areas	"	12,600
AC18/95WRX	8Ω, 250W, 93dB, ExtremeEnvironment	"	7,080	AM7212/00-WRX	Extreme Environment	"	14,160
AC2212/00(AC2212/00-WH)	Compact 12" 2way 250W, 50W (100°×100°)	"	3,900	AM7212/26(AM7212/26-WH)	12" 2way, 700W, 100W (120°×60°)	"	9,150
AC2212/00-WRC	Protected Outdoor Areas	"	7,350	AM7212/26-WRC	Protected Outdoor Areas	"	12,600
AC2212/00-WRX	Extreme Environment	"	8,550	AM7212/26-WRX	Extreme Environment	"	14,160
AC2212/64(AC2212/64-WH)	Compact 12" 2way 250W, 50W (60°×40°)	"	3,900	AM7212/64(AM7212/64-WH)	12" 2way, 700W, 100W (60°×40°)	"	9,150
AC2212/64-WRC	Protected Outdoor Areas	"	7,350	AM7212/64-WRC	Protected Outdoor Areas	"	12,600
AC2212/64-WRX	Extreme Environment	"	8,550	AM7212/64-WRX	Extreme Environment	"	14,160
AC2212/95(AC2212/95-WH)	Compact 12" 2way 250W, 50W (90°×50°)	"	3,900	AM7212/66(AM7212/66-WH)	12" 2way, 700W, 100W (60°×60°)	"	9,150
AC2212/95-WRC	Protected Outdoor Areas	"	7,350	AM7212/66-WRC	Protected Outdoor Areas	"	12,600
AC2212/95-WRX	Extreme Environment	"	8,550	AM7212/66-WRX	Extreme Environment	"	14,160
AC2215/00(AC2215/00-WH)	Compact 15" 2way 250W, 30W (100°×100°)	"	4,410	AM7212/95(AM7212/95-WH)	12" 2way, 700W, 100W (90°×50°)	"	9,150
AC2215/00-WRC	Protected Outdoor Areas	"	7,860	AM7212/95-WRC	Protected Outdoor Areas	"	12,600
AC2215/00-WRX	Extreme Environment	"	9,150	AM7212/95-WRX	Extreme Environment	"	14,160
AC2215/64(AC2215/64-WH)	Compact 15" 2way 250W, 30W (60°×40°)	"	4,410	AM7215/26(AM7215/26-WH)	15" 2way, 750W, 100W (120°×60°)	"	9,750
AC2215/64-WRC	Protected Outdoor Areas	"	7,860	AM7215/26-WRC	Protected Outdoor Areas	"	13,860
AC2215/64-WRX	Extreme Environment	"	9,150	AM7215/26-WRX	Extreme Environment	"	15,450
AC2215/95(AC2215/95-WH)	Compact 15" 2way 250W, 30W (90°×50°)	"	4,410	AM7215/64(AM7215/64-WH)	15" 2way, 750W, 100W (60°×40°)	"	9,750
AC2215/95-WRC	Protected Outdoor Areas	"	7,860	AM7215/64-WRC	Protected Outdoor Areas	"	13,860
AC2215/95-WRX	Extreme Environment	"	9,150	AM7215/64-WRX	Extreme Environment	"	15,450
AC25(AC25WH)	16Ω, 225W, 91dB	"	2,670	AM7215/66(AM7215/66-WH)	15" 2way, 750W, 100W (60°×60°)	"	9,750
AC26(AC26WH)	8Ω, 180W, 92dB	"	4,350	AM7215/66-WRC	Protected Outdoor Areas	"	13,860
AC26WRC	8Ω, 180W, 92dB, ProtectedOutdoorAreas	"	6,600	AM7215/66-WRX	Extreme Environment	"	15,450
AC26WRX	8Ω, 180W, 92dB, ExtremeEnvironment	"	7,050	AM7215/95(AM7215/95-WH)	15" 2way, 750W, 100W (90°×50°)	"	9,750
AC28/26(AC28/26WH)	8Ω, 375W, 94dB	"	5,100	AM7215/95-WRC	Protected Outdoor Areas	"	13,860
AC28/26WRC	8Ω, 375W, 94dB, ProtectedOutdoorAreas	"	7,500	AM7215/95-WRX	Extreme Environment	"	15,450
AC28/26WRX	8Ω, 375W, 94dB, ExtremeEnvironment	"	8,250	AM7315/64(AM7315/64-WH)	High Power 3way 750W, 350W, 100W (60°×40°)	"	13,500
AC28/95(AC28/95WH)	8Ω, 375W, 94dB	"	5,100	AM7315/64-WRC	Protected Outdoor Areas	"	17,010
AC28/95WRC	8Ω, 375W, 94dB, ProtectedOutdoorAreas	"	7,500	AM7315/64-WRX	Extreme Environment	"	18,900
AC28/95WRX	8Ω, 375W, 94dB, ExtremeEnvironment	"	8,250	AM7315/95(AM7315/95-WH)	High Power 3way 750W, 350W, 100W (90°×50°)	"	13,500
AL7115(AL7115-WH)	15" Low Frequency, 600W	"	5,700	AM7315/95-WRC	Protected Outdoor Areas	"	17,010
AL7115-WRC	Protected Outdoor Areas	"	9,150	AM7315/95-WRX	Extreme Environment	"	18,900
AL7115-WRX	Extreme Environment	"	11,340	ASB4128(ASB4128-WH)	Dual 18" Subwoofer 600W	"	9,150
AM5212/00(AM5212/00-WH)	12" 2way, 300W, 40W (100°×100°)	"	6,000	ASB4128-WRC	Protected Outdoor Areas	"	12,600
AM5212/00-WRC	Protected Outdoor Areas	"	9,450	ASB4128-WRX	Extreme Environment	"	14,790
AM5212/00-WRX	ExtremeEnvironment	"	11,340	ASB6112(ASB6112-WH)	Compact Single 12" Subwoofer 700W	"	5,100
AM5212/26(AM5212/26-WH)	12" 2way, 300W, 40W (120°×60°)	"	6,000	ASB6112-WRC	Protected Outdoor Areas	"	8,820
AM5212/26-WRC	Protected Outdoor Areas	"	9,450	ASB6112-WRX	Extreme Environment	"	10,710
AM5212/26-WRX	Extreme Environment	"	11,340	ASB6115(ASB6115-WH)	Single 15" Subwoofer 675W	"	6,000
AM5212/64(AM5212/64-WH)	12" 2way, 300W, 40W (60°×40°)	"	6,000	ASB6115-WRC	Protected Outdoor Areas	"	9,450
AM5212/64-WRC	Protected Outdoor Areas	"	9,450	ASB6115-WRX	Extreme Environment	"	11,970
AM5212/64-WRX	Extreme Environment	"	11,340	ASB6118(ASB6118-WH)	Single 18" Subwoofer 800W	"	7,560
AM5212/66(AM5212/66-WH)	12" 2way, 300W, 40W (60°×60°)	"	6,000	ASB6118-WRC	Protected Outdoor Areas	"	10,410
AM5212/66-WRC	Protected Outdoor Areas	"	9,450	ASB6118-WRX	Extreme Environment	"	12,600
AM5212/66-WRX	Extreme Environment	"	11,340	ASB6125(ASB6125-WH)	Dual 15" Subwoofer 1350W	"	9,450
AM5212/95(AM5212/95-WH)	12" 2way, 300W, 40W (90°×50°)	"	6,000	ASB6125-WRC	Protected Outdoor Areas	"	14,160
AM5212/95-WRC	Protected Outdoor Areas	"	9,450	ASB6125-WRX	Extreme Environment	"	17,310
AM5212/95-WRX	Extreme Environment	"	11,340	ASB6128(ASB6128-WH)	Dual 18" Subwoofer 1600W	"	11,970
AM5215/26(AM5215/26-WH)	15" 2way, 350W, 40W (120°×60°)	"	6,600	ASB6128-WRC	Protected Outdoor Areas	"	13,200
AM5215/26-WRC	Protected Outdoor Areas	"	10,710	ASB6128-WRX	Extreme Environment	"	16,680
AM5215/26-WRX	Extreme Environment	"	12,600	ASB6128V(ASB6128V-WH)	Extended Response Dual 18" Subwoofer 1600W	"	13,200
AM5215/64(AM5215/64-WH)	15" 2way, 350W, 40W (60°×40°)	"	6,600	ASB7118(ASB7118-WH)	Single 18" Subwoofer 1200W	"	11,340
AM5215/64-WRC	Protected Outdoor Areas	"	10,710	ASB7118-WRC	Protected Outdoor Areas	"	15,900
AM5215/64-WRX	Extreme Environment	"	12,600				

HARMAN
세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 3월호
조사기간 2월 1일~10일

⑤ **통신** 방송음향기기 (25) 1139

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <ul style="list-style-type: none"> · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
---	----------------------------------	---

방 송 음 향 시 스템 (25)

(가격단위 : 천원)

(생산자공표가격)

品名	規格	單位	價 格 ①	品名	規格	單位	價 格 ①
<p>■ 테크데이터</p> <p>● JBL</p>				<p>■ 테크데이터</p> <p>● JBL</p>			
ASB7118-WRX	Extreme Environment	대	18,900	Control 321C	8Ω, 200W, 94dB	대	1,740
ASB7128(ASB7128-WH)	Dual 18" Subwoofer 2400W	"	19,800	Control 321CT	8Ω, 200W, 94dB, Transformer	"	1,890
ASB7128-WRC	Protected Outdoor Areas	"	28,500	Control 322C	8Ω, 250W, 95dB	"	2,520
ASB7128-WRX	Extreme Environment	"	31,500	Control 322CT	8Ω, 250W, 95dB, Transformer	"	2,670
ASH6118(ASH6118-WH)	Single 18" Subwoofer 800W	"	12,600	Control 328C	8Ω, 250W, 93dB, 8"	"	1,410
AW266(AW266-BK)	Compact 12" 2Way 500W	"	12,900	Control 328CT	8Ω, 250W, 93dB, 8", Transformer	"	1,590
AW266-LS(AW266-BK)	Compact 12" 2Way 500W	"	12,900	Control 40CS/T	Premium In-Ceiling Subwoofer	"	1,590
AW295(AW295-BK)	Compact 12" 2Way 500W	"	12,900	Control 42C	Premium In-Ceiling Satellite	"	315
AW295-LS(AW295-BK)	Compact 12" 2Way 500W	"	12,900	Control 47C/T	Premium In-Ceiling COAX w/6.5"	"	1,110
AW526(AW526-BK)	Compact 15" 2Way 600W	"	13,800	Control 47HC	Premium High-Ceiling COAX w/6.5"	"	1,260
AW526-LS(AW526-BK)	Compact 15" 2Way 600W	"	13,800	Control 47LP	Premium Low-Profile Ceiling	"	960
AW566(AW566-BK)	Compact 15" 2Way 600W	"	13,800	Control 5(Control 5-WH)	4Ω, 175W, 89dB SPL (브래킷 별도)	"	660
AW566-LS(AW566-BK)	Compact 15" 2Way 600W	"	13,800	Control 50S/T(Control 50S-T-WH)	8Ω, 300W, 115dB, Subwoofer	"	1,500
AW595(AW595-BK)	Compact 15" 2Way 600W	"	13,800	Control 52(Control 52-WH)	16Ω, 50W, 85dB, Satellite Speaker	"	270
AW595-LS(AW595-BK)	Compact 15" 2Way 600W	"	13,800	Control CRV(Control CRV-WH)	4Ω, 150W, 89dB	"	990
AWC129(AWC129-BK)	All-Weather Co-ax, 12" 2-Way	"	3,600	Control SB-2	8Ω, 340W, Subwoofer	"	1,440
AWC159(AWC159-BK)	15" All Weather Compact Coax	"	5,400	Control SB-210(Control SB-210-WH)	8Ω, 800W, 95dB, Subwoofer	"	2,640
AWC159F(AWC159F-BK)	All Weather Compact Subwoofer	"	4,200	CSS1-S/T	8Ω, 60W, 86dB, Transformer Taps	"	510
AWC82(AWC82-BK)	All-Weather Compact 2Way 200W, Transformer	"	1,900	CSS8004(CSS-TR4)	Ceiling Speaker 15W (8x2pcs필요함)	"	75
C1PRO (C1PRO-WH)	4Ω, 150W, 87dB SPL (브래킷 포함)	"	270	CSS8008(CSS-TR4)	Ceiling Speaker 15W	"	96
C24 CT MICROPLUS	8Ω, 30W, 85dB	"	510	CSS8018(CSS-TR4)	Ceiling Speaker 20W "	"	135
C24 CT	Control 24CT With Transformer	"	450	CSS-BB4x6pcs	CSS Backcan, 4"	"	195
C25AV-LS(C25AV-LS-WH)	UL Life Safety Version of C25AV	"	960	CSS-BB8x6pcs	CSS Backcan, 8"	"	375
C26CT-LS	UL Version 6.5" Ceiling W/X-FRMR	"	840	CSS-H15(New)	15 Watt Paging Horn (6 in masterpack)	"	360
C29AV-1(C29AV-WH-1)	8Ω, 300W, 90dB,	"	1,590	CSS-H30(New)	30 Watt Paging Horn (4 in masterpack)	"	480
C2PM	POWERED, 35W, 111dB	"	720	CSS-TR4	Tile Rails (8x12pcs)	"	105
C2PS	POWERED, 35W, 115dB	"	930	CWT128(CWT128-WH)	Dual 8" 850W, 128dB	"	6,900
C40CS/T	8Ω, 200W, 95dB, Subwoofer	"	1,750	CWT128-WRC	Protected Outdoor Areas	"	8,700
C50 PACK(C50 PACK-WH)	4Ω, 200W, 87dB	"	2,460	CWT128-WRX	Extreme Environment	"	10,500
C60PS / T(C60PS / T-WH)	Subwoofer	"	1,620	DPDA-VP7212(64/7212/95,7215/64,7215/95,7315/64,VP5B7118)	S/M, DPDA-VP Series	"	5,100
C62P(C62P-WH)	16Ω, 30W, 87dB	"	411	DPDA-VT4880A(4881A, 4882,4887A,4888,4889A)	DPDA Input Module Upgrade Kit	"	5,400
C65P/T(C65P/T-WH)	8Ω, 150W, 86dB	"	915	EON206P	JBL Packaged PA System (160W/6.5Inch)	"	1,650
C67HC/T(C67HC/T-WH)	8Ω, 150W, 93dB	"	1,590	EON610	10" 2-Way Powered Portable Speaker	"	1,728
C67P/T(C67P/T-WH)	8Ω, 150W, 90dB	"	1,290	EON612	12" 2-Way Powered Portable Speaker	"	1,944
CBT50LA-LS-WH(CBT 50LA-LS)	EN54-24 Certification 1 per carton	"	2,100	EON615	15" 2-Way Powered Portable Speaker	"	2,340
CBT100LA-1(CBT100LA-1-WH)	8Ω, 200W, 93dB	"	3,480	JBL POLE-GA	JBL gas assist speaker pole	"	384
CBT200LA-1(CBT200LA-1-WH)	650W, 119dB	"	8,190	JBL POLE-MA	JBL manual adjust speaker pole	"	240
CBT50LA-1(CBT50LA-1-WH)	8Ω, 100W, 93dB	"	1,890	JBL TRIPOD-GA	JBL lift assist speaker tripod	"	594
CBT70I-1(CBT70I-1-WH)	8Ω, 350W, 120dB	"	5,040	JBL TRIPOD-MA	JBL manual adjust speaker tripod	"	240
CBT70IE-1(CBT70IE-1-WH)	8Ω, 350W, 90dB	"	2,850	JRX212	8Ω, 250W, 98dB	"	945
Control 126W	8Ω, 100W, 88dB, In-Wall Speaker	"	750	JRX215	8Ω, 250W, 99dB	"	1,038
Control 126WT	8Ω, 100W, 88dB, In-Wall Speaker, Transformer	"	840	JRX218S	4Ω, 350W, 96dB, Subwoofer	"	1,638
Control 128W	8Ω, 100W, 90dB, In-Wall Speaker	"	960	JRX225	4Ω, 500W, 100dB	"	1,575
Control 128WT	8Ω, 100W, 90dB, In-Wall Speaker, Transformer	"	1,050	LSR25PTOTE	Soft Case For Pair Of LSR25P/Wheels	"	720
Control 12C/T(Control 12C/T-BK)	3" Full-Range Ceiling SPKR	"	330	LSR305	5" Powered studio monitor 108dB	"	600
Control 14C/T(Control 14C/T-BK)	4" CO-AX Ceiling SPKR	"	450	LSR308	8" Powered studio monitor 112dB	"	1,020
Control 16C/T(Control 16C/T-BK)	6-1/2" CO-AX Ceiling SPKR	"	570	LSR310S	10" Powered studio subwoofer 113dB	"	1,470
Control 19CS	8Ω, 200W, 95dB (Ceiling Subwoofer)	"	1,020	LSR4300KIT	LSR4300 Package	"	960
Control 19CST	8Ω, 200W, 96dB	"	1,140	LSR4312SP	12" Powered Subwoofer, 450W, 116dB	"	4,350
Control 226C/T	8Ω, 100W, 90dB, Transformer	"	1,500	LSR4326P	6.25" Powered, 150W, 106dB	"	2,340
Control 227C	8Ω, 150W, 90dB, Transformer	"	1,200	LSR4326P/5.1	LSR4326P/5.1Ch	"	15,300
Control 227C/T	8Ω, 150W, 90dB	"	1,350	LSR4326P/PAK	LSR4326P Package	"	4,710
Control 23(Control 23-WH)	8Ω, 50W, 86dB	"	420	LSR4328P	8" Powered, 150W, 106dB	"	3,300
Control 23T(Control 23T-WH)	8Ω, 50W, 86dB	"	550	LSR4328P/5.1	LSR4328P/5.1Ch	"	20,100
Control 24C Micro	8Ω, 30W, 86dB	"	273	LSR4328P/PAK	LSR4328P Package	"	6,720
Control 24CT Micro	8Ω, 30W, 86dB	"	294	LSR6312SP	Powered Studio Subwoofer, 260W, 96dB	"	7,200
Control 24C	16Ω, 80W, 86dB	"	420	LSR6325P/5.1	LSR6325P/5.1Ch	"	16,500
Control 24CT	16Ω, 80W, 86dB	"	450	LSR6325P-1	Self Powered studio monitor, 100W, 96dB	"	1,920
Control 25(Control 25-WH)	8Ω, 150W, 88dB	"	540	LSR6328P	Self Powered studio monitor, 220W, 96dB	"	6,000
Control 25AV(Control 25AV-WH)	8Ω, 200W, 113dB	"	660	LSR6328P/5.1	LSR6328P/5.1Ch	"	36,000
Control 25T(Control 25T-WH)	8Ω, 150W, 88dB, Transformer Taps	"	660	LSR6328P/PAK	LSR6328P Package	"	12,300
Control 26C	16Ω, 150W, 89dB	"	540	LSR6332L	4Ω, 150W, 93dB	"	6,900
Control 26CT	16Ω, 150W, 89dB	"	600	LSR6332R	4Ω, 150W, 93dB	"	6,900
Control 26-DT	Ceiling SPKR-Xfmr no Backcan	"	390	LSR705i(New)	5Inch, 2Way Master Reference Monitor	"	2,100
Control 28(Control 28-WH)	8Ω, 175W, 92dB	"	930	LSR708i(New)	8Inch, 2Way Master Reference Monitor	"	4,500
Control 28T-60(Control 28T-60-WH)	8Ω, 175W, 92dB, Transformer Taps	"	1,260	M2	Master Reference Monitor, 1200W	"	22,500
Control 30(Control 30-WH)	4Ω, 500W, 93dB	"	3,450				
Control 312CS	8Ω, 250W, 95dB, Subwoofer	"	2,190				

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.









공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

1140 ⑤ 통신 방송음향기기(26)

거래가격 2017년 3월호
조사기간 2월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 [메이커] — ① — [수요자]	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	----------------------------------	--

방 송 음 향 시 스템 (26)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
테크데이터				테크데이터			
● JBL				● JBL			
MD1	Super Tweeter 130W, 129dB	대	3,000	PD6200/43-WRC	Two-Way, mid-high, horn-loaded loudspeaker	대	19,800
MD2	Bi-Amplified, 700W, 100W	"	15,120	PD6200/43-WRX	Two-Way, mid-high, horn-loaded loudspeaker	"	23,100
MD3 L	Dual 15" Low Freq. 1600W, left	"	19,800	PD6200/64(PD6200/64-WH)	Two-Way, mid-high, horn-loaded loudspeaker	"	12,000
MD3 R	Dual 15" Low Freq. 1600W, right	"	19,800	PD6200/64-WRC	Two-Way, mid-high, horn-loaded loudspeaker	"	13,500
MD46	4Way 15" 1100W, 200W, 50W, 35W	"	22,050	PD6200/64-WRX	Two-Way, mid-high, horn-loaded loudspeaker	"	18,000
MD49	4Way 15" 1600W, 350W, 75W, 130W	"	22,050	PD6200/66(PD6200/66-WH)	Two-Way, mid-high, horn-loaded loudspeaker	"	12,000
MD52	12" 2Way, 550W	"	6,600	PD6200/66-WRC	Two-Way, mid-high, horn-loaded loudspeaker	"	13,500
MD55	15" 2Way, 550W	"	6,930	PD6200/66-WRX	Two-Way, mid-high, horn-loaded loudspeaker	"	18,000
MD7	18" Subwoofer, 4000W	"	22,050	PD6200/95(PD6200/95-WH)	Two-Way, mid-high, horn-loaded loudspeaker	"	12,000
MDSB-1	Marquis Dance Club Series Stacking Bracket	"	6,930	PD6200/95-WRC	Two-Way, mid-high, horn-loaded loudspeaker	"	13,500
MSC1	Monitor System Controller	"	1,020	PD6200/95-WRX	Two-Way, mid-high, horn-loaded loudspeaker	"	18,000
MTC-126RIF	Control 100 Series option	"	96	PD6212/43(PD6212/43-WH)	12" Two-Way, horn-loaded, loudspeaker	"	18,600
MTC-128RIF	Control 100 Series option	"	96	PD6212/43-WRX	12" Two-Way, horn-loaded, loudspeaker	"	20,400
MTC-200BB6	Control 200 Series option	"	240	PD6212/43-WRX	12" Two-Way, horn-loaded, loudspeaker	"	23,400
MTC-2P	C2PS Mounting Bracket	"	90	PD6212/64(PD6212/64-WH)	12" Two-Way, horn-loaded, loudspeaker	"	13,500
MTC-300BB12	Control 300 Series option	"	900	PD6212/64-WRC	12" Two-Way, horn-loaded, loudspeaker	"	16,200
MTC-300BB8	Control 300 Series option	"	300	PD6212/64-WRX	12" Two-Way, horn-loaded, loudspeaker	"	20,700
MTC-300SG12	Control 300 Series option	"	135	PD6212/66(PD6212/66-WH)	12" Two-Way, horn-loaded, loudspeaker	"	13,500
MTC-300T150	Control 300 Series option	"	285	PD6212/66-WRC	12" Two-Way, horn-loaded, loudspeaker	"	16,200
MTC-42MR	Control 40 Series option	"	480	PD6212/66-WRX	12" Two-Way, horn-loaded, loudspeaker	"	20,700
MTC-42NC	Control 40 Series option	"	375	PD6212/95(PD6212/95-WH)	12" Two-Way, horn-loaded, loudspeaker	"	13,500
MTC-47MR	Control 40 Series option	"	780	PD6212/95-WRC	12" Two-Way, horn-loaded, loudspeaker	"	16,200
MTC-47NC	Control 40 Series option	"	600	PD6212/95-WRX	12" Two-Way, horn-loaded, loudspeaker	"	20,700
MTC-8124C	8100 Series Option	"	54	PD6322/43(PD6322/43-WH)	Dual 12" Three-Way full-range loudspeaker	"	21,600
MTC-8128C	8100 Series Option	"	60	PD6322/43-WRC	Dual 12" Three-Way full-range loudspeaker	"	23,400
MTC81BB8	8100 Series Option	"	135	PD6322/43-WRX	Dual 12" Three-Way full-range loudspeaker	"	26,700
MTC81TB8	8100 Series Option	"	75	PD6322/64(PD6322/64-WH)	Dual 12" Three-Way full-range loudspeaker	"	15,900
MTC-CBT-SMB1	CBT Bracket	"	210	PD6322/64-WRC	Dual 12" Three-Way full-range loudspeaker	"	18,600
MTC-RAIL	Tile Rail For 8124 & 8128	"	45	PD6322/64-WRX	Dual 12" Three-Way full-range loudspeaker	"	22,800
MTC-RG6/8	Grille For C328, C227	"	102	PD6322/66(PD6322/66-WH)	Dual 12" Three-Way full-range loudspeaker	"	15,900
MTC-SG6/8	Square Grille For C328, C227	"	180	PD6322/66-WRC	Dual 12" Three-Way full-range loudspeaker	"	18,600
MTC-TB6/8	Tile-Bridge For MTC-200BB6 & MTC-300BB8	"	90	PD6322/66-WRX	Dual 12" Three-Way full-range loudspeaker	"	22,800
MTU-1(MTU-1-WH)	U-Bracket For AM7215/xx and AM5215/xx	"	630	PD6322/95(PD6322/95-WH)	Dual 12" Three-Way full-range loudspeaker	"	15,900
MTU-15(MTU-15-WH)	U-Bracket For AC15	"	249	PD6322/95-WRC	Dual 12" Three-Way full-range loudspeaker	"	18,600
MTU-16(MTU-16-WH)	U-Bracket For AC16	"	327	PD6322/95-WRX	Dual 12" Three-Way full-range loudspeaker	"	22,800
MTU-18(MTU-18-WH)	U-Bracket For AC18	"	384	PD743	High Output COAX 40x30	"	37,500
MTU-2(MTU-2-WH)	U-Bracket For MODEL AC2215/xx	"	630	PD743-WRC	High Output COAX 40x30	"	41,250
MTU-25(MTU-25-WH)	U-Bracket For AC25	"	306	PD743-WRX	High Output COAX 40x30	"	43,125
MTU-26(MTU-26-WH)	U-Bracket For AC26	"	360	PD764	High Output COAX 60x40	"	33,750
MTU-28(MTU-28-WH)	U-Bracket For AC28	"	474	PD764-WRC	High Output COAX 60x40	"	36,000
MTU-3(MTU-3-WH)	AE Series 28-1/2" U-Bracket (White)	"	660	PD764-WRX	Extreme Environment	"	45,500
MTU-4(MTU-4-WH)	AE Series 22-1/4" U-Bracket (White)	"	660	PM42	42" Pole	"	600
MTU7212	U-Bracket 12"	"	1,590	PMB-BK(PMB-WH)	Pole Mount Bracket For CCRV	"	180
MTU7215	U-Bracket 15"	"	1,950	PRX412M(PRX412M-WH)	8Ω, 300W, 95dB	"	1,950
MTU-895	8" 2-Way full-range system	"	300	PRX415M(PRX415M-WH)	8Ω, 300W, 98dB	"	2,100
PA7212-18H	2 Way Plannar Array Kit	"	5,400	PRX418S	8Ω, 800W, 95dB, Subwoofer	"	2,850
PA7212-18V	2 Way Plannar Array Kit	"	4,950	PRX425	4Ω, 600W, 100dB	"	2,850
PA7212-2PA7215-2PA7315-2	2 Way Plannar Array Kit	"	3,900	PRX710	10" Self-powered, 1500W, 133dB	"	2,700
PAF-1K(PAF-1K-WH)	AE Plannar Array Frame 1	"	5,040	PRX712	12" Self-powered, 1500W, 134dB	"	3,000
PAF-2K(PAF-2K-WH)	AE Plannar Array Frame 2	"	6,300	PRX715	15" Self-powered, 1500W, 136dB	"	3,450
PAF-3K(PAF-3K-WH)	AE Plannar Array Frame 3	"	6,600	PRX715XLF	15" Self-powered, 1500W, 131dB	"	4,200
PD525S	Dual 15" Subwoofer	"	8,400	PRX718XLF	18" Self-powered, 1500W, 134dB	"	4,800
PD525-WRC	Dual 15" Subwoofer	"	12,000	PRX725	Dual15" Self-powered, 1500W, 139dB	"	4,500
PD525-WRX	Dual 15" Subwoofer	"	15,600	PRX735	3Way 15" Self-powered, 1500W, 136dB	"	4,200
PD544	15" 2-Way, full-range, 40x40	"	12,000	SM7200	Pole Mount Bracket	"	1,020
PD544-WRC	15" 2-Way, full-range, 40x40 IP55	"	12,600	SRX812	12" Bass-Reflex Stage Monitor	"	3,900
PD544-WRX	15" 2-Way, full-range, 40x40 IP56	"	15,900	SRX812P	12" Bass-Reflex Stage Monitor	"	6,048
PD564	15" 2-Way, full-range, 60x40	"	12,000	SRX815	15" Two-Way Bass Reflex Loudspeaker	"	4,200
PD564-WRC	15" 2-Way, full-range, 60x40 IP55	"	12,600	SRX815P	15" Two-Way Bass Reflex Loudspeaker	"	6,480
PD564-WRX	15" 2-Way, full-range, 60x40 IP56	"	15,900	SRX818S	18" Single Subwoofer	"	4,800
PD566	15" 2-Way, full-range, 60x60	"	12,000	SRX818SP	18" Single Subwoofer	"	7,344
PD566-WRC	15" 2-Way, full-range, 60x60 IP55	"	12,600	SRX828S	18" Double Subwoofer	"	6,300
PD566-WRX	15" 2-Way, full-range, 60x60 IP56	"	15,900	SRX828SP	18" Double Subwoofer	"	9,072
PD595	15" 2-Way, full-range, 90x50	"	12,000	SRX835	3-Way 15" Bass Reflex Loudspeaker	"	5,100
PD595-WRC	15" 2-Way, full-range, 90x50 IP55	"	12,600	SRX835P	3-Way 15" Bass Reflex Loudspeaker	"	7,344
PD595-WRX	15" 2-Way, full-range, 90x50 IP56	"	15,900	SS2-BK	Tripod Mount SR/MREON/TR105/125,CNTRL5	"	630
PD6200/43(PD6200/43-WH)	Two-Way, mid-high, horn-loaded loudspeaker	"	17,100	SS3-BK	Speaker Pole Mount	"	180



HARMAN

세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.









공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 3월호
조사기간 2월 1일~10일

⑤ **통신** 방송음향기기 (27) **1141**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
---	----------------------------------	--

방 송 음 향 시 스템 (27)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● JBL				● JBL			
SS3-BK24	SM SS3-BK24	대	150	VT4881ADP-ACC	Accessory Kit, Cover And Dolly	대	4,200
SS4-BK	speaker Pole Mount	"	170	VT4881ADP-DA	Powered Compact 1-18" Subwoofer	"	27,000
SS4-BK24	SM SS4-BK24	"	374	VT4882	Midsize 2x15" Line Array Subwoofer	"	17,400
SS5-BK	Tripod Mount SR/MR/EON/TR105/125/CNTRL 5	"	870	VT4882-ACC	Accessory Kit, Dolly And Cover	"	3,300
STX812M	8Ω, 800W, 95dB	"	4,410	VT4882DP	Midsize 2x15" Line Array Subwoofer W/DPDP (DBX)	"	27,600
STX812M-YK	Yoke Bracket Assy, STX812M	"	441	VT4882DP-ACC	Accessory Kit, Dolly And Cover	"	4,200
STX815M	8Ω, 800W, 96dB	"	5,670	VT4882DP-DA	Powered Midsize 2-15" Subwoofer W/DPDA	"	33,000
STX818S	8Ω, 1000W, 96dB Subwoofer	"	4,350	VT4883	Sub Compact 2x12" Arrayable Subwoofer	"	13,500
STX825	4Ω, 1600W, 98dB	"	6,900	VT4886	Fullrange Line Array Element	"	13,500
STX825S	4Ω, 2000W, 99dB Subwoofer	"	7,200	VT4886-AF	Sub Compact System Array Frame	"	7,200
STX835	4Ω, 1600W, 96dB 15" 3way	"	9,000	VT4886-DF88	Sub Compact System Downfill Frame	"	6,900
VLA301	3Way Line Array, 1200W, 700W, 225W	"	45,000	VT4886-DF89	Sub Compact System Downfill Frame	"	7,200
VLA301H	3Way Line Array, 1200W, 1400W, 450W	"	51,000	VT4886-HB	Vertec Sub Compact Bracket	"	4,200
VLA301H-WRC	Protected Outdoor Areas	"	54,000	VT4886-SF	Sub Compact System Short Frame	"	5,700
VLA301H-WRX	Extreme Environment	"	60,000	VT4886-UB	Vertec Sub Compact Bracket	"	1,800
VLA301-WRC	Protected Outdoor Areas	"	48,000	VT4886-UB1	Vertec Sub Compact Bracket	"	1,200
VLA301-WRX	Extreme Environment	"	51,000	VT4887A	Compact Fullrange Line Array Element	"	19,500
VLA601	3Way Line Array, 1200W, 700W, 225W	"	39,000	VT4887A-ASP	Acoustical Spares Kit For VT4887A	"	4,500
VLA601H	3Way Line Array, 1200W, 1400W, 450W	"	45,000	VT4887-ACC	Accessory Kit, Dolly And Cover	"	2,400
VLA601H-WRC	Protected Outdoor Areas	"	48,000	VT4887ADP	Powered Compact Line Array	"	27,600
VLA601H-WRX	Extreme Environment	"	54,000	VT4887ADP-ACC	Accessory Kit, Dolly And Cover	"	3,300
VLA601-WRC	Protected Outdoor Areas	"	42,000	VT4887ADP-DA	Powered Compact Line Array	"	33,000
VLA601-WRX	Extreme Environment	"	45,000	VT4887-AF	Array Frame	"	10,200
VLA901	3Way Line Array, 1200W, 700W, 225W	"	39,000	VT4887-MSP	M Echanical Spares Kit For VT4887	"	4,200
VLA901H	3Way Line Array, 1200W, 1400W, 450W	"	45,000	VT4887-SF	Short Frame	"	7,200
VLA901H-WRC	Protected Outdoor Areas	"	48,000	VT4888	Midsize 3-WAY Line Array Element	"	24,000
VLA901H-WRX	Extreme Environment	"	54,000	VT4888-ACC	Accessory Kit, Dolly And Cover	"	2,400
VLA901-WRC	Protected Outdoor Areas	"	42,000	VT4888-AF	Array Frame	"	12,000
VLA901-WRX	Extreme Environment	"	45,000	VT4888-ASP	Acoustical Spares Kit	"	8,400
VP7210/95DP	Powered 10" 8Ω, 875W, 132dB	"	14,400	VT4888DP	Midsize Powered 3-WAY Line Array	"	39,000
VP7212/64DP	Powered 12" 8Ω, 1100W, 136dB (60°x40°)	"	21,000	VT4888DP-ACC	Accessory Kit, Dolly And Cover	"	3,900
VP7212/64DPDA	DPDA (drivepack Digital Audio)	"	26,700	VT4888DP-DA	Midsize Powered Line Array Element	"	45,000
VP7212/95DP	Powered 12" 8Ω, 1100W, 136dB (90°x50°)	"	21,300	VT4888-MSP	Mechanical Spares Kit For VT4888	"	4,500
VP7212/95DPC	Powered 12" 8Ω, 875W, 134dB	"	14,400	VT4888-SF	Short Frame	"	7,200
VP7212/95DPDA	DPDA (drivepack Digital Audio)	"	26,700	VT4889	Fullsize 3-WAY Line Array	"	54,000
VP7212MDP	Powered 12" 8Ω, 875W, 134dB, Stage Monitor	"	14,700	VT4889-1	Fullsize 3-WAY Line Array Element	"	39,000
VP7215/64DP	Powered 15" 8Ω, 1100W, 137dB (60°x40°)	"	22,800	VT4889-1-ACC	Accessory Kit, Dolly And Cover For VT4889-1	"	3,600
VP7215/64DPDA	DPDA (drivepack Digital Audio)	"	28,200	VT4889ADP	Fullsize Powered Line Array Element w/DPDP (DBX)	"	55,500
VP7215/95DP	Powered 15" 8Ω, 1100W, 137dB (90°x50°)	"	22,800	VT4889ADP-ACC	Accessory Kit, Dolly And Cover For VT4889ADP	"	4,500
VP7215/95DPC	Powered 15" 8Ω, 875W, 135dB	"	15,600	VT4889ADP-DA	Fullsize Powered Line Array Element w/DPDA Input Module	"	61,500
VP7215/95DPDA	DPDA (drivepack Digital Audio)	"	28,200	VT4889-AF	Array Frame For ALL Fullsize Vertec Models Including DP Series	"	13,200
VP7315/64DP	3Way Powered 15" 8Ω, 1100W, 138dB (60°x40°)	"	29,700	VT4889-ASP	Acoustical Spares Kit For VT4889	"	15,000
VP7315/64DPDA	DPDA (drivepack Digital Audio)	"	36,000	VT4889-MSP	Mechanical Spares Kit For VT4889	"	8,100
VPSB7118DP	Powered 18" 4Ω, 1800W, 129dB	"	21,600	VT4889-SF	Short Frame For ALL Fullsize Vertec Models Including DP Series	"	9,900
VPSB7118DPDA	DPDA (drivepack Digital Audio)	"	26,700	VTX-M20	S/M, 10" Dual	"	11,700
VRX915M	8Ω, 800W, 98dB, 15" Stage Monitor	"	7,560	VTX-M22	S/M, 12" Dual	"	13,800
VRX915S(VRX915S-WH)	4Ω, 800W, 91dB, 15" Flying Subwoofer	"	5,670	VTX-F12	S/M, VTX-F12	"	10,500
VRX918S	8Ω, 800W, 95dB, 18" Flying Subwoofer	"	6,300	VTX-F15	2-way 15" Multipurpose fill/floor mtr	"	12,600
VRX918SP(VRX918S-WH)	18" Powered Subwoofer, 1500W, 126dB	"	9,450	VTX-F18S	S/M, VTX-F18S	"	12,600
VRX928LA(VRX928LA-WH)	8Ω, 400W, 90dB, 8" Line Array	"	6,930	VTX-G28	Dual 18" Subwoofer, Ground-Stack	"	25,500
VRX932LA-1(VRX932LA-1-WH)	8Ω, 800W, 95dB, 12" Line Array	"	10,380	VTX-G28-ACC	S/M, VTX-G28-ACC	"	5,400
VRX932LAP	12" Powered, 875W, 136dB	"	13,860	VTX-LZ	Laser Unit installation Accessory	"	900
VRX-AF	VRX Array Frame	"	3,780	VTX-LZ-8788	VT4887 VT4888 Mount Bracket	"	1,140
VRX-SMAF	VRX small Array Frame	"	2,250	VTX-LZ-89	Laser Unit VT4889 Mount Bracket	"	1,140
VT4800-CA	Compact Adapter Frame For Vertec	"	10,800	VTX-LZ-K	Laser Kit installation	"	2,250
VT4800-DA	Downfill Adapter Frame For Vertec	"	7,500	VTX-LZ-PS	Laser Power Supply installation Accessory	"	690
VT4800-UA	Universal Adapter Frame For Vertec	"	13,500	VTX-LZ-V20-MB	Laser Mount Bracket Adapter For VTX-V20	"	420
VT4880	18" Subwoofer-Arrayable 2x8Ω 2000W (ACC 제외)	"	18,000	VTX-LZ-V25-MB	Laser Mount Bracket Adapter For VTX-V25	"	240
VT4880A	18" Subwoofer-Arrayable 2x8Ω 4000W (ACC 제외)	"	24,000	VTX-S25	S/M, VTX-S25	"	22,500
VT4880A-ACC	Accessory Kit, Cover And Dolly	"	3,600	VTX-S25-VT	VTX S25 Vertical Transporter	"	3,600
VT4880-ACC	Accessory Kit, Cover And Dolly	"	4,500	VTX-S25-VT-CVR	VTX S25 Vertical Transporter Protective Cover	"	3,300
VT4880ADP	Powered Fullsize 2-18" Subwoofer	"	37,500	VTX-S28	DUAL 18" Subwoofer, Suspensible	"	27,000
VT4880ADP-ACC	S/M, VT4880ADP-ACC	"	4,500	VTX-S28-ACC	S/M, VTX-S28-ACC	"	5,100
VT4880ADP-DA	Powered Fullsize 2-18" Subwoofer W/DPDA	"	43,500	VTX-S28-VT	VTX S28 Vertical Transporter	"	10,800
VT4881A	Compact 1-18" Subwoofer	"	15,900	VTX-S28-VT-CVR	Vertical Transporter Soft Cover	"	3,600
VT4881-ACC	Dolly And Cover For VT4881A OR VT4881	"	2,700	VTX-V20	S/M, VTX-V20	"	31,500
VT4881ADP	Powered Compact 1-18" Subwoofer	"	22,500	VTX-V20-AF	Array Frame, VTX-V20	"	14,100

HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.

공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

1142 ⑤ 통신 방송음향기기(28)

거래가격 2017년 3월호
조사기간 2월 1일~10일

거래조건 · 수도방법 : 현장도착도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도	조사단계 메이커 — ① — 수요자	주 기 · 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.
--	------------------------------	--

방 송 음 향 시 스템 (28)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이터				■ 테크데이터			
● JBL				● Crown			
VTX-V20-AF-EB	VTX V20 Array Frame Extension Bar	대	4,080	DCi 4i300	4Ch, per Ch-4Ω/8Ω 300W	대	5,550
VTX-V20-DF	V25 밑에 V20 디운필	"	12,600	DCi 4i300N	4Ch, per Ch-4Ω/8Ω 300W	"	9,300
VTX-V20-VT	VTX V20 Vertical Transporter	"	4,500	DCi 4i600	4Ch, per Ch-4Ω/8Ω 600W	"	8,400
VTX-V20-VT-CVR	VTX V20 Vertical Transporter	"	3,300	DCi 4i600N	4Ch, per Ch-4Ω/8Ω 600W	"	12,900
VTX-V25	Fullsize 3-Way Line Array Element	"	53,400	DCi 8i300	8Ch, per Ch-4Ω/8Ω 300W	"	11,100
VTX-V25 II	Fullsize 3-Way Line Array Element	"	54,900	DCi 8i300N	8Ch, per Ch-4Ω/8Ω 300W	"	16,500
VTX-V25 II CS	-	"	54,900	DCi 8i600	8Ch, per Ch-4Ω/8Ω 600W	"	16,800
VTX-V25-ACC	S/M, VTX-V25-ACC	"	4,050	DCi 8i600N	8Ch, per Ch-4Ω/8Ω 600W	"	21,000
VTX-V25-AF	Array Frame, VTX-V25	"	17,700	-	-	"	25,500
VTX-V25-AF-EB	Extension Bar, VTX-V25-AF	"	5,490	DSi1000	Dual, per Ch-4Ω 475W/8Ω 275W	"	2,700
VTX-V25-AF-I	VTX V25 Array Install Version	"	21,600	DSi2000	Dual, per Ch-4Ω 800W/8Ω 475W	"	3,900
VTX-V25-ASP	V25 Acoustical Spare Parts kit	"	13,500	DSi4000	Dual, per Ch-4Ω 1200W/8Ω 650W	"	5,400
VTX-V25-MSP	V25 Mechanical Spare Parts kit	"	9,450	DSi6000	Dual, per Ch-4Ω 2100W/8Ω 1200W	"	9,900
VTX-V25-VT	VTX V25 Vertical Transporter	"	12,600	DSi8M	8 Channel System Monitor	"	3,900
VTX-V25-VT-CVR	Vertical Transporter Soft Cover	"	3,600	EOL Box	EOL Box	"	1,500
VTX-VT-FL	VTX Vertical Transporter Fork Lift Adapter	"	5,880	IQ3PIPLITE	PIP-Lite IQ Network Input Module	"	1,800
● Crown				IQ3USP3CN	PIP-USP3 DSP PIP Module	"	6,000
1160A	1-input, 4Ω 160W (70V/100V)	"	2,340	IQ3USP4CN	DSP-Based PIP Input Module	"	3,900
1160MA	4-input, 4Ω 160W (70V/100V)	"	2,850	IST	IST	"	165
135MA	3-input, 8Ω 35W (70V/100V)	"	750	IT12000HD	Dual, per Ch-4Ω 4500W/8Ω 2100W	"	25,800
14M	4-input, Single-zone out	"	1,620	IT4X3500HDB	4Ch, per Ch-4Ω 2400W/8Ω 1900W	"	27,000
160MA	4-input, 8Ω 60W (70V/100V)	"	1,200	IT4X3500HDS	4Ch, per Ch-4Ω 2400W/8Ω 1900W	"	27,000
180A	1-input, 4Ω 80W (70V/100V)	"	1,800	IT5000HD	Dual, per Ch-4Ω 2500W/8Ω 1250W	"	17,400
180MA	4-input, 4Ω 80W (70V/100V)	"	2,250	IT9000HD	Dual, per Ch-4Ω 3500W/8Ω 1500W	"	21,000
1VCAP	1-VCA Remote Volume Control	"	198	MA12000i	Dual, per Ch-4Ω 4500W/8Ω 2100W	"	22,500
280A	2-input, 4Ω 80W (70V/100V)	"	2,400	MA5000i	Dual, per Ch-4Ω 2500W/8Ω 1250W	"	13,500
280MA	8-input, 4Ω 80W (70V/100V)	"	3,300	MA9000i	Dual, per Ch-4Ω 3500W/8Ω 1500W	"	16,500
28M	8-input, Two-zone out	"	2,220	MCVCA4A	Level Control Module for CTs 4200	"	750
CDi1000	Dual, per Ch-4Ω 500W/8Ω 275W	"	3,300	MCVCA8	Level Control Module for CTs 8200	"	750
CDi2000	Dual, per Ch-4Ω 800W/8Ω 475W	"	4,200	PIP-BLU Module	PIP™ input module	"	2,400
CDi4000	Dual, per Ch-4Ω 1200W/8Ω 650W	"	5,700	RM1	Single Unit Rack Mount Kit for 135MA/160MA	"	90
CDi6000	Dual, per Ch-4Ω 2100W/8Ω 1200W	"	9,600	RM2	Double Unit Rack Mount Kit for 135MA/160MA	"	60
CT16S	16Ch Backup Amplifier Switcher	"	9,900	SCOVER	10pack of Security Knobs	"	75
CT4150	4Ch, per Ch-8Ω 125W	"	3,300	T170V	Constant-Voltage Transformer	"	300
CT475	4Ch, per Ch-8Ω 75W	"	2,850	TP170V	Constant-Voltage Transformer Panel	"	1,350
CT8150	8Ch, per Ch-8Ω 150W	"	6,600	USBX	Ethernet interface for Crown USB-enabled devices	"	1,020
CT875	8Ch, per Ch-8Ω 75W	"	4,500	VRACK	Complete Amplification System	"	30,000
CT8SHO	8Ch Backup Amplifier SwitCher	"	10,800	XFMR4	4Ch, Constant	"	1,050
CTs1200	Dual, per Ch-4Ω/8Ω 600W	"	5,400	XFMR8	8Ch, Constant	"	1,890
CTs1200BLU	Dual, per Ch-4Ω/8Ω 600W	"	8,700	XLi1500	Dual, per Ch-4Ω 450W/8Ω 330W	"	1,080
CTs1200LITE	Dual, per Ch-4Ω/8Ω 600W	"	8,100	XLi2500	Dual, per Ch-4Ω 750W/8Ω 500W	"	1,650
CTs1200USP4CN	Dual, per Ch-4Ω/8Ω 600W	"	10,500	XLi3500	Dual, per Ch-4Ω 1350W/8Ω 1000W	"	2,970
CTs2000	Dual, per Ch-4Ω/8Ω 1000W	"	6,900	XLi800	Dual, per Ch-4Ω 300W/8Ω 200W	"	900
CTs2000BLU	Dual, per Ch-4Ω/8Ω 1000W	"	10,500	XLS1000	Dual, per Ch-4Ω 350W/8Ω 215W	"	1,200
CTs2000LITE	Dual, per Ch-4Ω/8Ω 1000W	"	9,900	XLS1002	Dual, per Ch-4Ω 350W/8Ω 215W	"	1,260
CTs2000USP4CN	Dual, per Ch-4Ω/8Ω 1000W	"	12,000	XLS1500	Dual, per Ch-4Ω 525W/8Ω 300W	"	1,500
CTs3000	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	9,600	XLS1502	Dual, per Ch-4Ω 525W/8Ω 300W	"	1,590
CTs3000BLU	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	13,800	XLS2000	Dual, per Ch-4Ω 650W/8Ω 375W	"	1,950
CTs3000LITE	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	13,500	XLS2002	Dual, per Ch-4Ω 650W/8Ω 375W	"	2,040
CTs3000USP4CN	Dual, per Ch-4Ω 1500W/8Ω 1250W	"	15,000	XLS2500	Dual, per Ch-4Ω 775W/8Ω 450W	"	2,250
CTs4200A	4Ch, per Ch-4Ω 260W/8Ω 180W	"	5,250	XLS2502	Dual, per Ch-4Ω 775W/8Ω 450W	"	2,340
CTs4200AUSPCN	-	"	12,600	XTi1002	Dual, per Ch-4Ω 500W/8Ω 275W	"	2,160
CTs600	Dual, per Ch-4Ω/8Ω 300W	"	3,600	XTi2002	Dual, per Ch-4Ω 800W/8Ω 475W	"	2,970
CTs600BLU	Dual, per Ch-4Ω/8Ω 300W	"	6,600	XTi4002	Dual, per Ch-4Ω 1200W/8Ω 650W	"	4,140
CTs600LITE	Dual, per Ch-4Ω/8Ω 300W	"	6,000	XTi6002	Dual, per Ch-4Ω 2100W/8Ω 1200W	"	7,500
CTs600USP4CN	Dual, per Ch-4Ω/8Ω 300W	"	8,100	● Soudcraft			
CTs8200A	8Ch, per Ch-4Ω 200W/8Ω 160W	"	9,900	supplied on reel	RZ2702, 150m optical with fibrecast connectors	"	10,500
CTs8200AUSPCN	8Ch, per Ch-4Ω 200W/8Ω 160W	"	18,000	XLR AES Card	5019847, 16in, 16out	"	2,550
DCi 2i1250	Dual, per Ch-4Ω/8Ω 1250W	"	7,650	16X AES/EBU card	RS2422	"	2,700
DCi 2i1250N(New)	Dual, per Ch-4Ω/8Ω 1250W	"	11,100	supplied on reel	RZ2701, 200m optical with fibrecast connectors	"	12,300
DCi 2i300	Dual, per Ch-4Ω/8Ω 300W	"	3,450	BLU Link card	32Ch	"	1,620
DCi 2i300N	Dual, per Ch-4Ω/8Ω 300W	"	6,000	ADAT 16Ch I/O Card	RS2360	"	2,400
DCi 2i600	Dual, per Ch-4Ω/8Ω 600W	"	5,100	AES input Card	RS2446	"	1,800
DCi 2i600N	Dual, per Ch-4Ω/8Ω 600W	"	7,800	AES output Card	RS2447	"	1,800
DCi 4i1250	4Ch, per Ch-4Ω/8Ω 1250W	"	11,700	AES/EBU 4+4 XLR card	A520.002000SP	"	1,800
DCi 4i1250N(New)	4Ch, per Ch-4Ω/8Ω 1250W	"	16,500	AES/EBU 8+8 Dtype card	A520.003000SP (Word Clock)	"	1,800
DCi 4i1250N(New)	-	"	17,625	A-Net Aviom Card	A520.004000SP	"	4,200



HARMAN 세계적인 음향 브랜드 하만, 테크데이터가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474

거래가격 2017년 3월호
조사기간 2월 1일~10일

⑤ **통신** 방송음향기기 (29) **1143**

<p>거래조건</p> <ul style="list-style-type: none"> · 수도방법 : 공장상차도 · 거래규모 : 단위당 · 결제조건 : 현 금 · 부가세 : 별 도 	<p>조사단계</p> <p>메이커 — ① — 수요자</p>	<p>주 기</p> <p>· 생산자공표가격은 실거래에 있어서, 이보다 낮은 가격으로 거래되는 사례가 많으므로 구입시 유의하시기 바랍니다.</p>
--	---	---

방 송 음 향 시 스템 (29)

(가격단위 : 천원)

(생산자공표가격)

品名	規 格	單位	價 格 ①	品名	規 格	單位	價 格 ①
■ 테크데이타				■ 테크데이타			
● Soudcraft				● Soudcraft			
Aviom 16Ch Output Card	RS2497	대	5,100	Signature 12	12 Channel console, 6 mono mic/line inputs	대	1,320
"	RS2498	"	5,400	Signature 12MTK	12 Channel console, 6 mono mic/line inputs	"	1,470
Cat5 Dual port MADI	A520.005000SP	"	1,620	Signature 16	16 Channel console, 10 mono mic/line inputs	"	2,370
CobraNet 32Ch i/o Card	RS2496	"	5,400	Signature 22	22 Channel console, 14 mono mic/line inputs	"	2,760
"	A520.006000SP	"	4,200	Signature 22MTK	22 Channel console, 14 mono mic/line inputs	"	2,550
"	RS2485	"	5,100	Si-Impact	24 mic pre's on XLR, 8 Mic/Line on	"	9,900
Compact Stage Box	32 in, 16 line out, Dual Cat5 MADI	"	17,400	Single mode Optical MADI Card	5019983.v	"	1,950
"	32 in, 8 line out, 8 AES OUT, Dual Cat5 MADI	"	17,400	Stage-box Cat5	-	"	36,000
"	32 in, 8 line out, 8 AES OUT, Dual MM Optical	"	17,400	Stagebox Cat5 HD Link Card	A949.055632	"	2,700
CSB Cat5 MADI HD card	A949.049232	"	2,850	Stage-box Optical	-	"	45,000
CSB Optical MADI HD card	A949.049032, Multi mode	"	3,000	Stagebox Optical HD Link card	RS2562 (SC connectors-single mode)	"	3,600
"	A949.049132, Single mode	"	3,600	Stagebox Optical HD Link card	RS2448 (SC connectors-multi mode)	"	3,300
Dual port Cat5 Dante card	5031819	"	4,200	TDIF Card	RS2564	"	2,400
EFX12	32 FX Settings, 12+2/2/2	"	1,575	Ui-12	12 inputs to mix, 4 mic/line in	"	1,320
EFX8	32 FX Settings, 8+2/2/2	"	1,290	Ui-16	16 inputs to mix, 8 mic/line in	"	1,800
EPM12	Compact high-performance mixers, 12+2/2/2	"	1,227	Vii custom Flight Case	-	"	9,000
EPM6	Compact high-performance mixers, 6+2/2/2	"	819	Vii-32	16 input fader, 8 master fader, 24 buses	"	72,000
EPM8	Compact high-performance mixers, 8+2/2/2	"	945	Vii-48	48 local Mic/Line inputs and 16 outputs	"	72,000
Expression 1Dust Cover	Gooseneck	"	207	Vii-48C5	Local-16 Mic/Line inputs, 8 line	"	90,000
Expression 2+Performer 2Dust Cover	Gooseneck, Scribble pad and Pen	"	228	Vii-48MO	Multimode optical	"	93,000
Expression 3+Performer 3Dust Cover	2xGooseneck, Scribble pad and Pen	"	330	Vii-64C5	Local-16 Mic/Line inputs, 8 line	"	105,000
Flightcase for Expression2	-	"	1,650	Vii-64MO	Multimode optical	"	108,000
Flightcase for Expression3	-	"	1,800	Vi3000-48	96 input to mix	"	135,000
FX16ii	16 direct outputs and built-in effects, 16/4/2/2	"	2,670	Vi3000-72C5	"	"	174,000
GB2 16Ch	Compact Live Sound Mixer, 16+2/6/2/2	"	4,890	Vi3000-72MO	"	"	180,000
GB2 24Ch	Compact Live Sound Mixer, 24+2/6/2/2	"	6,600	Vi3000-FCS	Vi3000 Standard flightcase	"	12,000
GB2 32Ch	Compact Live Sound Mixer, 32+2/6/2/2	"	7,890	Vi4 Cat5 System	96 input to mix	"	300,000
GB2R 12Ch	19' compact installation mixer, 12+2/6/2/2	"	3,960	Vi4 Control Surface custom Flight Case	-	"	9,000
GB2R 16Ch	19' compact installation mixer, 16+2/6/2/2	"	3,960	Vi4 Multi Optical System	-	"	315,000
GB4 16Ch	Live Sound Mixer, 16+2/8/4/3	"	6,210	Vi4 Surface	-	"	120,000
GB4 24Ch	Live Sound Mixer, 24+2/8/4/3	"	7,890	Vi4 Surface	-	"	120,000
GB4 32Ch	Live Sound Mixer, 32+2/8/4/3	"	10,140	Vi4.2 Cat5 System	Ships with 2xVi Stage box-64 inputs, 32 Outputs	"	336,000
GB4 40Ch	Live Sound Mixer, 40+2/8/4/3	"	12,000	Vi4.2 Optical System	"	"	360,000
GB8 24Ch	Live Sound Console, 24+4/8/8/3	"	12,000	Vi4/Vi6 12U 19' Custom Flight	-	"	5,400
GB8 32Ch	Live Sound Console, 32+4/8/8/3	"	13,890	Case For Local Rack/Stagebox	-	"	-
GB8 40Ch	Live Sound Console, 40+4/8/8/3	"	17,250	Vi4/Vi6 Script Tray	A947.006000	"	1,875
GB8 48Ch	Live Sound Console, 48+4/8/8/3	"	21,600	Vi5000 Surface	-	"	105,000
Gooseneck Lamp 18" Right Angle	Soundcraft 18" 4pin desk lamp	"	150	Vi5000-FC	Vi5000 Flightcase inc 2-Monitor Mount+4U of rack space	"	13,500
GPIO module	RS2429	"	5,100	Vi6 Cat5 System	96 input to mix	"	360,000
Local rack Cat5	-	"	144,000	Vi6 Control Surface Custom Flight Case	-	"	9,600
Local Rack Cat5 Link Card	RS2409	"	2,700	Vi6 Multi Optical System	-	"	375,000
Local rack Optical	-	"	150,000	Vi6 Surface	Control surface	"	180,000
LX-7 II 16	Multi purpose mixer, 16+2/6/4/3	"	3,570	Vi6.2 Cat 5 System	Ships with 2xVi Stage box-64 inputs, 32 Outputs	"	396,000
LX-7 II 24	Multi purpose mixer, 24+2/6/4/3	"	4,710	Vi6.2 Multi Optical System	"	"	420,000
LX-7 II 32	Multi purpose mixer, 32+2/6/4/3	"	5,820	Vi7000 surface	-	"	165,000
Madi card/Local Rack Optical Link card	RS2426 (SC connectors-multi mode)	"	3,000	Vi7000-FC	Vi7000 Flightcase inc 2-Monitor Mount+4U of rack space	"	15,000
"	RS2563 (SC connectors-single mode)	"	3,750	Vi-Blulink	5033340	"	3,600
MFXi12	Built-in 24bit Lexicon digital effects processor	"	2,040	Vi-Dante	5036916	"	5,100
MFXi20	"	"	2,640	ViLR-48MO	384 in Local rack at 48bit, supports 128 in	"	180,000
MFXi8	"	"	1,710	ViLR-96MO	384 in Local rack at 48bit&96bit, Supports 128 in	"	210,000
MPMi12	Multi Purpose Mixer	"	2,250	ViSB 64:32 MO	64 Mic/Line in, 32 Line out	"	60,000
MPMi20	"	"	3,000	● AMX			
MSB-16	16in, 8line out, single cat5 MADI (SI Expression Set 별주시 적용)	"	2,700	MCP-106P-BL	Messio 6-Button Ethernet ControlPad	"	2,340
MSB-16C5	16 in, 8 line out, single cat5 MADI	"	3,150	MCP-106P-WH	Messio 6-Button Ethernet ControlPad, Portrait	"	2,340
MSB-32C5	32 in, 8lineout, 4AES out, Dual Cat5 MADI	"	6,300	MCP-106L-BL	Messio 6-Button Ethernet ControlPad, Landscape Black	"	2,340
MSB-32C5	SI Expression Set (별주시 적용)	"	5,670	MCP-106L-WH	Messio 6-Button Ethernet ControlPad, Landscape White	"	2,340
Multi mode Optical MADI Card	A520.001000SP, Firewire+8+8ADAT	"	1,950	MCP-108-BL	Messio 8-Button Ethernet ControlPad with Knob, Black	"	2,990
Multi-Digital32+32 USB	5024024	"	12,000	MCP-108-WH	Messio 8-Button Ethernet ControlPad with Knob, White	"	2,990
Realtime Rack Core(New)	14 Plug-ins	"	16,500	NXA-PDU-1508-8	110V/220V - Allows remote reset of devices	"	4,712.5
Realtime Rack Ultimate(New)	74 Plug-ins	"	39,000	AVS-EPDGX144-ENC	Epica DGX 144 Matrix Switcher Enclosure	"	451,750
SI Expression1	16mic pres, 16faders, 16xlr outputs	"	7,200	AVS-EPDGX144-VO-DVI	16 DVI Connection Epica DGX 144 Output Board	"	52,000
SI Expression2	24mic pres, 24faders, 16xlr outputs	"	8,400	AVS-EPDGX144-OI-SC	16 SC Fiber Connection Epica DGX 144 Input Board	"	52,325
SI Expression3	32mic pres, 24faders, 16xlr outputs Processors	"	10,200	AVS-EPDGX144-OO-SC	16 SC Fiber Connection Epica DGX 144 Output Board	"	59,637.5
SI Performer1	16 mic pre's, 16fader, 20 sub-group	"	15,000	AVS-EPDGX144-VI-DVI	16 DVI Connection Epica DGX 144 Input Board	"	46,475
SI Performer2	24 mic pre's, 24fader, 20 sub-group	"	18,000	EPICADGX288-ENC	Epica DGX 288 Matrix Switcher Enclosure	"	529,750
SI Performer3	32 mic pre's, 32fader, 20 sub-group	"	21,000	EPICADGX288-VIO-SMF-S	16 Connection Single Mode Fiber Input/Output Board	"	92,625
Signature 10	10 Channel console, 4 mono mic/line inputs	"	1,140	EPICADGX288-VIO-MMF-S	16 Connection Multi Mode Fiber Input/Output Board	"	66,300



HARMAN 세계적인 음향 브랜드 하만, 테크데이타가 함께합니다.










공식수입원 **TechData** 제품문의 : 02-3480-7012 | 기술문의 : 02-3480-7045 | A/S문의 : 1661-9474